



ImmunoCAP® Allergens by:
Name / Code / Article Number

| Contents | Page |
|---------------------------------|-------------|
| Allergens by Allergen Name | 5 - 12 |
| Allergens by Allergen Code | 13 - 20 |
| Allergens by Article Number | 21 - 30 |
| Allergen Mixes by Allergen Code | 31 - 33 |

Allergens by Allergen Name

| | Product | | Code | Size | Art. No. | Barcode | |
|--------------------------|-------------------------------------|---|--|------|------------|------------|-----|
| A | Abachi wood dust | <i>Triplochiton scleroxylon</i> | k212 | 10 | 14-5217-01 | BT2 | |
| | Abalone | <i>Haliotis spp.</i> | f346 | 10 | 14-5283-01 | BTY | |
| | Acacia | <i>Acacia longifolia</i> | t19 | 16 | 14-4233-01 | 474 | |
| | <i>Acarus siro</i> | Storage mite | d70 | 10 | 14-4300-01 | 534 | |
| | <i>Acremonium kiliense</i> | | m202 | 10 | 14-4830-01 | 992 | |
| | ACTH (Adrenocorticotrophic hormone) | | Rc206 | 10 | 14-5162-10 | 758 | |
| | Alfalfa | <i>Medicago sativa</i> | w45 | 10 | 14-4951-01 | CCR | |
| | Alkalase | <i>Bacillus spp.</i> | k205 | 10 | 14-5126-01 | C1F | |
| | Allspice | <i>Pimenta dioica</i> | f339 | 10 | 14-5267-01 | C17 | |
| | Almond | <i>Amygdalus communis</i> | f20 | 16 | 14-4179-01 | 422 | |
| | <i>Alternaria alternata</i> | | m6 | 16 | 14-4106-01 | 356 | |
| | American beech | <i>Fagus grandifolia</i> | t5 | 16 | 14-4148-01 | 394 | |
| | Amoxicilloyl | | c6 | 16 | 14-4451-01 | 991 | |
| | Ampicilloyl | | c5 | 16 | 14-4450-01 | 990 | |
| | Anchovy | <i>Engraulis encrasicolus</i> | f313 | 10 | 14-5209-01 | BSL | |
| | Anisakis | | p4 | 16 | 14-4475-01 | 830 | |
| | Anise | <i>Pimpinella anisum</i> | f271 | 10 | 14-5044-01 | BP9 | |
| | Apple | <i>Malus x domestica</i> | f49 | 16 | 14-4220-01 | 461 | |
| | Apricot | <i>Prunus armeniaca</i> | f237 | 10 | 14-4812-01 | 911 | |
| | Artemia salina, fish feed | | o202 | 10 | 14-5122-01 | C31 | |
| | Ascaris | | p1 | 16 | 14-4244-01 | 483 | |
| | Asparagus | <i>Asparagus officinalis</i> | f261 | 10 | 14-5046-01 | C0B | |
| | <i>Aspergillus flavus</i> | | m228 | 10 | 14-5342-01 | BZU | |
| | <i>Aspergillus fumigatus</i> | | m3 | 16 | 14-4119-01 | 368 | |
| | <i>Aspergillus niger</i> | | m207 | 10 | 14-4831-01 | 993 | |
| | <i>Aspergillus terreus</i> | | m36 | 10 | 14-4920-01 | BYC | |
| | Aubergine, eggplant | <i>Solanum melongena</i> | f262 | 10 | 14-5047-01 | BZZ | |
| | <i>Aureobasidium pullulans</i> | | m12 | 16 | 14-4263-01 | 501 | |
| | Australian pine | <i>Casuarina equisetifolia</i> | t73 | 10 | 14-4374-01 | 599 | |
| | Avocado | <i>Persea americana</i> | f96 | 10 | 14-4346-01 | 571 | |
| | B | Bahia grass | <i>Paspalum notatum</i> | g17 | 16 | 14-4189-01 | 432 |
| | | Bald cypress | <i>Taxodium distichum</i> | t37 | 10 | 14-4941-01 | CCE |
| | | Bamboo shoot | <i>Phyllostachys pubescens</i> | f51 | 16 | 14-4455-01 | 815 |
| | | Banana | <i>Musa spp.</i> | f92 | 10 | 14-4334-01 | 561 |
| | | Barley | <i>Hordeum vulgare</i> | f6 | 16 | 14-4172-01 | 415 |
| | | Barley | <i>Hordeum vulgare</i> | g201 | 10 | 14-4821-01 | 920 |
| | | Basil | <i>Ocimum basilicum</i> | f269 | 10 | 14-5048-01 | BS7 |
| | | Bay leaf | <i>Laurus nobilis</i> | f278 | 10 | 14-5049-01 | BSC |
| | | Bayberry | <i>Myrica cerifera</i> | t56 | 10 | 14-4947-01 | CCL |
| | | Beef | <i>Bos spp.</i> | f27 | 16 | 14-4209-01 | 450 |
| | | Beetroot | <i>Beta vulgaris</i> | f319 | 10 | 14-5216-01 | C1A |
| | | Berlin beetle | <i>Trogoderma angustum (Solier)</i> | i76 | 10 | 14-4362-01 | 587 |
| Bermuda grass | | <i>Cynodon dactylon</i> | g2 | 16 | 14-4131-01 | 379 | |
| Black pepper | | <i>Piper nigrum</i> | f280 | 10 | 14-4817-01 | 916 | |
| Blackberry | | <i>Rubus fruticosus</i> | f211 | 10 | 14-5051-01 | C0E | |
| <i>Blomia tropicalis</i> | | House dust mite | d201 | 10 | 14-4896-01 | BHP | |
| Blood worm | | <i>Chironomus thummi (C. riparius)</i> | i73 | 10 | 14-4328-01 | 556 | |
| Blue mussel | | <i>Mytilus edulis</i> | f37 | 16 | 14-4213-01 | 454 | |
| Blue vetch | | <i>Lathyrus sativus</i> | f310 | 10 | 14-5197-01 | C3A | |
| Blueberry | | <i>Vaccinium myrtillus</i> | f288 | 10 | 14-5052-01 | BTF | |
| <i>Botrytis cinerea</i> | | | m7 | 16 | 14-4258-01 | 496 | |
| Bougainvillea | | <i>Bougainvillea spp.</i> | k214 | 10 | 14-5286-01 | C3L | |
| Box-elder | | <i>Acer negundo</i> | t1 | 16 | 14-4161-01 | 406 | |
| Brazil nut | | <i>Bertholletia excelsa</i> | f18 | 16 | 14-4178-01 | 421 | |
| Broccoli | | <i>Brassica oleracea var. italica</i> | f260 | 10 | 14-4841-01 | AAD | |
| Brome grass | | <i>Bromus inermis</i> | g11 | 16 | 14-4238-01 | 479 | |
| Brussel sprouts | | <i>Brassica oleracea var. gemmifera</i> | f217 | 10 | 14-5054-01 | C1S | |
| Buckwheat | | <i>Fagopyrum esculentum</i> | f11 | 16 | 14-4125-01 | 374 | |
| Budgerigar droppings | | | e77 | 10 | 14-4303-01 | 537 | |
| Budgerigar feathers | | | e78 | 10 | 14-4304-01 | 538 | |
| C | | Bumblebee | <i>Bombus terrestris</i> | i205 | 10 | 14-5270-01 | C06 |
| | | Cabbage | <i>Brassica oleracea var. capitata</i> | f216 | 10 | 14-4814-01 | 913 |
| | | Cacao | <i>Theobroma cacao</i> | f93 | 10 | 14-4335-01 | 562 |
| | | Camomile | <i>Matricaria chamomilla</i> | w206 | 10 | 14-5020-01 | BPZ |
| | | Canary bird droppings | | e200 | 10 | 14-4913-01 | BY5 |
| | | Canary bird feathers | | e201 | 10 | 14-4824-01 | 923 |
| | | Canary grass | <i>Phalaris arundinacea</i> | g71 | 10 | 14-4360-01 | 585 |
| | | <i>Candida albicans</i> | | m5 | 16 | 14-4120-01 | 369 |
| | | Carambola | <i>Averrhoa carambola</i> | f295 | 10 | 14-5056-01 | C3H |
| | | Caraway | <i>Carum carvi</i> | f265 | 10 | 14-5057-01 | BP8 |
| | | Cardamon | <i>Elettaria cardamomum</i> | f267 | 10 | 14-5058-01 | C2G |

| | Product | | Code | Size | Art. No. | Barcode |
|--------------------------|---|---|-------|------------|------------|---------|
| C | Careless weed | <i>Amaranthus palmeri</i> | w82 | 10 | 14-4953-01 | CCT |
| | Carob (E410) | <i>Ceratonia siliqua</i> | f296 | 10 | 14-5137-01 | C0U |
| | Carrot | <i>Daucus carota</i> | f31 | 16 | 14-4210-01 | 451 |
| | Cashew nut | <i>Anacardium occidentale</i> | f202 | 10 | 14-4835-01 | 997 |
| | Castor bean | | k71 | 10 | 14-4364-01 | 589 |
| | Cat dander | | e1 | 16 | 14-4109-01 | 359 |
| | Cat fish | <i>Ictalurus punctatus</i> | f369 | 10 | 14-4930-01 | CC4 |
| | Cauliflower | <i>Brassica oleracea var. botrytis</i> | f291 | 10 | 14-5060-01 | C05 |
| | Cedar | <i>Libocedrus decurrens</i> | t212 | 10 | 14-5185-01 | C01 |
| | Cedar elm | <i>Ulmus crassifolia</i> | t45 | 10 | 14-4944-01 | CCH |
| | Cefaclor | | c7 | 10 | 14-5336-01 | BP4 |
| | Celery | <i>Apium graveolens</i> | f85 | 10 | 14-4296-01 | 530 |
| | <i>Chaetomium globosum</i> | | m208 | 10 | 14-5202-01 | C00 |
| | Cheese, cheddar type | | f81 | 10 | 14-4293-01 | 527 |
| | Cheese, mold type | | f82 | 10 | 14-4294-01 | 528 |
| | Cherry | <i>Prunus avium</i> | f242 | 10 | 14-4811-01 | 910 |
| | Chestnut | <i>Castanea sativa</i> | t206 | 10 | 14-5140-01 | C04 |
| | Chick pea | <i>Cicer arietinus</i> | f309 | 10 | 14-5196-01 | BTS |
| | Chicken | <i>Gallus spp.</i> | f83 | 16 | 14-4185-01 | 428 |
| | Chicken droppings | | e218 | 10 | 14-5229-01 | BRW |
| | Chicken feathers | | e85 | 10 | 14-4170-01 | 517 |
| | Chicken, serum proteins | | e219 | 10 | 14-5230-01 | C24 |
| | Chilipepper | <i>Capsicum frutescens</i> | f279 | 10 | 14-5062-01 | BSD |
| | Chinchilla epithelium | | e208 | 10 | 14-5011-01 | C1X |
| | Chloramin T | | k85 | 10 | 14-4368-01 | 593 |
| | Chlorhexidine | | c8 | 10 | 14-4926-01 | C8S |
| | Chub mackerel | <i>Scomber japonicus</i> | f50 | 16 | 14-4454-01 | 812 |
| | Chymopapain | | c209 | 10 | 14-5259-01 | C35 |
| | Cinnamon | <i>Cinnamomum spp.</i> | Rf220 | 10 | 14-5063-10 | 669 |
| | <i>Cladosporium herbarum</i> | | m2 | 16 | 14-4105-01 | 355 |
| | Clam | <i>Ruditapes spp.</i> | f207 | 10 | 14-4820-01 | 919 |
| | Clove | <i>Syzygium aromaticum</i> | f268 | 10 | 14-5064-01 | BS6 |
| | Cochineal extract (Carmine red) (E120) | <i>Dactylopius coccus</i> | f340 | 10 | 14-5268-01 | C0V |
| | Cocklebur | <i>Xanthium commune</i> | w13 | 16 | 14-4251-01 | 489 |
| | Cockroach, American | <i>Periplaneta americana</i> | i206 | 10 | 14-5274-01 | C07 |
| | Cockroach, German | <i>Blatella germanica</i> | i6 | 16 | 14-4224-01 | 465 |
| | Cockroach, Oriental | <i>Blatta orientalis</i> | i207 | 10 | 14-5275-01 | BTW |
| | Cocksfoot | <i>Dactylis glomerata</i> | g3 | 16 | 14-4117-01 | 366 |
| | Coconut | <i>Cocos nucifera</i> | f36 | 16 | 14-4212-01 | 453 |
| | Coffee | <i>Coffea spp.</i> | f221 | 10 | 14-5065-01 | BRZ |
| | Common millet | <i>Panicum milliaceum</i> | f55 | 16 | 14-4459-01 | 813 |
| | Common pigweed | <i>Amaranthus retroflexus</i> | w14 | 16 | 14-4252-01 | 490 |
| | Common ragweed | <i>Ambrosia elatior (A. artemisiifolia)</i> | w1 | 16 | 14-4162-01 | 407 |
| | Common reed | <i>Phragmites communis</i> | g7 | 16 | 14-4187-01 | 430 |
| | Common silver birch | <i>Betula verrucosa</i> | t3 | 16 | 14-4102-01 | 352 |
| | Common wasp (Yellow jacket) | <i>Vespula spp.</i> | i3 | 16 | 14-4144-01 | 390 |
| | Coriander | <i>Coriandrum sativum</i> | f317 | 10 | 14-5214-01 | BSN |
| | Cotton seed | | k83 | 10 | 14-4366-01 | 591 |
| | Cotton, crude fibers | | o1 | 16 | 14-4476-01 | 831 |
| | Cottonwood | <i>Populus deltoides</i> | t14 | 16 | 14-4229-01 | 470 |
| Cow dander | | e4 | 16 | 14-4166-01 | 411 | |
| Cow's whey | | f236 | 10 | 14-5114-01 | BP6 | |
| Crab | <i>Cancer pagurus</i> | f23 | 16 | 14-4180-01 | 423 | |
| Cranberry | <i>Vaccinium oxycoccus</i> | Rf341 | 10 | 14-5269-10 | AKT | |
| Crayfish | <i>Astacus astacus</i> | f320 | 10 | 14-5219-01 | BSP | |
| Cucumber | <i>Cucumis sativus</i> | f244 | 10 | 14-4839-01 | AAB | |
| Cultivated oat | <i>Avena sativa</i> | g14 | 16 | 14-4239-01 | 480 | |
| Cultivated rye | <i>Secale cereale</i> | g12 | 16 | 14-4101-01 | 351 | |
| Cultivated wheat | <i>Triticum aestivum</i> | g15 | 16 | 14-4188-01 | 431 | |
| Curry (Santa Maria) | | f281 | 10 | 14-5067-01 | BPA | |
| <i>Curvularia lunata</i> | | m16 | 16 | 14-4267-01 | 505 | |
| Cypress | <i>Cupressus arizonica</i> | t222 | 10 | 14-5309-01 | BTZ | |
| Dandelion | <i>Taraxacum vulgare</i> | w8 | 16 | 14-4155-01 | 401 | |
| D | Daphnia, fish feed | | o207 | 10 | 14-5124-01 | C2W |
| | Date | <i>Phoenix dactylifera</i> | f289 | 10 | 14-5068-01 | BSF |
| | Date | <i>Phoenix canariensis</i> | t214 | 10 | 14-5218-01 | C2P |
| | Deer epithelium | | e216 | 10 | 14-5156-01 | C37 |
| | <i>Dermatophagoides farinae</i> | House dust mite | d2 | 16 | 14-4108-01 | 358 |
| | <i>Dermatophagoides microceras</i> | House dust mite | d3 | 16 | 14-4241-01 | 482 |
| | <i>Dermatophagoides pteronyssinus</i> | House dust mite | d1 | 16 | 14-4107-01 | 357 |
| | Dill | <i>Anethum graveolens</i> | f277 | 10 | 14-5069-01 | C0S |

| | Product | Code | Size | Art. No. | Barcode |
|---|-------------------------------|---|------------|------------|------------|
| D | Dog dander | e5 | 16 | 14-4110-01 | 360 |
| | Dog fennel | w46 | 10 | 14-4952-01 | CCS |
| | Douglas fir | t207 | 10 | 14-5146-01 | C15 |
| E | Duck feathers | e86 | 10 | 14-4171-01 | 518 |
| | Echinococcus | p2 | 16 | 14-4245-01 | 484 |
| | Eel | f264 | 10 | 14-5042-01 | C26 |
| | Egg | f245 | 10 | 14-4826-01 | 925 |
| | Egg white | f1 | 16 | 14-4111-01 | 361 |
| | Egg yolk | f75 | 16 | 14-4184-01 | 427 |
| | Elder | t205 | 10 | 14-5002-01 | C0P |
| | Elk/moose meat | f285 | 10 | 14-5115-01 | C3E |
| | Elm | t8 | 16 | 14-4226-01 | 467 |
| | <i>Epicoccum purpurascens</i> | m14 | 16 | 14-4265-01 | 503 |
| | Ethylene oxide | k78 | 10 | 14-4314-01 | 548 |
| | Eucalyptus, Gum-tree | t18 | 16 | 14-4232-01 | 473 |
| | <i>Euroglyphus maynei</i> | d74 | 10 | 14-4342-01 | 567 |
| | European ash | t25 | 10 | 14-4924-01 | C79 |
| | European hornet | i75 | 10 | 14-4340-01 | 565 |
| | European Paper Wasp | i77 | 10 | 14-4919-01 | BYB |
| | F | False oat-grass | g204 | 10 | 14-5154-01 |
| False ragweed | | w4 | 16 | 14-4247-01 | 485 |
| Fennel seed | | f219 | 10 | 14-5070-01 | C1L |
| Fennel, fresh | | f276 | 10 | 14-5071-01 | BTG |
| Fenugreek | | f305 | 10 | 14-5187-01 | C3D |
| Ferret epithelium | | e217 | 10 | 14-5157-01 | C1H |
| Ficus | | k81 | 10 | 14-4365-01 | 590 |
| Fig | | f328 | 10 | 14-5244-01 | BSR |
| Finch feathers | | e214 | 10 | 14-5013-01 | C2D |
| Fire ant | | i70 | 10 | 14-4343-01 | 568 |
| Firebush (Kochia) | | w17 | 16 | 14-4255-01 | 493 |
| Fish (cod) | | f3 | 16 | 14-4159-01 | 404 |
| Formaldehyde/Formalin | | k80 | 10 | 14-4341-01 | 566 |
| Fox epithelium | | e210 | 10 | 14-5014-01 | C38 |
| Foxtail millet | | f56 | 16 | 14-4460-01 | 824 |
| <i>Fusarium proliferatum (F. moniliforme)</i> | | m9 | 16 | 14-4260-01 | 498 |
| G | | Gal-alpha-1,3-Gal Thyroglobulin, bovine | | 10 | 14-4997-10 |
| | Garlic | f47 | 16 | 14-4218-01 | 459 |
| | Gelatin bovine | c74 | 10 | 14-4854-01 | A2X |
| | Gerbil epithelium | e209 | 10 | 14-5015-01 | C1W |
| | Giant ragweed | w3 | 16 | 14-4153-01 | 399 |
| | Ginger | f270 | 10 | 14-5072-01 | BS8 |
| | Gluten | f79 | 10 | 14-4291-01 | 525 |
| | <i>Glycyphagus domesticus</i> | d73 | 10 | 14-4393-01 | 602 |
| | Goat epithelium | e80 | 10 | 14-4306-01 | 540 |
| | Goat milk | f300 | 10 | 14-5144-01 | BSJ |
| | Goldenrod | w12 | 16 | 14-4250-01 | 488 |
| | Goose feathers | e70 | 16 | 14-4169-01 | 414 |
| | Goosefoot, Lamb's quarters | w10 | 16 | 14-4157-01 | 403 |
| | Grain weevil | i202 | 10 | 14-5150-01 | C1P |
| | Grape | f259 | 10 | 14-4809-01 | 908 |
| | Grapefruit | f209 | 16 | 14-4431-01 | 680 |
| | Green bean | f315 | 10 | 14-5211-01 | BSM |
| | Green coffee bean | k70 | 10 | 14-4363-01 | 588 |
| | Green nimitti | i72 | 10 | 14-4361-01 | 586 |
| | Green pepper (unripe seed) | f263 | 10 | 14-5075-01 | BS5 |
| | Greer Labs., Inc. | h1 | 16 | 14-4116-01 | 365 |
| | Grey alder | t2 | 16 | 14-4146-01 | 392 |
| | Grouper | f410 | 10 | 14-4933-01 | CC7 |
| | Guar, guar gum (E412) | f246 | 10 | 14-5076-01 | C0H |
| | Guava | f292 | 10 | 14-5077-01 | C1E |
| | Guinea pig epithelium | e6 | 16 | 14-4167-01 | 412 |
| | Gulf flounder | f147 | 10 | 14-4928-01 | CC2 |
| Gum arabic (E414) | f297 | 10 | 14-5138-01 | BSH | |
| H | Hackberry | t44 | 10 | 14-4943-01 | CCG |
| | Haddock | f42 | 10 | 14-4939-01 | CCC |
| | Hake | f307 | 10 | 14-5194-01 | BTP |
| | Halibut | f303 | 10 | 14-5158-01 | BZX |
| | Hamster epithelium | e84 | 10 | 14-4310-01 | 544 |
| | Hazel | t4 | 16 | 14-4147-01 | 393 |
| | Hazel nut | f17 | 16 | 14-4128-01 | 376 |
| | Herring | f205 | 10 | 14-4837-01 | 999 |
| | Hexahydrophthalic anhydrid | k209 | 10 | 14-5189-01 | C1J |

| | Product | | Code | Size | Art. No. | Barcode |
|---|---|--|-------|------|------------|---------|
| H | Hollister-Stier Labs. | | h2 | 16 | 14-4140-01 | 386 |
| | Honey | | f247 | 10 | 14-5078-01 | BP7 |
| | Honey bee | <i>Apis mellifera</i> | i1 | 16 | 14-4143-01 | 389 |
| | Hop (fruit cone) | <i>Humulus lupulus</i> | f324 | 10 | 14-5228-01 | C0N |
| | Horn beam | <i>Carpinus betulus</i> | t209 | 10 | 14-5148-01 | C0D |
| | Horse chestnut | <i>Aesculus hippocastanum</i> | t203 | 10 | 14-5003-01 | C0M |
| | Horse dander | | e3 | 16 | 14-4122-01 | 371 |
| | Horse fly | <i>Tabanus spp.</i> | i204 | 10 | 14-5207-01 | BPJ |
| | Horse meat | | f321 | 10 | 14-5220-01 | C1D |
| | Horse, serum proteins | | e205 | 10 | 14-5016-01 | C2T |
| I | Insulin bovine | | c71 | 10 | 14-4392-01 | 601 |
| | Insulin human | | c73 | 10 | 14-4347-01 | 572 |
| | Insulin porcine | | c70 | 10 | 14-4391-01 | 600 |
| | Isocyanate HDI (Hexamethylene diisocyanate) | | k77 | 10 | 14-4313-01 | 547 |
| | Isocyanate MDI (Diphenylmethane diisocyanate) | | k76 | 10 | 14-4312-01 | 546 |
| | Isocyanate TDI (Toluene diisocyanate) | | k75 | 10 | 14-4311-01 | 545 |
| | Ispaghula | | k72 | 10 | 14-4348-01 | 573 |
| | Italian/Mediterranean/ Funeral cypress | <i>Cupressus sempervirens</i> | t23 | 16 | 14-4237-01 | 478 |
| J | Jack fruit | <i>Artocarpus heterophyllus</i> | f318 | 10 | 14-5215-01 | C3F |
| | Jack mackerel, Scad | <i>Trachurus japonicus</i> | f60 | 16 | 14-4464-01 | 827 |
| | Japanese cedar | <i>Cryptomeria japonica</i> | t17 | 16 | 14-4118-01 | 367 |
| | Japanese Hop | <i>Humulus scandens</i> | w22 | 16 | 14-4452-01 | BJT |
| | Japanese millet | <i>Echinochloa crus-galli</i> | f57 | 16 | 14-4461-01 | 825 |
| | Johnson grass | <i>Sorghum halepense</i> | g10 | 16 | 14-4138-01 | 384 |
| | Jujube | <i>Ziziphus jujuba</i> | f336 | 10 | 14-5255-01 | C32 |
| K | Kiwi | <i>Actinidia deliciosa</i> | f84 | 10 | 14-4295-01 | 529 |
| L | Langust (spiny lobster) | <i>Palinurus spp.</i> | f304 | 10 | 14-5159-01 | BTM |
| | Latex | <i>Hevea brasiliensis</i> | k82 | 10 | 14-4511-01 | BJ1 |
| | Lemon | <i>Citrus limon</i> | f208 | 10 | 14-4829-01 | 685 |
| | Lentil | <i>Lens esculenta</i> | f235 | 10 | 14-4815-01 | 914 |
| | <i>Lepidoglyphus destructor</i> | Storage mite | d71 | 10 | 14-4301-01 | 535 |
| | Lettuce | <i>Lactuca sativa</i> | f215 | 10 | 14-4813-01 | 912 |
| | Lima bean | <i>Phaseolus lunatus</i> | f182 | 10 | 14-4929-01 | CC3 |
| | Lime | <i>Citrus aurantifolia</i> | f306 | 10 | 14-5188-01 | BTN |
| | Linden | <i>Tilia cordata</i> | t208 | 10 | 14-4823-01 | 922 |
| | Linseed | <i>Linum usitatissimum</i> | f333 | 10 | 14-5250-01 | C13 |
| | Litchi | <i>Litchi chinensis</i> | f348 | 10 | 14-5285-01 | C2N |
| | Lobster | <i>Homarus gammarus</i> | f80 | 10 | 14-4292-01 | 526 |
| | Lovage | <i>Levisticum officinale</i> | f275 | 10 | 14-5082-01 | C2Z |
| | Lupin | <i>Lupinus spp.</i> | w207 | 10 | 14-5022-01 | C1B |
| | Lupin seed | <i>Lupinus albus</i> | f335 | 10 | 14-5254-01 | BST |
| M | Macadamia nut | <i>Macadamia spp.</i> | f345 | 10 | 14-5282-01 | BTX |
| | Mace | <i>Myristica fragrans</i> | f266 | 10 | 14-5083-01 | C2X |
| | Mackerel | <i>Scomber scombrus</i> | f206 | 10 | 14-5019-01 | BRY |
| | Maize, Corn | <i>Zea mays</i> | f8 | 16 | 14-4124-01 | 373 |
| | Maize, Corn | <i>Zea mays</i> | g202 | 10 | 14-4822-01 | 921 |
| | <i>Malassezia spp.</i> | | m227 | 10 | 14-5321-01 | BT6 |
| | Male anhydrid | | Rk210 | 10 | 14-5190-10 | 796 |
| | Malt | | f90 | 10 | 14-4330-01 | 558 |
| | Mandarin (tangerine, clementine, satsumas) | <i>Citrus reticulata</i> | f302 | 10 | 14-5160-01 | BPB |
| | Mango | <i>Mangifera indica</i> | f91 | 10 | 14-4331-01 | 559 |
| | Maple leaf sycamore, London plane | <i>Platanus acerifolia</i> | t11 | 16 | 14-4228-01 | 469 |
| | Mare's milk | | f286 | 10 | 14-5109-01 | C2K |
| | Marguerite, Ox-eye daisy | <i>Chrysanthemum leucanthemum</i> | w7 | 16 | 14-4154-01 | 400 |
| | Marjoram | <i>Origanum majorana</i> | f274 | 10 | 14-5084-01 | BSB |
| | Maxatase | <i>Bacillus licheniformis</i> | k204 | 10 | 14-5129-01 | C2F |
| | MBP (maltose binding protein) | | Ro213 | 10 | 14-5334-10 | BN3 |
| | Meadow fescue | <i>Festuca elatior</i> | g4 | 16 | 14-4133-01 | 380 |
| | Meadow foxtail | <i>Alopecurus pratensis</i> | g16 | 16 | 14-4240-01 | 481 |
| | Meadow grass, Kentucky blue | <i>Poa pratensis</i> | g8 | 16 | 14-4136-01 | 382 |
| | Mealworm | <i>Tenebrio molitor</i> | o211 | 10 | 14-5251-01 | C3C |
| | Mediterranean flour moth | <i>Ephestia (syn. Anagasta) kuehniella</i> | i203 | 10 | 14-5151-01 | C2J |
| | Megrin | <i>Lepidorrhombus whiffiagonis</i> | f311 | 10 | 14-5204-01 | BSK |
| | Melaleuca, Cajeput-tree | <i>Melaleuca leucadendron</i> | t21 | 16 | 14-4235-01 | 476 |
| | Melon | <i>Cucumis melo spp.</i> | f87 | 10 | 14-4298-01 | 532 |
| | Mesquite | <i>Prosopis juliflora</i> | t20 | 16 | 14-4234-01 | 475 |
| | Methyltetrahydrophthalic anhydrid | | k211 | 10 | 14-5191-01 | C2Y |
| | Milk | | f2 | 16 | 14-4112-01 | 362 |
| | Milk, boiled | | f231 | 10 | 14-4806-01 | 905 |
| | Mink epithelium | | e203 | 10 | 14-5030-01 | C39 |

| | Product | | Code | Size | Art. No. | Barcode | |
|-----------------------------------|---|---------------------------------------|----------------------------|-------|------------|------------|-----|
| M | Mint | <i>Mentha piperita</i> | f332 | 10 | 14-5249-01 | C1G | |
| | Morphine | | c260 | 10 | 14-4974-01 | CF7 | |
| | Mosquito | <i>Aedes communis</i> | i71 | 10 | 14-4316-01 | 550 | |
| | Moth | <i>Bombyx mori</i> | i8 | 16 | 14-4474-01 | 829 | |
| | Mountain juniper | <i>Juniperus sabinooides</i> | t6 | 16 | 14-4225-01 | 466 | |
| | Mouse epithelium | | e71 | 10 | 14-4394-01 | 603 | |
| | Mouse epithelium, serum proteins and urine proteins | | e88 | 10 | 14-4327-01 | 555 | |
| | Mouse serum proteins | | e76 | 10 | 14-4399-01 | 608 | |
| | Mouse urine proteins | | e72 | 10 | 14-4395-01 | 604 | |
| | <i>Mucor racemosus</i> | | m4 | 16 | 14-4145-01 | 391 | |
| | Mugwort | <i>Artemisia vulgaris</i> | w6 | 16 | 14-4103-01 | 353 | |
| | Mulberry | <i>Morus alba</i> | t70 | 10 | 14-4325-01 | 553 | |
| | Mushroom (champignon) | <i>Agaricus hortensis</i> | f212 | 10 | 14-5086-01 | BTH | |
| | Mustard | <i>Brassica/Sinapis spp.</i> | f89 | 10 | 14-4329-01 | 557 | |
| | Mutton | <i>Ovis spp.</i> | f88 | 10 | 14-4299-01 | 533 | |
| | N | MUXF3 CCD, Bromelain | | o214 | 10 | 14-5339-01 | CJU |
| | | nAmb a 1 Ragweed | <i>Ambrosia elatior</i> | w230 | 10 | 14-4969-01 | CF8 |
| nAna c 2 Bromelain, Pineapple | | | k202 | 10 | 14-5127-01 | BT1 | |
| nArt v 1 Mugwort | | <i>Artemisia vulgaris</i> | w231 | 10 | 14-4970-01 | CF9 | |
| nArt v 3 LTP, Mugwort | | <i>Artemisia vulgaris</i> | w233 | 10 | 14-4983-01 | CJ2 | |
| nAsp o 21 alpha-amylase | | <i>Aspergillus oryzae</i> | k87 | 10 | 14-4370-01 | 595 | |
| nBos d 4 alpha-lactalbumin, Milk | | <i>Bos spp.</i> | f76 | 10 | 14-4522-01 | CTP | |
| nBos d 5 beta-lactoglobulin, Milk | | <i>Bos spp.</i> | f77 | 10 | 14-4523-01 | CTR | |
| nBos d 6 BSA, Cow | | | e204 | 10 | 14-5009-01 | BRV | |
| nBos d 8 Casein, Milk | | <i>Bos spp.</i> | f78 | 10 | 14-4524-01 | CTS | |
| nBos d Lactoferrin, Milk | | | f334 | 10 | 14-5253-01 | C16 | |
| nCan f 3 Dog serum albumin | | | e221 | 10 | 14-5241-01 | C14 | |
| nCar p 1 Papain, Papaya | | | k201 | 10 | 14-5130-01 | BT0 | |
| nCup a 1 Cypress | | <i>Cupressus arizonica</i> | t226 | 10 | 14-4977-01 | CFD | |
| nCyn d 1 Bermuda grass | | <i>Cynodon dactylon</i> | g216 | 10 | 14-4972-01 | CFA | |
| nDer p 1 House dust mite | | <i>Dermatophagoides Pteronyssinus</i> | d202 | 10 | 14-4966-01 | CFG | |
| Nettle | | <i>Urtica dioica</i> | w20 | 16 | 14-4257-01 | 495 | |
| nFel d 2 Cat serum albumin | | | e220 | 10 | 14-5240-01 | BRX | |
| nGal d 1 Ovomuroid, Egg | | | f233 | 10 | 14-4805-01 | 904 | |
| nGal d 2 Ovalbumin, Egg | | | f232 | 10 | 14-4804-01 | 903 | |
| nGal d 3 Conalbumin, Egg | | | f323 | 10 | 14-5222-01 | C18 | |
| nGal d 4 Lysozyme, Egg | | | k208 | 10 | 14-5128-01 | C0T | |
| nGly m 5 beta-conglycinin, Soy | | <i>Glycine max</i> | f431 | 10 | 14-4990-01 | CLV | |
| nGly m 6 Glycinin | | <i>Glycine max</i> | f432 | 10 | 14-4991-01 | CLU | |
| nPhl p 4 Timothy | | <i>Phleum pratense</i> | g208 | 10 | 14-5288-01 | C0L | |
| nSal k 1 Saltwort | | <i>Salsola kali</i> | w232 | 10 | 14-4978-01 | CFE | |
| nSus s Pepsin, Swine | | | k213 | 10 | 14-5258-01 | C3B | |
| nSus s Pig serum albumin, Swine | | | e222 | 10 | 14-5242-01 | C36 | |
| O | | Nutmeg | <i>Myristica fragrans</i> | Rf282 | 10 | 14-5087-10 | 693 |
| | | Oak | <i>Quercus alba</i> | t7 | 16 | 14-4149-01 | 395 |
| | | Oat | <i>Avena sativa</i> | f7 | 16 | 14-4173-01 | 416 |
| | | Octopus | <i>Octopus vulgaris</i> | f59 | 16 | 14-4463-01 | 826 |
| | | Oil Palm | <i>Elaeis guineensis</i> | t223 | 10 | 14-5308-01 | C3G |
| | | Olive | <i>Olea europaea</i> | t9 | 16 | 14-4150-01 | 396 |
| | | Olive (black, fresh) | <i>Olea europaea</i> | f342 | 10 | 14-5279-01 | C0F |
| | | Onion | <i>Allium cepa</i> | f48 | 16 | 14-4219-01 | 460 |
| | Orange | <i>Citrus sinensis</i> | f33 | 16 | 14-4129-01 | 377 | |
| | Orange roughy | <i>Hoplostethus atlanticus</i> | f412 | 10 | 14-4935-01 | CC8 | |
| | Oregano | <i>Origanum vulgare</i> | f283 | 10 | 14-5088-01 | BTJ | |
| | Oyster | <i>Ostrea edulis</i> | f290 | 10 | 14-4842-01 | AAE | |
| | P | Pacific squid | <i>Todarodes pacificus</i> | f58 | 16 | 14-4462-01 | 814 |
| | | Paloverde | <i>Cercidium floridum</i> | t219 | 10 | 14-5260-01 | C3K |
| | | Papaya | <i>Carica papaya</i> | f293 | 10 | 14-5089-01 | BSG |
| | | Paper wasp | <i>Polistes spp.</i> | i4 | 16 | 14-4222-01 | 463 |
| | | Paprika, Sweet pepper | <i>Capsicum annuum</i> | f218 | 10 | 14-4816-01 | 915 |
| Parakeet droppings | | | e197 | 10 | 14-4910-01 | BY2 | |
| Parakeet feathers | | | e196 | 10 | 14-4909-01 | BY1 | |
| Parakeet serum | | | e198 | 10 | 14-4911-01 | BY3 | |
| Parrot feathers | | | e213 | 10 | 14-4832-01 | 994 | |
| Parsley | | <i>Petroselinum crispum</i> | f86 | 10 | 14-4297-01 | 531 | |
| Passion fruit | | <i>Passiflora edulis</i> | f294 | 10 | 14-5091-01 | C0W | |
| Pea | | <i>Pisum sativum</i> | f12 | 16 | 14-4176-01 | 419 | |
| Peach | | <i>Prunus persica</i> | f95 | 10 | 14-4337-01 | 564 | |
| Peanut | | <i>Arachis hypogaea</i> | f13 | 16 | 14-4126-01 | 375 | |
| Pear | | <i>Pyrus communis</i> | f94 | 10 | 14-4336-01 | 563 | |
| Pecan nut | | <i>Carya illinoensis</i> | f201 | 10 | 14-4807-01 | 906 | |
| Pecan, Hickory | | <i>Carya pecan</i> | t22 | 16 | 14-4236-01 | 477 | |

| | Product | Code | Size | Art. No. | Barcode | | |
|---|---|----------------------------------|-------|------------|------------|------------|-----|
| P | <i>Penicillium chrysogenum</i> (<i>P. notatum</i>) | m1 | 16 | 14-4160-01 | 405 | | |
| | <i>Penicillium glabrum</i> | m209 | 10 | 14-5203-01 | BT3 | | |
| | Penicilloyl G | c1 | 16 | 14-4164-01 | 409 | | |
| | Penicilloyl V | c2 | 16 | 14-4165-01 | 410 | | |
| | Peppertree | <i>Schinus molle</i> | t217 | 10 | 14-5167-01 | C1N | |
| | Persimon (kaki fruit, sharon) | <i>Diospyros kaki</i> | f301 | 10 | 14-5161-01 | C2B | |
| | Pholcodine | | c261 | 10 | 14-4975-01 | CF6 | |
| | <i>Phoma betae</i> | | m13 | 16 | 14-4264-01 | 502 | |
| | Phthalic anhydride | | k79 | 10 | 14-4315-01 | 549 | |
| | Pigeon droppings | | e7 | 16 | 14-4168-01 | 413 | |
| | Pigeon feathers | | e215 | 10 | 14-5032-01 | BP5 | |
| | Pine | <i>Pinus radiata</i> | t213 | 10 | 14-5208-01 | C02 | |
| | Pine nut, pignoles | <i>Pinus edulis</i> | f253 | 10 | 14-5093-01 | BS3 | |
| | Pineapple | <i>Ananas comosus</i> | f210 | 10 | 14-4810-01 | 909 | |
| | Pistachio | <i>Pistacia vera</i> | f203 | 10 | 14-4836-01 | 998 | |
| | <i>Pityrosporum orbiculare</i> (<i>syn. Malassezia</i>) | | m70 | 10 | 14-4349-01 | 574 | |
| | Plaice | <i>Pleuronectes platessa</i> | f254 | 16 | 14-4434-01 | 647 | |
| | Plantain (English), Ribwort | <i>Plantago lanceolata</i> | w9 | 16 | 14-4156-01 | 402 | |
| | Plum | <i>Prunus domestica</i> | f255 | 10 | 14-4840-01 | AAC | |
| | Pollock | <i>Pollachius virens</i> | f413 | 10 | 14-4936-01 | CC9 | |
| | Poppy seed | <i>Papaver somniferum</i> | f224 | 10 | 14-5097-01 | BS1 | |
| | Pork | <i>Sus spp.</i> | f26 | 16 | 14-4183-01 | 426 | |
| | Potato | <i>Solanum tuberosum</i> | f35 | 16 | 14-4211-01 | 452 | |
| | Privet | <i>Ligustrum vulgare</i> | t210 | 10 | 14-4834-01 | 996 | |
| | Protamine | | Rc207 | 10 | 14-5163-10 | 880 | |
| | Pumpkin | <i>Cucurbita pepo</i> | f225 | 16 | 14-4433-01 | 705 | |
| | Pumpkin seed | <i>Cucurbita pepo</i> | f226 | 10 | 14-5098-01 | C1U | |
| | Queen palm | <i>Arecastrum romanzoffianum</i> | t72 | 10 | 14-4373-01 | 598 | |
| | Quinoa | <i>Chenopodium quinoa</i> | f347 | 10 | 14-5284-01 | C1T | |
| | Rabbit | <i>Oryctolagus spp.</i> | f213 | 10 | 14-4838-01 | AAA | |
| | Q | Rabbit epithelium | | e82 | 10 | 14-4308-01 | 542 |
| | | Rabbit, serum proteins | | e206 | 10 | 14-5033-01 | C2H |
| | | Rabbit, urine proteins | | e211 | 10 | 14-5034-01 | C44 |
| rAct d 8 PR-10, Kiwi | | <i>Actinidia deliciosa</i> | f430 | 10 | 14-4984-01 | CG7 | |
| rAlt a 1 | | <i>Alternaria alternata</i> | m229 | 10 | 14-5346-01 | CE0 | |
| Rape | | <i>Brassica napus</i> | w203 | 10 | 14-5024-01 | BPY | |
| Rape seed | | <i>Brassica napus</i> | f316 | 10 | 14-5213-01 | C10 | |
| rApi g 1.01 PR-10, Celery | | <i>Apium graveolens</i> | f417 | 10 | 14-4957-01 | CBR | |
| rApi m 1 Phospholipase A2, Honey bee | | <i>Apis mellifera</i> | i208 | 10 | 14-4987-01 | CJ7 | |
| rAra h 1 Peanut | | <i>Arachis hypogaea</i> | f422 | 10 | 14-4963-01 | CDF | |
| rAra h 2 Peanut | | <i>Arachis hypogaea</i> | f423 | 10 | 14-4964-01 | CDG | |
| rAra h 3 Peanut | | <i>Arachis hypogaea</i> | f424 | 10 | 14-4965-01 | CDH | |
| rAra h 8 PR-10, Peanut | | <i>Arachis hypogaea</i> | f352 | 10 | 14-5341-01 | CEZ | |
| rAra h 9 LTP, Peanut | | <i>Arachis hypogaea</i> | f427 | 10 | 14-4980-01 | CFC | |
| rAsp f 1 | | <i>Aspergillus fumigatus</i> | m218 | 10 | 14-5293-01 | BPL | |
| rAsp f 2 | | <i>Aspergillus fumigatus</i> | m219 | 10 | 14-5294-01 | BPM | |
| rAsp f 3 | | <i>Aspergillus fumigatus</i> | m220 | 10 | 14-5295-01 | BT4 | |
| rAsp f 4 | | <i>Aspergillus fumigatus</i> | m221 | 10 | 14-5296-01 | BPN | |
| rAsp f 6 | | <i>Aspergillus fumigatus</i> | m222 | 10 | 14-5297-01 | BPP | |
| Raspberry | | <i>Rubus idaeus</i> | f343 | 10 | 14-5280-01 | C09 | |
| Rat epithelium | | | e73 | 10 | 14-4396-01 | 605 | |
| Rat epithelium, serum proteins and urine proteins | | | e87 | 10 | 14-4326-01 | 554 | |
| Rat serum proteins | | | e75 | 10 | 14-4398-01 | 607 | |
| Rat urine proteins | | | e74 | 10 | 14-4397-01 | 606 | |
| rBer e 1 Brazil nut | | <i>Bertholletia excelsa</i> | f354 | 10 | 14-5343-01 | CDS | |
| rBet v 1 PR-10, Birch | | <i>Betula verrucosa</i> | t215 | 10 | 14-5225-01 | BPV | |
| rBet v 2 Profilin, Birch | | <i>Betula verrucosa</i> | t216 | 10 | 14-5226-01 | BR1 | |
| rBet v 2, rBet v 4 Birch | | <i>Betula verrucosa</i> | t221 | 10 | 14-5310-01 | BU0 | |
| rBet v 4 Birch | | <i>Betula verrucosa</i> | t220 | 10 | 14-5287-01 | BT7 | |
| rBet v 6 Birch | | <i>Betula verrucosa</i> | t225 | 10 | 14-5345-01 | CF1 | |
| rCan f 1 Dog | | <i>Canis familiaris</i> | e101 | 10 | 14-4955-01 | CBN | |
| rCan f 2 Dog | | <i>Canis familiaris</i> | e102 | 10 | 14-4956-01 | CBP | |
| rCan f 5 Dog | | <i>Canis familiaris</i> | e226 | 10 | 14-4998-01 | CMZ | |
| rCor a 1 PR-10, Hazel nut | <i>Corylus avellana</i> | f428 | 10 | 14-4981-01 | CFB | | |
| rCor a 8 LTP, Hazel nut | <i>Corylus avellana</i> | f425 | 10 | 14-4968-01 | CDP | | |
| rCyp c 1 Carp | <i>Cyprinus carpio</i> | f355 | 10 | 14-5344-10 | CF0 | | |
| rDer p 10 Tropomyosin, House dust mite | <i>Dermatophagoides Pteronyssinus</i> | d205 | 10 | 14-4985-01 | CG5 | | |
| rDer p 2 House dust mite | <i>Dermatophagoides Pteronyssinus</i> | d203 | 10 | 14-4967-01 | CG2 | | |
| Red cedar | <i>Juniperus virginiana</i> | t57 | 10 | 14-4948-01 | CCM | | |
| Red currant | <i>Ribes sylvestre</i> | f322 | 10 | 14-5221-01 | C21 | | |
| Red kidney bean | <i>Phaseolus vulgaris</i> | f287 | 10 | 14-5100-01 | BSE | | |
| Red mulberry | <i>Morus rubra</i> | t71 | 10 | 14-4949-01 | CCN | | |

| | Product | | Code | Size | Art. No. | Barcode | |
|--|--|--|--------------------------------|------|------------|------------|-----|
| R | Red snapper | <i>Lutjanus campechanus</i> | f381 | 10 | 14-4931-01 | CC5 | |
| | Redtop, Bentgrass | <i>Agrostis stolonifera</i> | g9 | 16 | 14-4137-01 | 383 | |
| | Reindeer epithelium | | e202 | 10 | 14-5035-01 | C3J | |
| | rEqu c 1 Horse | <i>Equus caballus</i> | e227 | 10 | 14-5700-01 | CN7 | |
| | rFel d 1 Cat | <i>Felis domesticus</i> | e94 | 10 | 14-4905-01 | BY0 | |
| | rFel d 4 Cat | <i>Felis domesticus</i> | e228 | 10 | 14-5702-01 | CT9 | |
| | rGad c 1 Cod | <i>Gadus morhua</i> | f426 | 10 | 14-4969-01 | CEY | |
| | rGly m 4 PR-10, Soy | <i>Glycine max</i> | f353 | 10 | 14-5340-01 | CDR | |
| | rHev b 1 Latex | <i>Hevea brasiliensis</i> | k215 | 10 | 14-5324-01 | C20 | |
| | rHev b 11 Latex | <i>Hevea brasiliensis</i> | k224 | 10 | 14-5333-01 | C29 | |
| | rHev b 3 Latex | <i>Hevea brasiliensis</i> | k217 | 10 | 14-5326-01 | C2A | |
| | rHev b 5 Latex | <i>Hevea brasiliensis</i> | k218 | 10 | 14-5327-01 | C1Z | |
| | rHev b 6.01 Latex | <i>Hevea brasiliensis</i> | k219 | 10 | 14-5328-01 | C28 | |
| | rHev b 6.02 Latex | <i>Hevea brasiliensis</i> | k220 | 10 | 14-5329-01 | C22 | |
| | rHev b 8 Profilin, Latex | <i>Hevea brasiliensis</i> | k221 | 10 | 14-5330-01 | C1V | |
| | rHev b 9 Latex | <i>Hevea brasiliensis</i> | k222 | 10 | 14-5331-01 | C2C | |
| | <i>Rhizopus nigricans</i> | | m11 | 16 | 14-4262-01 | 500 | |
| | Rice | <i>Oryza sativa</i> | f9 | 16 | 14-4174-01 | 417 | |
| | Rose hip | <i>Rosa spp.</i> | f330 | 10 | 14-5247-01 | C1R | |
| | Rough marshelder | <i>Iva ciliata</i> | w16 | 16 | 14-4254-01 | 492 | |
| | rOle e 1 Olive | <i>Olea europaea</i> | t224 | 10 | 14-5705-01 | CTC | |
| | rPar j 2 LTP, Wall pellitory | <i>Parietaria judaica</i> | w211 | 10 | 14-5311-01 | C2M | |
| | rPen a 1 Tropomyosin, Shrimp | | f351 | 10 | 14-5335-01 | C11 | |
| | rPhl p 1 Timothy | <i>Phleum pratense</i> | g205 | 10 | 14-5234-01 | BSU | |
| | rPhl p 1, rPhl p 5b Timothy | <i>Phleum pratense</i> | g213 | 10 | 14-5312-01 | BU1 | |
| | rPhl p 11 Timothy | <i>Phleum pratense</i> | g211 | 10 | 14-5291-01 | BSX | |
| | rPhl p 12 Profilin, Timothy | <i>Phleum pratense</i> | g212 | 10 | 14-5292-01 | BSY | |
| | rPhl p 2 Timothy | <i>Phleum pratense</i> | g206 | 10 | 14-5235-01 | C0K | |
| | rPhl p 5b Timothy | <i>Phleum pratense</i> | g215 | 10 | 14-5338-01 | BV3 | |
| | rPhl p 6 Timothy | <i>Phleum pratense</i> | g209 | 10 | 14-5289-01 | BSV | |
| | rPhl p 7 Timothy | <i>Phleum pratense</i> | g210 | 10 | 14-5290-01 | BSW | |
| | rPhl p 7, rPhl p 12 Timothy | <i>Phleum pratense</i> | g214 | 10 | 14-5313-01 | BU2 | |
| | rPol d 5 European Paper Wasp | <i>Polistes dominulus</i> | i210 | 10 | 14-4994-01 | CJ9 | |
| | rPru p 1 PR-10, Peach | <i>Prunus persica</i> | f419 | 10 | 14-4960-01 | CBV | |
| | rPru p 3 LTP, Peach | <i>Prunus persica</i> | f420 | 10 | 14-4961-01 | CBW | |
| | rPru p 4 Profilin, Peach | <i>Prunus persica</i> | f421 | 10 | 14-4962-01 | CBX | |
| | rTri a 19 Omega-5 Gliadin, Wheat | <i>Triticum spp.</i> | f416 | 10 | 14-4954-01 | C8H | |
| | Russian olive | <i>Elaeagnus angustifolia</i> | t54 | 10 | 14-4945-01 | CCJ | |
| | rVes v 1 Phospholipase A1, Common wasp | <i>Vespula vulgaris</i> | i211 | 10 | 14-4995-01 | CMR | |
| | rVes v 5 Common wasp | <i>Vespula vulgaris</i> | i209 | 10 | 14-4992-01 | CJ8 | |
| | Rye | <i>Secale cereale</i> | f5 | 16 | 14-4123-01 | 372 | |
| | Rye-grass | <i>Lolium perenne</i> | g5 | 16 | 14-4134-01 | 381 | |
| | S | Saffron | <i>Crocus sativus</i> | f331 | 10 | 14-5248-01 | C2E |
| | | Sage | <i>Salvia officinalis</i> | f344 | 10 | 14-5281-01 | C25 |
| | | Salmon | <i>Salmo salar</i> | f41 | 16 | 14-4215-01 | 456 |
| | | Salt grass | <i>Distichlis spicata</i> | g203 | 10 | 14-5145-01 | C1M |
| | | Saltwort (prickly), Russian thistle | <i>Salsola kali (pestifer)</i> | w11 | 16 | 14-4249-01 | 487 |
| Sardine (Pilchard) | | <i>Sardina pilchardus</i> | f308 | 10 | 14-5195-01 | BTR | |
| Sardine, Japanese Pilchard | | <i>Sardinops melanosticta</i> | f61 | 16 | 14-4465-01 | 828 | |
| Savinase | | <i>Bacillus spp.</i> | k206 | 10 | 14-5132-01 | C2R | |
| Scale, Lenscale | | <i>Atriplex lentiformis</i> | w15 | 16 | 14-4253-01 | 491 | |
| Scallop | | <i>Pecten spp.</i> | f338 | 10 | 14-4895-01 | BHN | |
| Scotch broom | | <i>Cytisus scoparius</i> | t55 | 10 | 14-4946-01 | CCK | |
| Seminal fluid | | | o70 | 10 | 14-4371-01 | 596 | |
| Sesame seed | | <i>Sesamum indicum</i> | f10 | 16 | 14-4175-01 | 418 | |
| <i>Setomelanomma rostrata (Helminthosporium halodes)</i> | | | m8 | 16 | 14-4259-01 | 497 | |
| Sheep epithelium | | | e81 | 10 | 14-4307-01 | 541 | |
| Sheep milk | | | f325 | 10 | 14-5237-01 | C0C | |
| Sheep sorrel | | <i>Rumex acetosella</i> | w18 | 16 | 14-4256-01 | 494 | |
| Sheep whey | | | f326 | 10 | 14-5238-01 | C2U | |
| Shrimp | | <i>Pandalus borealis, Penaeus monodon, Metapenaeopsis barbata, Metapenaeus joyneri</i> | f24 | 16 | 14-4181-01 | 424 | |
| Silk | | <i>Bombyx mori</i> | k74 | 10 | 14-4333-01 | 560 | |
| Silk waste | | | k73 | 10 | 14-4400-01 | 609 | |
| Snail | | <i>Helix aspersa</i> | f314 | 10 | 14-5210-01 | BU0 | |
| Sole | | <i>Solea solea</i> | f337 | 10 | 14-5256-01 | BTV | |
| Soybean | | <i>Glycine max</i> | f14 | 16 | 14-4115-01 | 364 | |
| Spelt wheat | | <i>Triticum spelta</i> | f124 | 10 | 14-4914-01 | BY6 | |
| Spinach | | <i>Spinachia oleracea</i> | f214 | 16 | 14-4432-01 | 707 | |
| Spruce | | <i>Picea excelsa</i> | t201 | 10 | 14-5005-01 | C0J | |
| Squid | | <i>Loligo spp.</i> | f258 | 10 | 14-5142-01 | BS4 | |
| Staphylococcal enterotoxin A | | | m80 | 10 | 14-4889-01 | BDG | |

| | Product | Code | Size | Art. No. | Barcode | | |
|--|---|---|---|------------|------------|------------|-----|
| S | Staphylococcal enterotoxin B | m81 | 10 | 14-4890-01 | BDD | | |
| | Staphylococcal enterotoxin C | m223 | 10 | 14-5298-01 | BT5 | | |
| | Staphylococcal enterotoxin TSST | m226 | 10 | 14-5301-01 | C0X | | |
| | <i>Stemphylium herbarum</i> (<i>S. botryosum</i>) | m10 | 16 | 14-4261-01 | 499 | | |
| | Strawberry | <i>Fragaria vesca</i> | f44 | 16 | 14-4216-01 | 457 | |
| | Streptavidin | | o212 | 10 | 14-5320-01 | BZV | |
| | Sugar-beet | <i>Beta vulgaris</i> | w210 | 10 | 14-5192-01 | C30 | |
| | Sugar-beet seed | <i>Beta vulgaris</i> | f227 | 10 | 14-5102-01 | BTk | |
| | Sunflower | <i>Helianthus annuus</i> | w204 | 10 | 14-5025-01 | BT8 | |
| | Sunflower seed | | k84 | 10 | 14-4367-01 | 592 | |
| | Suxamethonium (succinylcholine) | | c202 | 10 | 14-5266-01 | BRU | |
| | Sweet chestnut | <i>Castanea sativa</i> | f299 | 10 | 14-4843-01 | AAF | |
| | Sweet gum | <i>Liquidambar styraciflua</i> | t211 | 10 | 14-5155-01 | C03 | |
| | Sweet potato | <i>Ipomea batatas</i> | f54 | 16 | 14-4458-01 | 823 | |
| | Sweet vernal grass | <i>Anthoxanthum odoratum</i> | g1 | 16 | 14-4130-01 | 378 | |
| | Swine epithelium | | e83 | 10 | 14-4309-01 | 543 | |
| | Swine, urine proteins | | Re212 | 10 | 14-5039-10 | 645 | |
| | T | Swordfish | <i>Xiphias gladius</i> | f312 | 10 | 14-5205-01 | C08 |
| | | Tarragon | <i>Artemisia dracunculus</i> | f272 | 10 | 14-5103-01 | BS9 |
| Tea | | <i>Camellia sinensis</i> | f222 | 10 | 14-5104-01 | BS0 | |
| Tetanus toxoid | | | Rc208 | 10 | 14-5227-10 | 902 | |
| Tetramin, fish feed | | | o203 | 10 | 14-5135-01 | C2V | |
| Thyme | | <i>Thymus vulgaris</i> | f273 | 10 | 14-5105-01 | BSA | |
| Tilapia | | <i>Oreochromis spp.</i> | f414 | 10 | 14-4937-01 | CCA | |
| <i>Tilletia tritici</i> | | | m201 | 10 | 14-5029-01 | C1C | |
| Timothy grass | | <i>Phleum pratense</i> | g6 | 16 | 14-4100-01 | 350 | |
| Tobacco leaf | | | o201 | 10 | 14-5136-01 | BTL | |
| Tomato | | <i>Lycopersicon lycopersicum</i> | f25 | 16 | 14-4182-01 | 425 | |
| Tragacanth (E413) | | <i>Astragalus spp.</i> | f298 | 10 | 14-5139-01 | C12 | |
| <i>Trichoderma viride</i> | | | m15 | 16 | 14-4266-01 | 504 | |
| <i>Trichophyton mentagrophytes</i> var. <i>goetzii</i> | | | m210 | 10 | 14-5223-01 | C0Y | |
| <i>Trichophyton mentagrophytes</i> var. <i>interdigitale</i> | | | m211 | 10 | 14-5224-01 | C0R | |
| <i>Trichophyton rubrum</i> | | | m205 | 16 | 14-4483-01 | A2J | |
| <i>Trichosporon pullulans</i> | | | m203 | 10 | 14-5027-01 | C19 | |
| Trimellitic anhydride, TMA | | | k86 | 10 | 14-4369-01 | 594 | |
| Trout | | <i>Oncorhynchus mykiss</i> (<i>Salmo gairdneri</i>) | f204 | 10 | 14-4819-01 | 918 | |
| Tuna | | <i>Thunnus albacares</i> | f40 | 16 | 14-4214-01 | 455 | |
| Turkey feathers | | | e89 | 10 | 14-4356-01 | 581 | |
| Turkey meat | | <i>Meleagris gallopavo</i> | f284 | 10 | 14-4818-01 | 917 | |
| <i>Tyrophagus putrescentiae</i> | | Storage mite | d72 | 10 | 14-4302-01 | 536 | |
| U W/V | | <i>Ulocladium chartarum</i> | | m204 | 10 | 14-5028-01 | C1Y |
| | | Wall pellitory | <i>Parietaria officinalis</i> | w19 | 16 | 14-4186-01 | 429 |
| | | Wall pellitory | <i>Parietaria judaica</i> | w21 | 16 | 14-4104-01 | 354 |
| | | Walleye pike | <i>Sander vitreus</i> (<i>Stizostedion vitreum</i>) | f415 | 10 | 14-4938-01 | CCB |
| | | Walnut | <i>Juglans spp.</i> | f256 | 16 | 14-4521-01 | CME |
| | | Walnut | <i>Juglans californica</i> | t10 | 16 | 14-4227-01 | 468 |
| | | Vanilla | <i>Vanilla planifolia</i> | f234 | 10 | 14-5106-01 | BS2 |
| | | Watermelon | <i>Citrullus lanatus</i> | f329 | 10 | 14-5245-01 | BSS |
| | | Velvet grass | <i>Holcus lanatus</i> | g13 | 16 | 14-4139-01 | 385 |
| | Western ragweed | <i>Ambrosia psilostachya</i> | w2 | 16 | 14-4152-01 | 398 | |
| | Wheat | <i>Triticum aestivum</i> | f4 | 16 | 14-4113-01 | 363 | |
| | White ash | <i>Fraxinus americana</i> | t15 | 16 | 14-4230-01 | 471 | |
| | White bean | <i>Phaseolus vulgaris</i> | f15 | 16 | 14-4177-01 | 420 | |
| | White hickory | <i>Carya tomentosa</i> (syn. <i>C. alba</i>) | t41 | 10 | 14-4942-01 | CCF | |
| | White pine | <i>Pinus strobus</i> | t16 | 16 | 14-4231-01 | 472 | |
| | White-faced hornet | <i>Dolichovespula maculata</i> | i2 | 16 | 14-4221-01 | 462 | |
| | Whitefish (Inconnu) | <i>Stenodus spp.</i> | f384 | 10 | 14-4932-01 | CC6 | |
| | Wild rye grass | <i>Elymus triticoides</i> | g70 | 10 | 14-4344-01 | 569 | |
| | Willow | <i>Salix caprea</i> | t12 | 16 | 14-4151-01 | 397 | |
| | Virginia live oak | <i>Quercus virginiana</i> | t218 | 10 | 14-5252-01 | BZY | |
| | Wormwood | <i>Artemisia absinthium</i> | w5 | 16 | 14-4248-01 | 486 | |
| | Y | Yeast | <i>Saccharomyces cerevisiae</i> | f45 | 16 | 14-4217-01 | 458 |
| | | Yellow dock | <i>Rumex crispus</i> | w23 | 10 | 14-4950-01 | CCP |
| | | Yellow hornet | <i>Dolichovespula arenaria</i> | i5 | 16 | 14-4223-01 | 464 |

Allergens by Allergen Code

| | Code | Product | Size | Art. No. | Barcode | |
|------|------------------------|---|---------------------------------------|------------|------------|------------|
| c | c1 | Penicilloyl G | 16 | 14-4164-01 | 409 | |
| | c2 | Penicilloyl V | 16 | 14-4165-01 | 410 | |
| | c5 | Ampicilloyl | 16 | 14-4450-01 | 990 | |
| | c6 | Amoxicilloyl | 16 | 14-4451-01 | 991 | |
| | c7 | Cefaclor | 10 | 14-5336-01 | BP4 | |
| | c8 | Chlorhexidine | 10 | 14-4926-01 | C8S | |
| | c70 | Insulin porcine | 10 | 14-4391-01 | 600 | |
| | c71 | Insulin bovine | 10 | 14-4392-01 | 601 | |
| | c73 | Insulin human | 10 | 14-4347-01 | 572 | |
| | c74 | Gelatin bovine | 10 | 14-4854-01 | A2X | |
| | c202 | Suxamethonium (succinylcholine) | 10 | 14-5266-01 | BRU | |
| | Rc206 | ACTH (Adrenocorticotrophic hormone) | 10 | 14-5162-10 | 758 | |
| | Rc207 | Protamine | 10 | 14-5163-10 | 880 | |
| | Rc208 | Tetanus toxoid | 10 | 14-5227-10 | 902 | |
| | c209 | Chymopapain | 10 | 14-5259-01 | C35 | |
| | c260 | Morphine | 10 | 14-4974-01 | CF7 | |
| | c261 | Pholcodine | 10 | 14-4975-01 | CF6 | |
| d | d1 | <i>Dermatophagoides pteronyssinus</i> | House dust mite | 16 | 14-4107-01 | 357 |
| | d2 | <i>Dermatophagoides farinae</i> | House dust mite | 16 | 14-4108-01 | 358 |
| | d3 | <i>Dermatophagoides microceras</i> | House dust mite | 16 | 14-4241-01 | 482 |
| | d70 | <i>Acarus siro</i> | Storage mite | 10 | 14-4300-01 | 534 |
| | d71 | <i>Lepidoglyphus destructor</i> | Storage mite | 10 | 14-4301-01 | 535 |
| | d72 | <i>Tyrophagus putrescentiae</i> | Storage mite | 10 | 14-4302-01 | 536 |
| | d73 | <i>Glycyphagus domesticus</i> | Storage mite | 10 | 14-4393-01 | 602 |
| | d74 | <i>Euroglyphus maynei</i> | House dust mite | 10 | 14-4342-01 | 567 |
| | d201 | <i>Blomia tropicalis</i> | House dust mite | 10 | 14-4896-01 | BHP |
| | d202 | nDer p 1 House dust mite | <i>Dermatophagoides Pteronyssinus</i> | 10 | 14-4966-01 | CFG |
| | d203 | rDer p 2 House dust mite | <i>Dermatophagoides Pteronyssinus</i> | 10 | 14-4967-01 | CG2 |
| | d205 | rDer p 10 Tropomyosin, House dust mite | <i>Dermatophagoides Pteronyssinus</i> | 10 | 14-4985-01 | CG5 |
| | e | e1 | Cat dander | | 16 | 14-4109-01 |
| e3 | | Horse dander | | 16 | 14-4122-01 | 371 |
| e4 | | Cow dander | | 16 | 14-4166-01 | 411 |
| e5 | | Dog dander | | 16 | 14-4110-01 | 360 |
| e6 | | Guinea pig epithelium | | 16 | 14-4167-01 | 412 |
| e7 | | Pigeon droppings | | 16 | 14-4168-01 | 413 |
| e70 | | Goose feathers | | 16 | 14-4169-01 | 414 |
| e71 | | Mouse epithelium | | 10 | 14-4394-01 | 603 |
| e72 | | Mouse urine proteins | | 10 | 14-4395-01 | 604 |
| e73 | | Rat epithelium | | 10 | 14-4396-01 | 605 |
| e74 | | Rat urine proteins | | 10 | 14-4397-01 | 606 |
| e75 | | Rat serum proteins | | 10 | 14-4398-01 | 607 |
| e76 | | Mouse serum proteins | | 10 | 14-4399-01 | 608 |
| e77 | | Budgerigar droppings | | 10 | 14-4303-01 | 537 |
| e78 | | Budgerigar feathers | | 10 | 14-4304-01 | 538 |
| e80 | | Goat epithelium | | 10 | 14-4306-01 | 540 |
| e81 | | Sheep epithelium | | 10 | 14-4307-01 | 541 |
| e82 | | Rabbit epithelium | | 10 | 14-4308-01 | 542 |
| e83 | | Swine epithelium | | 10 | 14-4309-01 | 543 |
| e84 | | Hamster epithelium | | 10 | 14-4310-01 | 544 |
| e85 | | Chicken feathers | | 10 | 14-4170-01 | 517 |
| e86 | | Duck feathers | | 10 | 14-4171-01 | 518 |
| e87 | | Rat epithelium, serum proteins and urine proteins | | 10 | 14-4326-01 | 554 |
| e88 | | Mouse epithelium, serum proteins and urine proteins | | 10 | 14-4327-01 | 555 |
| e89 | | Turkey feathers | | 10 | 14-4356-01 | 581 |
| e94 | | rFel d 1 Cat | | 10 | 14-4905-01 | BY0 |
| e101 | | rCan f 1 Dog | | 10 | 14-4955-01 | CBN |
| e102 | | rCan f 2 Dog | | 10 | 14-4956-01 | CBP |
| e196 | Parakeet feathers | | 10 | 14-4909-01 | BY1 | |
| e197 | Parakeet droppings | | 10 | 14-4910-01 | BY2 | |
| e198 | Parakeet serum | | 10 | 14-4911-01 | BY3 | |
| e200 | Canary bird droppings | | 10 | 14-4913-01 | BY5 | |
| e201 | Canary bird feathers | | 10 | 14-4824-01 | 923 | |
| e202 | Reindeer epithelium | | 10 | 14-5035-01 | C3J | |
| e203 | Mink epithelium | | 10 | 14-5030-01 | C39 | |
| e204 | nBos d 6 BSA, Cow | | 10 | 14-5009-01 | BRV | |
| e205 | Horse, serum proteins | | 10 | 14-5016-01 | C2T | |
| e206 | Rabbit, serum proteins | | 10 | 14-5033-01 | C2H | |
| e208 | Chinchilla epithelium | | 10 | 14-5011-01 | C1X | |
| e209 | Gerbil epithelium | | 10 | 14-5015-01 | C1W | |
| e210 | Fox epithelium | | 10 | 14-5014-01 | C38 | |
| e211 | Rabbit, urine proteins | | 10 | 14-5034-01 | C44 | |

| | Code | Product | Size | Art. No. | Barcode | |
|-----|-----------------------------------|----------------------------------|--|------------|------------|-----|
| e | Re212 | Swine, urine proteins | 10 | 14-5039-10 | 645 | |
| | e213 | Parrot feathers | 10 | 14-4832-01 | 994 | |
| | e214 | Finch feathers | 10 | 14-5013-01 | C2D | |
| | e215 | Pigeon feathers | 10 | 14-5032-01 | BP5 | |
| | e216 | Deer epithelium | 10 | 14-5156-01 | C37 | |
| | e217 | Ferret epithelium | 10 | 14-5157-01 | C1H | |
| | e218 | Chicken droppings | 10 | 14-5229-01 | BRW | |
| | e219 | Chicken, serum proteins | 10 | 14-5230-01 | C24 | |
| | e220 | nFel d 2 Cat serum albumin | 10 | 14-5240-01 | BRX | |
| | e221 | nCan f 3 Dog serum albumin | 10 | 14-5241-01 | C14 | |
| | e222 | nSus s Pig serum albumin, Swine | 10 | 14-5242-01 | C36 | |
| | e226 | rCan f 5 Dog | <i>Canis familiaris</i> | 10 | 14-4998-01 | CMZ |
| | e227 | rEqu c 1 Horse | <i>Equus caballus</i> | 10 | 14-5700-01 | CN7 |
| | e228 | rFel d 4 Cat | <i>Felis domesticus</i> | 10 | 14-5702-01 | CT9 |
| f | f1 | Egg white | 16 | 14-4111-01 | 361 | |
| | f2 | Milk | 16 | 14-4112-01 | 362 | |
| | f3 | Fish (cod) | <i>Gadus morhua</i> | 16 | 14-4159-01 | 404 |
| | f4 | Wheat | <i>Triticum aestivum</i> | 16 | 14-4113-01 | 363 |
| | f5 | Rye | <i>Secale cereale</i> | 16 | 14-4123-01 | 372 |
| | f6 | Barley | <i>Hordeum vulgare</i> | 16 | 14-4172-01 | 415 |
| | f7 | Oat | <i>Avena sativa</i> | 16 | 14-4173-01 | 416 |
| | f8 | Maize, Corn | <i>Zea mays</i> | 16 | 14-4124-01 | 373 |
| | f9 | Rice | <i>Oryza sativa</i> | 16 | 14-4174-01 | 417 |
| | f10 | Sesame seed | <i>Sesamum indicum</i> | 16 | 14-4175-01 | 418 |
| | f11 | Buckwheat | <i>Fagopyrum esculentum</i> | 16 | 14-4125-01 | 374 |
| | f12 | Pea | <i>Pisum sativum</i> | 16 | 14-4176-01 | 419 |
| | f13 | Peanut | <i>Arachis hypogaea</i> | 16 | 14-4126-01 | 375 |
| | f14 | Soybean | <i>Glycine max</i> | 16 | 14-4115-01 | 364 |
| | f15 | White bean | <i>Phaseolus vulgaris</i> | 16 | 14-4177-01 | 420 |
| | f17 | Hazel nut | <i>Corylus avellana</i> | 16 | 14-4128-01 | 376 |
| | f18 | Brazil nut | <i>Bertholletia excelsa</i> | 16 | 14-4178-01 | 421 |
| | f20 | Almond | <i>Amygdalus communis</i> | 16 | 14-4179-01 | 422 |
| | f23 | Crab | <i>Cancer pagurus</i> | 16 | 14-4180-01 | 423 |
| | f24 | Shrimp | <i>Pandalus borealis, Penaeus monodon, Metapenaeopsis barbata, Metapenaeus joyneri</i> | 16 | 14-4181-01 | 424 |
| | f25 | Tomato | <i>Lycopersicon lycopersicum</i> | 16 | 14-4182-01 | 425 |
| | f26 | Pork | <i>Sus spp.</i> | 16 | 14-4183-01 | 426 |
| | f27 | Beef | <i>Bos spp.</i> | 16 | 14-4209-01 | 450 |
| | f31 | Carrot | <i>Daucus carota</i> | 16 | 14-4210-01 | 451 |
| | f33 | Orange | <i>Citrus sinensis</i> | 16 | 14-4129-01 | 377 |
| | f35 | Potato | <i>Solanum tuberosum</i> | 16 | 14-4211-01 | 452 |
| | f36 | Coconut | <i>Cocos nucifera</i> | 16 | 14-4212-01 | 453 |
| | f37 | Blue mussel | <i>Mytilus edulis</i> | 16 | 14-4213-01 | 454 |
| | f40 | Tuna | <i>Thunnus albacares</i> | 16 | 14-4214-01 | 455 |
| | f41 | Salmon | <i>Salmo salar</i> | 16 | 14-4215-01 | 456 |
| | f42 | Haddock | <i>Melanogrammus aeglefinus</i> | 10 | 14-4939-01 | CCC |
| | f44 | Strawberry | <i>Fragaria vesca</i> | 16 | 14-4216-01 | 457 |
| | f45 | Yeast | <i>Saccharomyces cerevisiae</i> | 16 | 14-4217-01 | 458 |
| | f47 | Garlic | <i>Allium sativum</i> | 16 | 14-4218-01 | 459 |
| | f48 | Onion | <i>Allium cepa</i> | 16 | 14-4219-01 | 460 |
| | f49 | Apple | <i>Malus x domestica</i> | 16 | 14-4220-01 | 461 |
| | f50 | Chub mackerel | <i>Scomber japonicus</i> | 16 | 14-4454-01 | 812 |
| | f51 | Bamboo shoot | <i>Phyllostachys pubescens</i> | 16 | 14-4455-01 | 815 |
| | f54 | Sweet potato | <i>Ipomea batatas</i> | 16 | 14-4458-01 | 823 |
| | f55 | Common millet | <i>Panicum milliaceum</i> | 16 | 14-4459-01 | 813 |
| | f56 | Foxtail millet | <i>Setaria italica</i> | 16 | 14-4460-01 | 824 |
| | f57 | Japanese millet | <i>Echinochloa crus-galli</i> | 16 | 14-4461-01 | 825 |
| | f58 | Pacific squid | <i>Todarodes pacificus</i> | 16 | 14-4462-01 | 814 |
| | f59 | Octopus | <i>Octopus vulgaris</i> | 16 | 14-4463-01 | 826 |
| | f60 | Jack mackerel, Scad | <i>Trachurus japonicus</i> | 16 | 14-4464-01 | 827 |
| | f61 | Sardine, Japanese Pilchard | <i>Sardinops melanosticta</i> | 16 | 14-4465-01 | 828 |
| | f75 | Egg yolk | | 16 | 14-4184-01 | 427 |
| | f76 | nBos d 4 alpha-lactalbumin, Milk | <i>Bos spp.</i> | 10 | 14-4522-01 | CTP |
| f77 | nBos d 5 beta-lactoglobulin, Milk | <i>Bos spp.</i> | 10 | 14-4523-01 | CTR | |
| f78 | nBos d 8 Casein, Milk | <i>Bos spp.</i> | 10 | 14-4524-01 | CTS | |
| f79 | Gluten | | 10 | 14-4291-01 | 525 | |
| f80 | Lobster | <i>Homarus gammarus</i> | 10 | 14-4292-01 | 526 | |
| f81 | Cheese, cheddar type | | 10 | 14-4293-01 | 527 | |
| f82 | Cheese, mold type | | 10 | 14-4294-01 | 528 | |
| f83 | Chicken | <i>Gallus spp.</i> | 16 | 14-4185-01 | 428 | |
| f84 | Kiwi | <i>Actinidia deliciosa</i> | 10 | 14-4295-01 | 529 | |

f

| Code | Product | | Size | Art. No. | Barcode |
|-------|----------------------------|--|------|------------|---------|
| f85 | Celery | <i>Apium graveolens</i> | 10 | 14-4296-01 | 530 |
| f86 | Parsley | <i>Petroselinum crispum</i> | 10 | 14-4297-01 | 531 |
| f87 | Melon | <i>Cucumis melo spp.</i> | 10 | 14-4298-01 | 532 |
| f88 | Mutton | <i>Ovis spp.</i> | 10 | 14-4299-01 | 533 |
| f89 | Mustard | <i>Brassica/Sinapis spp.</i> | 10 | 14-4329-01 | 557 |
| f90 | Malt | | 10 | 14-4330-01 | 558 |
| f91 | Mango | <i>Mangifera indica</i> | 10 | 14-4331-01 | 559 |
| f92 | Banana | <i>Musa spp.</i> | 10 | 14-4334-01 | 561 |
| f93 | Cacao | <i>Theobroma cacao</i> | 10 | 14-4335-01 | 562 |
| f94 | Pear | <i>Pyrus communis</i> | 10 | 14-4336-01 | 563 |
| f95 | Peach | <i>Prunus persica</i> | 10 | 14-4337-01 | 564 |
| f96 | Avocado | <i>Persea americana</i> | 10 | 14-4346-01 | 571 |
| f124 | Spelt wheat | <i>Triticum spelta</i> | 10 | 14-4914-01 | BY6 |
| f147 | Gulf flounder | <i>Paralichthys albigutta</i> | 10 | 14-4928-01 | CC2 |
| f182 | Lima bean | <i>Phaseolus lunatus</i> | 10 | 14-4929-01 | CC3 |
| f201 | Pecan nut | <i>Carya illinoensis</i> | 10 | 14-4807-01 | 906 |
| f202 | Cashew nut | <i>Anacardium occidentale</i> | 10 | 14-4835-01 | 997 |
| f203 | Pistachio | <i>Pistacia vera</i> | 10 | 14-4836-01 | 998 |
| f204 | Trout | <i>Oncorhynchus mykiss (Salmo gairdneri)</i> | 10 | 14-4819-01 | 918 |
| f205 | Herring | <i>Clupea harengus</i> | 10 | 14-4837-01 | 999 |
| f206 | Mackerel | <i>Scomber scombrus</i> | 10 | 14-5019-01 | BRY |
| f207 | Clam | <i>Ruditapes spp.</i> | 10 | 14-4820-01 | 919 |
| f208 | Lemon | <i>Citrus limon</i> | 10 | 14-4829-01 | 685 |
| f209 | Grapefruit | <i>Citrus paradisi</i> | 16 | 14-4431-01 | 680 |
| f210 | Pineapple | <i>Ananas comosus</i> | 10 | 14-4810-01 | 909 |
| f211 | Blackberry | <i>Rubus fruticosus</i> | 10 | 14-5051-01 | C0E |
| f212 | Mushroom (champignon) | <i>Agaricus hortensis</i> | 10 | 14-5086-01 | BTH |
| f213 | Rabbit | <i>Oryctolagus spp.</i> | 10 | 14-4838-01 | AAA |
| f214 | Spinach | <i>Spinachia oleracea</i> | 16 | 14-4432-01 | 707 |
| f215 | Lettuce | <i>Lactuca sativa</i> | 10 | 14-4813-01 | 912 |
| f216 | Cabbage | <i>Brassica oleracea var. capitata</i> | 10 | 14-4814-01 | 913 |
| f217 | Brussel sprouts | <i>Brassica oleracea var. gemmifera</i> | 10 | 14-5054-01 | C1S |
| f218 | Paprika, Sweet pepper | <i>Capsicum annuum</i> | 10 | 14-4816-01 | 915 |
| f219 | Fennel seed | <i>Foeniculum vulgare</i> | 10 | 14-5070-01 | C1L |
| Rf220 | Cinnamon | <i>Cinnamomum spp.</i> | 10 | 14-5063-10 | 669 |
| f221 | Coffee | <i>Coffea spp.</i> | 10 | 14-5065-01 | BRZ |
| f222 | Tea | <i>Camellia sinensis</i> | 10 | 14-5104-01 | BS0 |
| f224 | Poppy seed | <i>Papaver somniferum</i> | 10 | 14-5097-01 | BS1 |
| f225 | Pumpkin | <i>Cucurbita pepo</i> | 16 | 14-4433-01 | 705 |
| f226 | Pumpkin seed | <i>Cucurbita pepo</i> | 10 | 14-5098-01 | C1U |
| f227 | Sugar-beet seed | <i>Beta vulgaris</i> | 10 | 14-5102-01 | BTK |
| f231 | Milk, boiled | | 10 | 14-4806-01 | 905 |
| f232 | nGal d 2 Ovalbumin, Egg | | 10 | 14-4804-01 | 903 |
| f233 | nGal d 1 Ovomucoid, Egg | | 10 | 14-4805-01 | 904 |
| f234 | Vanilla | <i>Vanilla planifolia</i> | 10 | 14-5106-01 | BS2 |
| f235 | Lentil | <i>Lens esculenta</i> | 10 | 14-4815-01 | 914 |
| f236 | Cow's whey | | 10 | 14-5114-01 | BP6 |
| f237 | Apricot | <i>Prunus armeniaca</i> | 10 | 14-4812-01 | 911 |
| f242 | Cherry | <i>Prunus avium</i> | 10 | 14-4811-01 | 910 |
| f244 | Cucumber | <i>Cucumis sativus</i> | 10 | 14-4839-01 | AAB |
| f245 | Egg | | 10 | 14-4826-01 | 925 |
| f246 | Guar, guar gum (E412) | <i>Cyamopsis tetragonolobus</i> | 10 | 14-5076-01 | C0H |
| f247 | Honey | | 10 | 14-5078-01 | BP7 |
| f253 | Pine nut, pignoles | <i>Pinus edulis</i> | 10 | 14-5093-01 | BS3 |
| f254 | Plaice | <i>Pleuronectes platessa</i> | 16 | 14-4434-01 | 647 |
| f255 | Plum | <i>Prunus domestica</i> | 10 | 14-4840-01 | AAC |
| f256 | Walnut | <i>Juglans spp.</i> | 16 | 14-4521-01 | CME |
| f258 | Squid | <i>Loligo spp.</i> | 10 | 14-5142-01 | BS4 |
| f259 | Grape | <i>Vitis vinifera</i> | 10 | 14-4809-01 | 908 |
| f260 | Broccoli | <i>Brassica oleracea var. italica</i> | 10 | 14-4841-01 | AAD |
| f261 | Asparagus | <i>Asparagus officinalis</i> | 10 | 14-5046-01 | C0B |
| f262 | Aubergine, eggplant | <i>Solanum melongena</i> | 10 | 14-5047-01 | BZZ |
| f263 | Green pepper (unripe seed) | <i>Piper nigrum</i> | 10 | 14-5075-01 | BS5 |
| f264 | Eel | <i>Anguilla anguilla</i> | 10 | 14-5042-01 | C26 |
| f265 | Caraway | <i>Carum carvi</i> | 10 | 14-5057-01 | BP8 |
| f266 | Mace | <i>Myristica fragrans</i> | 10 | 14-5083-01 | C2X |
| f267 | Cardamon | <i>Elettaria cardamomum</i> | 10 | 14-5058-01 | C2G |
| f268 | Clove | <i>Syzygium aromaticum</i> | 10 | 14-5064-01 | BS6 |
| f269 | Basil | <i>Ocimum basilicum</i> | 10 | 14-5048-01 | BS7 |
| f270 | Ginger | <i>Zingiber officinale</i> | 10 | 14-5072-01 | BS8 |
| f271 | Anise | <i>Pimpinella anisum</i> | 10 | 14-5044-01 | BP9 |
| f272 | Tarragon | <i>Artemisia dracunculus</i> | 10 | 14-5103-01 | BS9 |

f

| Code | Product | | Size | Art. No. | Barcode |
|-------|--|--|------|------------|---------|
| f273 | Thyme | <i>Thymus vulgaris</i> | 10 | 14-5105-01 | BSA |
| f274 | Marjoram | <i>Origanum majorana</i> | 10 | 14-5084-01 | BSB |
| f275 | Lovage | <i>Levisticum officinale</i> | 10 | 14-5082-01 | C2Z |
| f276 | Fennel, fresh | <i>Foeniculum vulgare</i> | 10 | 14-5071-01 | BTG |
| f277 | Dill | <i>Anethum graveolens</i> | 10 | 14-5069-01 | C0S |
| f278 | Bay leaf | <i>Laurus nobilis</i> | 10 | 14-5049-01 | BSC |
| f279 | Chilipepper | <i>Capsicum frutescens</i> | 10 | 14-5062-01 | BSD |
| f280 | Black pepper | <i>Piper nigrum</i> | 10 | 14-4817-01 | 916 |
| f281 | Curry (Santa Maria) | | 10 | 14-5067-01 | BPA |
| Rf282 | Nutmeg | <i>Myristica fragrans</i> | 10 | 14-5087-10 | 693 |
| f283 | Oregano | <i>Origanum vulgare</i> | 10 | 14-5088-01 | BTJ |
| f284 | Turkey meat | <i>Meleagris gallopavo</i> | 10 | 14-4818-01 | 917 |
| f285 | Elk/moose meat | | 10 | 14-5115-01 | C3E |
| f286 | Mare's milk | | 10 | 14-5109-01 | C2K |
| f287 | Red kidney bean | <i>Phaseolus vulgaris</i> | 10 | 14-5100-01 | BSE |
| f288 | Blueberry | <i>Vaccinium myrtillus</i> | 10 | 14-5052-01 | BTF |
| f289 | Date | <i>Phoenix dactylifera</i> | 10 | 14-5068-01 | BSF |
| f290 | Oyster | <i>Ostrea edulis</i> | 10 | 14-4842-01 | AAE |
| f291 | Cauliflower | <i>Brassica oleracea var. botrytis</i> | 10 | 14-5060-01 | C05 |
| f292 | Guava | <i>Psidium guajava</i> | 10 | 14-5077-01 | C1E |
| f293 | Papaya | <i>Carica papaya</i> | 10 | 14-5089-01 | BSG |
| f294 | Passion fruit | <i>Passiflora edulis</i> | 10 | 14-5091-01 | C0W |
| f295 | Carambola | <i>Averrhoa carambola</i> | 10 | 14-5056-01 | C3H |
| f296 | Carob (E410) | <i>Ceratonia siliqua</i> | 10 | 14-5137-01 | C0U |
| f297 | Gum arabic (E414) | <i>Acacia spp.</i> | 10 | 14-5138-01 | BSH |
| f298 | Tragacanth (E413) | <i>Astragalus spp.</i> | 10 | 14-5139-01 | C12 |
| f299 | Sweet chestnut | <i>Castanea sativa</i> | 10 | 14-4843-01 | AAF |
| f300 | Goat milk | | 10 | 14-5144-01 | BSJ |
| f301 | Persimon (kaki fruit, sharon) | <i>Diospyros kaki</i> | 10 | 14-5161-01 | C2B |
| f302 | Mandarin (tangerine, clementine, satsumas) | <i>Citrus reticulata</i> | 10 | 14-5160-01 | BPB |
| f303 | Halibut | <i>Hippoglossus hippoglossus</i> | 10 | 14-5158-01 | BZX |
| f304 | Langust (spiny lobster) | <i>Palinurus spp.</i> | 10 | 14-5159-01 | BTM |
| f305 | Fenugreek | <i>Trigonella foenum-graecum</i> | 10 | 14-5187-01 | C3D |
| f306 | Lime | <i>Citrus aurantifolia</i> | 10 | 14-5188-01 | BTN |
| f307 | Hake | <i>Merluccius merluccius</i> | 10 | 14-5194-01 | BTP |
| f308 | Sardine (Pilchard) | <i>Sardina pilchardus</i> | 10 | 14-5195-01 | BTR |
| f309 | Chick pea | <i>Cicer arietinus</i> | 10 | 14-5196-01 | BTS |
| f310 | Blue vetch | <i>Lathyrus sativus</i> | 10 | 14-5197-01 | C3A |
| f311 | Megrim | <i>Lepidorhombus whiffiagonis</i> | 10 | 14-5204-01 | BSK |
| f312 | Swordfish | <i>Xiphias gladius</i> | 10 | 14-5205-01 | C08 |
| f313 | Anchovy | <i>Engraulis encrasicolus</i> | 10 | 14-5209-01 | BSL |
| f314 | Snail | <i>Helix aspersa</i> | 10 | 14-5210-01 | BU0 |
| f315 | Green bean | <i>Phaseolus vulgaris</i> | 10 | 14-5211-01 | BSM |
| f316 | Rape seed | <i>Brassica napus</i> | 10 | 14-5213-01 | C10 |
| f317 | Coriander | <i>Coriandrum sativum</i> | 10 | 14-5214-01 | BSN |
| f318 | Jack fruit | <i>Artocarpus heterophyllus</i> | 10 | 14-5215-01 | C3F |
| f319 | Beetroot | <i>Beta vulgaris</i> | 10 | 14-5216-01 | C1A |
| f320 | Crayfish | <i>Astacus astacus</i> | 10 | 14-5219-01 | BSP |
| f321 | Horse meat | | 10 | 14-5220-01 | C1D |
| f322 | Red currant | <i>Ribes sylvestre</i> | 10 | 14-5221-01 | C21 |
| f323 | nGal d 3 Conalbumin, Egg | | 10 | 14-5222-01 | C18 |
| f324 | Hop (fruit cone) | <i>Humulus lupulus</i> | 10 | 14-5228-01 | C0N |
| f325 | Sheep milk | | 10 | 14-5237-01 | C0C |
| f326 | Sheep whey | | 10 | 14-5238-01 | C2U |
| f328 | Fig | <i>Ficus carica</i> | 10 | 14-5244-01 | BSR |
| f329 | Watermelon | <i>Citrullus lanatus</i> | 10 | 14-5245-01 | BSS |
| f330 | Rose hip | <i>Rosa spp.</i> | 10 | 14-5247-01 | C1R |
| f331 | Saffron | <i>Crocus sativus</i> | 10 | 14-5248-01 | C2E |
| f332 | Mint | <i>Mentha piperita</i> | 10 | 14-5249-01 | C1G |
| f333 | Linseed | <i>Linum usitatissimum</i> | 10 | 14-5250-01 | C13 |
| f334 | nBos d Lactoferrin, Milk | | 10 | 14-5253-01 | C16 |
| f335 | Lupin seed | <i>Lupinus albus</i> | 10 | 14-5254-01 | BST |
| f336 | Jujube | <i>Ziziphus jujuba</i> | 10 | 14-5255-01 | C32 |
| f337 | Sole | <i>Solea solea</i> | 10 | 14-5256-01 | BTV |
| f338 | Scallop | <i>Pecten spp.</i> | 10 | 14-4895-01 | BHN |
| f339 | Allspice | <i>Pimenta dioica</i> | 10 | 14-5267-01 | C17 |
| f340 | Cochineal extract (Carmine red) (E120) | <i>Dactylopius coccus</i> | 10 | 14-5268-01 | C0V |
| Rf341 | Cranberry | <i>Vaccinium oxycoccus</i> | 10 | 14-5269-10 | AKT |
| f342 | Olive (black, fresh) | <i>Olea europaea</i> | 10 | 14-5279-01 | C0F |
| f343 | Raspberry | <i>Rubus idaeus</i> | 10 | 14-5280-01 | C09 |
| f344 | Sage | <i>Salvia officinalis</i> | 10 | 14-5281-01 | C25 |

| | Code | Product | | Size | Art. No. | Barcode | |
|------|-----------------------------|----------------------------------|--|------------------------------|------------|------------|-----|
| f | f345 | Macadamia nut | <i>Macadamia spp.</i> | 10 | 14-5282-01 | BTX | |
| | f346 | Abalone | <i>Haliotis spp.</i> | 10 | 14-5283-01 | BTY | |
| | f347 | Quinoa | <i>Chenopodium quinoa</i> | 10 | 14-5284-01 | C1T | |
| | f348 | Litchi | <i>Litchi chinensis</i> | 10 | 14-5285-01 | C2N | |
| | f351 | rPen a 1 Tropomyosin, Shrimp | | 10 | 14-5335-01 | C11 | |
| | f352 | rAra h 8 PR-10, Peanut | <i>Arachis hypogaea</i> | 10 | 14-5341-01 | CEZ | |
| | f353 | rGly m 4 PR-10, Soy | <i>Glycine max</i> | 10 | 14-5340-01 | CDR | |
| | f354 | rBer e 1 Brazil nut | <i>Bertholletia excelsa</i> | 10 | 14-5343-01 | CDS | |
| | f355 | rCyp c 1 Carp | <i>Cyprinus carpio</i> | 10 | 14-5344-10 | CF0 | |
| | f369 | Cat fish | <i>Ictalurus punctatus</i> | 10 | 14-4930-01 | CC4 | |
| | f381 | Red snapper | <i>Lutjanus campechanus</i> | 10 | 14-4931-01 | CC5 | |
| | f384 | Whitefish (Inconnu) | <i>Stenodus spp.</i> | 10 | 14-4932-01 | CC6 | |
| | f410 | Grouper | <i>Epinephelus spp.</i> | 10 | 14-4933-01 | CC7 | |
| | f412 | Orange roughy | <i>Hoplostethus atlanticus</i> | 10 | 14-4935-01 | CC8 | |
| | f413 | Pollock | <i>Pollachius virens</i> | 10 | 14-4936-01 | CC9 | |
| | f414 | Tilapia | <i>Oreochromis spp.</i> | 10 | 14-4937-01 | CCA | |
| | f415 | Walleye pike | <i>Sander vitreus (Stizostedion vitreum)</i> | 10 | 14-4938-01 | CCB | |
| | f416 | rTri a 19 Omega-5 Gliadin, Wheat | <i>Triticum spp.</i> | 10 | 14-4954-01 | C8H | |
| | f417 | rApi g 1.01 PR-10, Celery | <i>Apium graveolens</i> | 10 | 14-4957-01 | CBR | |
| | f419 | rPru p 1 PR-10, Peach | <i>Prunus persica</i> | 10 | 14-4960-01 | CBV | |
| | f420 | rPru p 3 LTP, Peach | <i>Prunus persica</i> | 10 | 14-4961-01 | CBW | |
| | f421 | rPru p 4 Profilin, Peach | <i>Prunus persica</i> | 10 | 14-4962-01 | CBX | |
| | f422 | rAra h 1 Peanut | <i>Arachis hypogaea</i> | 10 | 14-4963-01 | CDF | |
| | f423 | rAra h 2 Peanut | <i>Arachis hypogaea</i> | 10 | 14-4964-01 | CDG | |
| | f424 | rAra h 3 Peanut | <i>Arachis hypogaea</i> | 10 | 14-4965-01 | CDH | |
| | f425 | rCor a 8 LTP, Hazel nut | <i>Corylus avellana</i> | 10 | 14-4968-01 | CDP | |
| | f426 | rGad c 1 Cod | <i>Gadus morhua</i> | 10 | 14-4969-01 | CEY | |
| | f427 | rAra h 9 LTP, Peanut | <i>Arachis hypogaea</i> | 10 | 14-4980-01 | CFC | |
| | f428 | rCor a 1 PR-10, Hazel nut | <i>Corylus avellana</i> | 10 | 14-4981-01 | CFB | |
| | f430 | rAct d 8 PR-10, Kiwi | <i>Actinidia deliciosa</i> | 10 | 14-4984-01 | CG7 | |
| | f431 | nGly m 5 beta-conglycinin, Soy | <i>Glycine max</i> | 10 | 14-4990-01 | CLV | |
| | f432 | nGly m 6 Glycinin | <i>Glycine max</i> | 10 | 14-4991-01 | CLU | |
| | g | g1 | Sweet vernal grass | <i>Anthoxanthum odoratum</i> | 16 | 14-4130-01 | 378 |
| | | g2 | Bermuda grass | <i>Cynodon dactylon</i> | 16 | 14-4131-01 | 379 |
| g3 | | Cocksfoot | <i>Dactylis glomerata</i> | 16 | 14-4117-01 | 366 | |
| g4 | | Meadow fescue | <i>Festuca elatior</i> | 16 | 14-4133-01 | 380 | |
| g5 | | Rye-grass | <i>Lolium perenne</i> | 16 | 14-4134-01 | 381 | |
| g6 | | Timothy grass | <i>Phleum pratense</i> | 16 | 14-4100-01 | 350 | |
| g7 | | Common reed | <i>Phragmites communis</i> | 16 | 14-4187-01 | 430 | |
| g8 | | Meadow grass, Kentucky blue | <i>Poa pratensis</i> | 16 | 14-4136-01 | 382 | |
| g9 | | Redtop, Bentgrass | <i>Agrostis stolonifera</i> | 16 | 14-4137-01 | 383 | |
| g10 | | Johnson grass | <i>Sorghum halepense</i> | 16 | 14-4138-01 | 384 | |
| g11 | | Brome grass | <i>Bromus inermis</i> | 16 | 14-4238-01 | 479 | |
| g12 | | Cultivated rye | <i>Secale cereale</i> | 16 | 14-4101-01 | 351 | |
| g13 | | Velvet grass | <i>Holcus lanatus</i> | 16 | 14-4139-01 | 385 | |
| g14 | | Cultivated oat | <i>Avena sativa</i> | 16 | 14-4239-01 | 480 | |
| g15 | | Cultivated wheat | <i>Triticum aestivum</i> | 16 | 14-4188-01 | 431 | |
| g16 | | Meadow foxtail | <i>Alopecurus pratensis</i> | 16 | 14-4240-01 | 481 | |
| g17 | | Bahia grass | <i>Paspalum notatum</i> | 16 | 14-4189-01 | 432 | |
| g70 | | Wild rye grass | <i>Elymus triticoides</i> | 10 | 14-4344-01 | 569 | |
| g71 | | Canary grass | <i>Phalaris arundinacea</i> | 10 | 14-4360-01 | 585 | |
| g201 | | Barley | <i>Hordeum vulgare</i> | 10 | 14-4821-01 | 920 | |
| g202 | | Maize, Corn | <i>Zea mays</i> | 10 | 14-4822-01 | 921 | |
| g203 | | Salt grass | <i>Distichlis spicata</i> | 10 | 14-5145-01 | C1M | |
| g204 | | False oat-grass | <i>Arrhenatherum elatius</i> | 10 | 14-5154-01 | C2S | |
| g205 | | rPhl p 1 Timothy | <i>Phleum pratense</i> | 10 | 14-5234-01 | BSU | |
| g206 | | rPhl p 2 Timothy | <i>Phleum pratense</i> | 10 | 14-5235-01 | C0K | |
| g208 | | nPhl p 4 Timothy | <i>Phleum pratense</i> | 10 | 14-5288-01 | C0L | |
| g209 | | rPhl p 6 Timothy | <i>Phleum pratense</i> | 10 | 14-5289-01 | BSV | |
| g210 | | rPhl p 7 Timothy | <i>Phleum pratense</i> | 10 | 14-5290-01 | BSW | |
| g211 | rPhl p 11 Timothy | <i>Phleum pratense</i> | 10 | 14-5291-01 | BSX | | |
| g212 | rPhl p 12 Profilin, Timothy | <i>Phleum pratense</i> | 10 | 14-5292-01 | BSY | | |
| g213 | rPhl p 1, rPhl p 5b Timothy | <i>Phleum pratense</i> | 10 | 14-5312-01 | BU1 | | |
| g214 | rPhl p 7, rPhl p 12 Timothy | <i>Phleum pratense</i> | 10 | 14-5313-01 | BU2 | | |
| g215 | rPhl p 5b Timothy | <i>Phleum pratense</i> | 10 | 14-5338-01 | BV3 | | |
| g216 | nCyn d 1 Bermuda grass | <i>Cynodon dactylon</i> | 10 | 14-4972-01 | CFA | | |
| h | h1 | Greer Labs., Inc. | | 16 | 14-4116-01 | 365 | |
| | h2 | Hollister-Stier Labs. | | 16 | 14-4140-01 | 386 | |
| i | i1 | Honey bee | <i>Apis mellifera</i> | 16 | 14-4143-01 | 389 | |
| | i2 | White-faced hornet | <i>Dolichovespula maculata</i> | 16 | 14-4221-01 | 462 | |
| | i3 | Common wasp (Yellow jacket) | <i>Vespula spp.</i> | 16 | 14-4144-01 | 390 | |
| | i4 | Paper wasp | <i>Polistes spp.</i> | 16 | 14-4222-01 | 463 | |

| | Code | Product | | Size | Art. No. | Barcode |
|-------|--------------------------|--|--|--------------------|------------|------------|
| i | i5 | Yellow hornet | <i>Dolichovespula arenaria</i> | 16 | 14-4223-01 | 464 |
| | i6 | Cockroach, German | <i>Blattella germanica</i> | 16 | 14-4224-01 | 465 |
| | i8 | Moth | <i>Bombyx mori</i> | 16 | 14-4474-01 | 829 |
| | i70 | Fire ant | <i>Solenopsis invicta</i> | 10 | 14-4343-01 | 568 |
| | i71 | Mosquito | <i>Aedes communis</i> | 10 | 14-4316-01 | 550 |
| | i72 | Green nimitti | <i>Cladotanytarsus Lewisii</i> | 10 | 14-4361-01 | 586 |
| | i73 | Blood worm | <i>Chironomus thummi (C. riparius)</i> | 10 | 14-4328-01 | 556 |
| | i75 | European hornet | <i>Vespa crabro</i> | 10 | 14-4340-01 | 565 |
| | i76 | Berlin beetle | <i>Trogoderma angustum (Solier)</i> | 10 | 14-4362-01 | 587 |
| | i77 | European Paper Wasp | <i>Polistes dominulus</i> | 10 | 14-4919-01 | BYB |
| | i202 | Grain weevil | <i>Sitophilus granarius</i> | 10 | 14-5150-01 | C1P |
| | i203 | Mediterranean flour moth | <i>Ephestia (syn. Anagasta) kuehniella</i> | 10 | 14-5151-01 | C2J |
| | i204 | Horse fly | <i>Tabanus spp.</i> | 10 | 14-5207-01 | BPJ |
| | i205 | Bumblebee | <i>Bombus terrestris</i> | 10 | 14-5270-01 | C06 |
| | i206 | Cockroach, American | <i>Periplaneta americana</i> | 10 | 14-5274-01 | C07 |
| | i207 | Cockroach, Oriental | <i>Blatta orientalis</i> | 10 | 14-5275-01 | BTW |
| | i208 | rApi m 1 Phospholipase A2, Honey bee | <i>Apis mellifera</i> | 10 | 14-4987-01 | CJ7 |
| | i209 | rVes v 5 Common wasp | <i>Vespula vulgaris</i> | 10 | 14-4992-01 | CJ8 |
| | i210 | rPol d 5 European Paper Wasp | <i>Polistes dominulus</i> | 10 | 14-4994-01 | CJ9 |
| | i211 | rVes v 1 Phospholipase A1, Common wasp | <i>Vespula vulgaris</i> | 10 | 14-4995-01 | CMR |
| | k | k70 | Green coffee bean | <i>Coffea spp.</i> | 10 | 14-4363-01 |
| k71 | | Castor bean | | 10 | 14-4364-01 | 589 |
| k72 | | Ispaghula | | 10 | 14-4348-01 | 573 |
| k73 | | Silk waste | | 10 | 14-4400-01 | 609 |
| k74 | | Silk | <i>Bombyx mori</i> | 10 | 14-4333-01 | 560 |
| k75 | | Isocyanate TDI (Toluene diisocyanate) | | 10 | 14-4311-01 | 545 |
| k76 | | Isocyanate MDI (Diphenylmethane diisocyanate) | | 10 | 14-4312-01 | 546 |
| k77 | | Isocyanate HDI (Hexamethylene diisocyanate) | | 10 | 14-4313-01 | 547 |
| k78 | | Ethylene oxide | | 10 | 14-4314-01 | 548 |
| k79 | | Phthalic anhydride | | 10 | 14-4315-01 | 549 |
| k80 | | Formaldehyde/Formalin | | 10 | 14-4341-01 | 566 |
| k81 | | Ficus | <i>Ficus spp.</i> | 10 | 14-4365-01 | 590 |
| k82 | | Latex | <i>Hevea brasiliensis</i> | 10 | 14-4511-01 | BJ1 |
| k83 | | Cotton seed | | 10 | 14-4366-01 | 591 |
| k84 | | Sunflower seed | | 10 | 14-4367-01 | 592 |
| k85 | | Chloramin T | | 10 | 14-4368-01 | 593 |
| k86 | | Trimellitic anhydride, TMA | | 10 | 14-4369-01 | 594 |
| k87 | | nAsp o 21 alpha-amylase | <i>Aspergillus oryzae</i> | 10 | 14-4370-01 | 595 |
| k201 | | nCar p 1 Papain, Papaya | | 10 | 14-5130-01 | BT0 |
| k202 | | nAna c 2 Bromelain, Pineapple | | 10 | 14-5127-01 | BT1 |
| k203 | | nApi m 1 Phospholipase A2, Bee | | 10 | 14-5131-01 | BPK |
| k204 | | Maxatase | <i>Bacillus licheniformis</i> | 10 | 14-5129-01 | C2F |
| k205 | | Alkalase | <i>Bacillus spp.</i> | 10 | 14-5126-01 | C1F |
| k206 | | Savinase | <i>Bacillus spp.</i> | 10 | 14-5132-01 | C2R |
| k208 | | nGal d 4 Lysozyme, Egg | | 10 | 14-5128-01 | C0T |
| k209 | | Hexahydrophthalic anhydrid | | 10 | 14-5189-01 | C1J |
| Rk210 | | Maleic anhydrid | | 10 | 14-5190-10 | 796 |
| k211 | | Methyltetrahydrophthalic anhydrid | | 10 | 14-5191-01 | C2Y |
| k212 | | Abachi wood dust | <i>Triplochiton scleroxylon</i> | 10 | 14-5217-01 | BT2 |
| k213 | | nSus s Pepsin, Swine | | 10 | 14-5258-01 | C3B |
| k214 | | Bougainvillea | <i>Bougainvillea spp.</i> | 10 | 14-5286-01 | C3L |
| k215 | | rHev b 1 Latex | <i>Hevea brasiliensis</i> | 10 | 14-5324-01 | C20 |
| k217 | | rHev b 3 Latex | <i>Hevea brasiliensis</i> | 10 | 14-5326-01 | C2A |
| k218 | rHev b 5 Latex | <i>Hevea brasiliensis</i> | 10 | 14-5327-01 | C1Z | |
| k219 | rHev b 6.01 Latex | <i>Hevea brasiliensis</i> | 10 | 14-5328-01 | C28 | |
| k220 | rHev b 6.02 Latex | <i>Hevea brasiliensis</i> | 10 | 14-5329-01 | C22 | |
| k221 | rHev b 8 Profilin, Latex | <i>Hevea brasiliensis</i> | 10 | 14-5330-01 | C1V | |
| k222 | rHev b 9 Latex | <i>Hevea brasiliensis</i> | 10 | 14-5331-01 | C2C | |
| k224 | rHev b 11 Latex | <i>Hevea brasiliensis</i> | 10 | 14-5333-01 | C29 | |
| m | m1 | <i>Penicillium chrysogenum (P. notatum)</i> | | 16 | 14-4160-01 | 405 |
| | m2 | <i>Cladosporium herbarum</i> | | 16 | 14-4105-01 | 355 |
| | m3 | <i>Aspergillus fumigatus</i> | | 16 | 14-4119-01 | 368 |
| | m4 | <i>Mucor racemosus</i> | | 16 | 14-4145-01 | 391 |
| | m5 | <i>Candida albicans</i> | | 16 | 14-4120-01 | 369 |
| | m6 | <i>Alternaria alternata</i> | | 16 | 14-4106-01 | 356 |
| | m7 | <i>Botrytis cinerea</i> | | 16 | 14-4258-01 | 496 |
| | m8 | <i>Setomelanomma rostrata (Helminthosporium halodes)</i> | | 16 | 14-4259-01 | 497 |
| | m9 | <i>Fusarium proliferatum (F. moniliforme)</i> | | 16 | 14-4260-01 | 498 |
| | m10 | <i>Stemphylium herbarum (S. botryosum)</i> | | 16 | 14-4261-01 | 499 |
| | m11 | <i>Rhizopus nigricans</i> | | 16 | 14-4262-01 | 500 |
| | m12 | <i>Aureobasidium pullulans</i> | | 16 | 14-4263-01 | 501 |
| | m13 | <i>Phoma betae</i> | | 16 | 14-4264-01 | 502 |

| | Code | Product | Size | Art. No. | Barcode | |
|-------|-----------|---|--------------------------------------|------------|------------|-----|
| m | m14 | <i>Epicoccum purpurascens</i> | 16 | 14-4265-01 | 503 | |
| | m15 | <i>Trichoderma viride</i> | 16 | 14-4266-01 | 504 | |
| | m16 | <i>Curvularia lunata</i> | 16 | 14-4267-01 | 505 | |
| | m36 | <i>Aspergillus terreus</i> | 10 | 14-4920-01 | BYC | |
| | m70 | <i>Pityrosporum orbiculare (syn. Malassezia)</i> | 10 | 14-4349-01 | 574 | |
| | m80 | Staphylococcal enterotoxin A | 10 | 14-4889-01 | BDG | |
| | m81 | Staphylococcal enterotoxin B | 10 | 14-4890-01 | BDD | |
| | m201 | <i>Tilletia tritici</i> | 10 | 14-5029-01 | C1C | |
| | m202 | <i>Acremonium kiliense</i> | 10 | 14-4830-01 | 992 | |
| | m203 | <i>Trichosporon pullulans</i> | 10 | 14-5027-01 | C19 | |
| | m204 | <i>Ulocladium chartarum</i> | 10 | 14-5028-01 | C1Y | |
| | m205 | <i>Trichophyton rubrum</i> | 16 | 14-4483-01 | A2J | |
| | m207 | <i>Aspergillus niger</i> | 10 | 14-4831-01 | 993 | |
| | m208 | <i>Chaetomium globosum</i> | 10 | 14-5202-01 | C00 | |
| | m209 | <i>Penicillium glabrum</i> | 10 | 14-5203-01 | BT3 | |
| | m210 | <i>Trichophyton mentagrophytes var. goetzii</i> | 10 | 14-5223-01 | C0Y | |
| | m211 | <i>Trichophyton mentagrophytes var. interdigitale</i> | 10 | 14-5224-01 | C0R | |
| | m218 | rAsp f 1 | <i>Aspergillus fumigatus</i> | 10 | 14-5293-01 | BPL |
| | m219 | rAsp f 2 | <i>Aspergillus fumigatus</i> | 10 | 14-5294-01 | BPM |
| | m220 | rAsp f 3 | <i>Aspergillus fumigatus</i> | 10 | 14-5295-01 | BT4 |
| | m221 | rAsp f 4 | <i>Aspergillus fumigatus</i> | 10 | 14-5296-01 | BPN |
| | m222 | rAsp f 6 | <i>Aspergillus fumigatus</i> | 10 | 14-5297-01 | BPP |
| | m223 | Staphylococcal enterotoxin C | 10 | 14-5298-01 | BT5 | |
| | m226 | Staphylococcal enterotoxin TSST | 10 | 14-5301-01 | C0X | |
| | m227 | <i>Malassezia spp.</i> | 10 | 14-5321-01 | BT6 | |
| | m228 | <i>Aspergillus flavus</i> | 10 | 14-5342-01 | BZU | |
| | m229 | rAlt a 1 | <i>Alternaria alternata</i> | 10 | 14-5346-01 | CE0 |
| | o | o1 | Cotton, crude fibers | 16 | 14-4476-01 | 831 |
| | | o70 | Seminal fluid | 10 | 14-4371-01 | 596 |
| o201 | | Tobacco leaf | 10 | 14-5136-01 | BTL | |
| o202 | | Artemia salina, fish feed | 10 | 14-5122-01 | C31 | |
| o203 | | Tetramin, fish feed | 10 | 14-5135-01 | C2V | |
| o207 | | Daphnia, fish feed | 10 | 14-5124-01 | C2W | |
| o211 | | Mealworm | <i>Tenebrio molitor</i> | 10 | 14-5251-01 | C3C |
| o212 | | Streptavidin | 10 | 14-5320-01 | BZV | |
| Ro213 | | MBP (maltose binding protein) | 10 | 14-5334-10 | BN3 | |
| o214 | | MUXF3 CCD, Bromelain | 10 | 14-5339-01 | CJU | |
| p | p1 | Ascaris | 16 | 14-4244-01 | 483 | |
| | p2 | Echinococcus | 16 | 14-4245-01 | 484 | |
| | p4 | Anisakis | 16 | 14-4475-01 | 830 | |
| t | t1 | Box-elder | <i>Acer negundo</i> | 16 | 14-4161-01 | 406 |
| | t2 | Grey alder | <i>Alnus incana</i> | 16 | 14-4146-01 | 392 |
| | t3 | Common silver birch | <i>Betula verrucosa</i> | 16 | 14-4102-01 | 352 |
| | t4 | Hazel | <i>Corylus avellana</i> | 16 | 14-4147-01 | 393 |
| | t5 | American beech | <i>Fagus grandifolia</i> | 16 | 14-4148-01 | 394 |
| | t6 | Mountain juniper | <i>Juniperus sabinoides</i> | 16 | 14-4225-01 | 466 |
| | t7 | Oak | <i>Quercus alba</i> | 16 | 14-4149-01 | 395 |
| | t8 | Elm | <i>Ulmus americana</i> | 16 | 14-4226-01 | 467 |
| | t9 | Olive | <i>Olea europaea</i> | 16 | 14-4150-01 | 396 |
| | t10 | Walnut | <i>Juglans californica</i> | 16 | 14-4227-01 | 468 |
| | t11 | Maple leaf sycamore, London plane | <i>Platanus acerifolia</i> | 16 | 14-4228-01 | 469 |
| | t12 | Willow | <i>Salix caprea</i> | 16 | 14-4151-01 | 397 |
| | t14 | Cottonwood | <i>Populus deltoides</i> | 16 | 14-4229-01 | 470 |
| | t15 | White ash | <i>Fraxinus americana</i> | 16 | 14-4230-01 | 471 |
| | t16 | White pine | <i>Pinus strobus</i> | 16 | 14-4231-01 | 472 |
| | t17 | Japanese cedar | <i>Cryptomeria japonica</i> | 16 | 14-4118-01 | 367 |
| | t18 | Eucalyptus, Gum-tree | <i>Eucalyptus spp.</i> | 16 | 14-4232-01 | 473 |
| | t19 | Acacia | <i>Acacia longifolia</i> | 16 | 14-4233-01 | 474 |
| | t20 | Mesquite | <i>Prosopis juliflora</i> | 16 | 14-4234-01 | 475 |
| | t21 | Melaleuca, Cajeput-tree | <i>Melaleuca leucadendron</i> | 16 | 14-4235-01 | 476 |
| | t22 | Pecan, Hickory | <i>Carya pecan</i> | 16 | 14-4236-01 | 477 |
| | t23 | Italian/Mediterranean/Funeral cypress | <i>Cupressus sempervirens</i> | 16 | 14-4237-01 | 478 |
| | t25 | European ash | <i>Fraxinus excelsior</i> | 10 | 14-4924-01 | C79 |
| | t37 | Bald cypress | <i>Taxodium distichum</i> | 10 | 14-4941-01 | CCE |
| | t41 | White hickory | <i>Carya tomentosa (syn. C alba)</i> | 10 | 14-4942-01 | CCF |
| | t44 | Hackberry | <i>Celtis occidentalis</i> | 10 | 14-4943-01 | CCG |
| | t45 | Cedar elm | <i>Ulmus crassifolia</i> | 10 | 14-4944-01 | CCH |
| | t54 | Russian olive | <i>Elaeagnus angustifolia</i> | 10 | 14-4945-01 | CCJ |
| | t55 | Scotch broom | <i>Cytisus scoparius</i> | 10 | 14-4946-01 | CCK |
| | t56 | Bayberry | <i>Myrica cerifera</i> | 10 | 14-4947-01 | CCL |
| t57 | Red cedar | <i>Juniperus virginiana</i> | 10 | 14-4948-01 | CCM | |
| t70 | Mulberry | <i>Morus alba</i> | 10 | 14-4325-01 | 553 | |

| | Code | Product | | Size | Art. No. | Barcode |
|------|-----------------------|---|---|------------|------------|---------|
| t | t71 | Red mulberry | <i>Morus rubra</i> | 10 | 14-4949-01 | CCN |
| | t72 | Queen palm | <i>Arecastrum romanzoffianum</i> | 10 | 14-4373-01 | 598 |
| | t73 | Australian pine | <i>Casuarina equisetifolia</i> | 10 | 14-4374-01 | 599 |
| | t201 | Spruce | <i>Picea excelsa</i> | 10 | 14-5005-01 | C0J |
| | t203 | Horse chestnut | <i>Aesculus hippocastanum</i> | 10 | 14-5003-01 | C0M |
| | t205 | Elder | <i>Sambucus nigra</i> | 10 | 14-5002-01 | C0P |
| | t206 | Chestnut | <i>Castanea sativa</i> | 10 | 14-5140-01 | C04 |
| | t207 | Douglas fir | <i>Pseudotsuga taxifolia</i> | 10 | 14-5146-01 | C15 |
| | t208 | Linden | <i>Tilia cordata</i> | 10 | 14-4823-01 | 922 |
| | t209 | Horn beam | <i>Carpinus betulus</i> | 10 | 14-5148-01 | C0D |
| | t210 | Privet | <i>Ligustrum vulgare</i> | 10 | 14-4834-01 | 996 |
| | t211 | Sweet gum | <i>Liquidambar styraciflua</i> | 10 | 14-5155-01 | C03 |
| | t212 | Cedar | <i>Libocedrus decurrens</i> | 10 | 14-5185-01 | C01 |
| | t213 | Pine | <i>Pinus radiata</i> | 10 | 14-5208-01 | C02 |
| | t214 | Date | <i>Phoenix canariensis</i> | 10 | 14-5218-01 | C2P |
| | t215 | rBet v 1 PR-10, Birch | <i>Betula verrucosa</i> | 10 | 14-5225-01 | BPV |
| | t216 | rBet v 2 Profilin, Birch | <i>Betula verrucosa</i> | 10 | 14-5226-01 | BR1 |
| | t217 | Peppertree | <i>Schinus molle</i> | 10 | 14-5167-01 | C1N |
| | t218 | Virginia live oak | <i>Quercus virginiana</i> | 10 | 14-5252-01 | BZY |
| | t219 | Paloverde | <i>Cercidium floridum</i> | 10 | 14-5260-01 | C3K |
| | t220 | rBet v 4 Birch | <i>Betula verrucosa</i> | 10 | 14-5287-01 | BT7 |
| | t221 | rBet v 2, rBet v 4 Birch | <i>Betula verrucosa</i> | 10 | 14-5310-01 | BU0 |
| | t222 | Cypress | <i>Cupressus arizonica</i> | 10 | 14-5309-01 | BTZ |
| | t223 | Oil Palm | <i>Elaeis guineensis</i> | 10 | 14-5308-01 | C3G |
| | t224 | rOle e 1 Olive | <i>Olea europaea</i> | 10 | 14-5705-01 | CTC |
| | t225 | rBet v 6 Birch | <i>Betula verrucosa</i> | 10 | 14-5345-01 | CF1 |
| t226 | nCup a 1 Cypress | <i>Cupressus arizonica</i> | 10 | 14-4977-01 | CFD | |
| w | w1 | Common ragweed | <i>Ambrosia elatior (A. artemisiifolia)</i> | 16 | 14-4162-01 | 407 |
| | w2 | Western ragweed | <i>Ambrosia psilostachya</i> | 16 | 14-4152-01 | 398 |
| | w3 | Giant ragweed | <i>Ambrosia trifida</i> | 16 | 14-4153-01 | 399 |
| | w4 | False ragweed | <i>Franseria acanthicarpa</i> | 16 | 14-4247-01 | 485 |
| | w5 | Wormwood | <i>Artemisia absinthium</i> | 16 | 14-4248-01 | 486 |
| | w6 | Mugwort | <i>Artemisia vulgaris</i> | 16 | 14-4103-01 | 353 |
| | w7 | Marguerite, Ox-eye daisy | <i>Chrysanthemum leucanthemum</i> | 16 | 14-4154-01 | 400 |
| | w8 | Dandelion | <i>Taraxacum vulgare</i> | 16 | 14-4155-01 | 401 |
| | w9 | Plantain (English), Ribwort | <i>Plantago lanceolata</i> | 16 | 14-4156-01 | 402 |
| | w10 | Goosefoot, Lamb's quarters | <i>Chenopodium album</i> | 16 | 14-4157-01 | 403 |
| | w11 | Saltwort (prickly), Russian thistle | <i>Salsola kali (pestifer)</i> | 16 | 14-4249-01 | 487 |
| | w12 | Goldenrod | <i>Solidago virgaurea</i> | 16 | 14-4250-01 | 488 |
| | w13 | Cocklebur | <i>Xanthium commune</i> | 16 | 14-4251-01 | 489 |
| | w14 | Common pigweed | <i>Amaranthus retroflexus</i> | 16 | 14-4252-01 | 490 |
| | w15 | Scale, Lenscale | <i>Atriplex lentiformis</i> | 16 | 14-4253-01 | 491 |
| | w16 | Rough marshelder | <i>Iva ciliata</i> | 16 | 14-4254-01 | 492 |
| | w17 | Firebush (Kochia) | <i>Kochia scoparia</i> | 16 | 14-4255-01 | 493 |
| | w18 | Sheep sorrel | <i>Rumex acetosella</i> | 16 | 14-4256-01 | 494 |
| | w19 | Wall pellitory | <i>Parietaria officinalis</i> | 16 | 14-4186-01 | 429 |
| | w20 | Nettle | <i>Urtica dioica</i> | 16 | 14-4257-01 | 495 |
| | w21 | Wall pellitory | <i>Parietaria judaica</i> | 16 | 14-4104-01 | 354 |
| | w22 | Japanese Hop | <i>Humulus scandens</i> | 16 | 14-4452-01 | BJT |
| | w23 | Yellow dock | <i>Rumex crispus</i> | 10 | 14-4950-01 | CCP |
| | w45 | Alfalfa | <i>Medicago sativa</i> | 10 | 14-4951-01 | CCR |
| | w46 | Dog fennel | <i>Eupatorium capillifolium</i> | 10 | 14-4952-01 | CCS |
| | w82 | Careless weed | <i>Amaranthus palmeri</i> | 10 | 14-4953-01 | CCT |
| | w203 | Rape | <i>Brassica napus</i> | 10 | 14-5024-01 | BPY |
| | w204 | Sunflower | <i>Helianthus annuus</i> | 10 | 14-5025-01 | BT8 |
| | w206 | Camomile | <i>Matricaria chamomilla</i> | 10 | 14-5020-01 | BPZ |
| | w207 | Lupin | <i>Lupinus spp.</i> | 10 | 14-5022-01 | C1B |
| | w210 | Sugar-beet | <i>Beta vulgaris</i> | 10 | 14-5192-01 | C30 |
| | w211 | rPar j 2 LTP, Wall pellitory | <i>Parietaria judaica</i> | 10 | 14-5311-01 | C2M |
| | w230 | nAmb a 1 Ragweed | <i>Ambrosia elatior</i> | 10 | 14-4969-01 | CF8 |
| w231 | nArt v 1 Mugwort | <i>Artemisia vulgaris</i> | 10 | 14-4970-01 | CF9 | |
| w232 | nSal k 1 Saltwort | <i>Salsola kali</i> | 10 | 14-4978-01 | CFE | |
| w233 | nArt v 3 LTP, Mugwort | <i>Artemisia vulgaris</i> | 10 | 14-4983-01 | CJ2 | |
| | | Gal-alpha-1,3-Gal Thyroglobulin, bovine | | 10 | 14-4997-10 | CKV |

Allergens by Article Number Code

| Art. No. | Product | | Code | Size | Barcode |
|------------|--|---|------|------|---------|
| 14-4100-01 | Timothy grass | <i>Phleum pratense</i> | g6 | 16 | 350 |
| 14-4101-01 | Cultivated rye | <i>Secale cereale</i> | g12 | 16 | 351 |
| 14-4102-01 | Common silver birch | <i>Betula verrucosa</i> | t3 | 16 | 352 |
| 14-4103-01 | Mugwort | <i>Artemisia vulgaris</i> | w6 | 16 | 353 |
| 14-4104-01 | Wall pellitory | <i>Parietaria judaica</i> | w21 | 16 | 354 |
| 14-4105-01 | <i>Cladosporium herbarum</i> | | m2 | 16 | 355 |
| 14-4106-01 | <i>Alternaria alternata</i> | | m6 | 16 | 356 |
| 14-4107-01 | <i>Dermatophagoides pteronyssinus</i> | House dust mite | d1 | 16 | 357 |
| 14-4108-01 | <i>Dermatophagoides farinae</i> | House dust mite | d2 | 16 | 358 |
| 14-4109-01 | Cat dander | | e1 | 16 | 359 |
| 14-4110-01 | Dog dander | | e5 | 16 | 360 |
| 14-4111-01 | Egg white | | f1 | 16 | 361 |
| 14-4112-01 | Milk | | f2 | 16 | 362 |
| 14-4113-01 | Wheat | <i>Triticum aestivum</i> | f4 | 16 | 363 |
| 14-4115-01 | Soybean | <i>Glycine max</i> | f14 | 16 | 364 |
| 14-4116-01 | Greer Labs., Inc. | | h1 | 16 | 365 |
| 14-4117-01 | Cocksfoot | <i>Dactylis glomerata</i> | g3 | 16 | 366 |
| 14-4118-01 | Japanese cedar | <i>Cryptomeria japonica</i> | t17 | 16 | 367 |
| 14-4119-01 | <i>Aspergillus fumigatus</i> | | m3 | 16 | 368 |
| 14-4120-01 | <i>Candida albicans</i> | | m5 | 16 | 369 |
| 14-4122-01 | Horse dander | | e3 | 16 | 371 |
| 14-4123-01 | Rye | <i>Secale cereale</i> | f5 | 16 | 372 |
| 14-4124-01 | Maize, Corn | <i>Zea mays</i> | f8 | 16 | 373 |
| 14-4125-01 | Buckwheat | <i>Fagopyrum esculentum</i> | f11 | 16 | 374 |
| 14-4126-01 | Peanut | <i>Arachis hypogaea</i> | f13 | 16 | 375 |
| 14-4128-01 | Hazel nut | <i>Corylus avellana</i> | f17 | 16 | 376 |
| 14-4129-01 | Orange | <i>Citrus sinensis</i> | f33 | 16 | 377 |
| 14-4130-01 | Sweet vernal grass | <i>Anthoxanthum odoratum</i> | g1 | 16 | 378 |
| 14-4131-01 | Bermuda grass | <i>Cynodon dactylon</i> | g2 | 16 | 379 |
| 14-4133-01 | Meadow fescue | <i>Festuca elatior</i> | g4 | 16 | 380 |
| 14-4134-01 | Rye-grass | <i>Lolium perenne</i> | g5 | 16 | 381 |
| 14-4136-01 | Meadow grass, Kentucky blue | <i>Poa pratensis</i> | g8 | 16 | 382 |
| 14-4137-01 | Redtop, Bentgrass | <i>Agrostis stolonifera</i> | g9 | 16 | 383 |
| 14-4138-01 | Johnson grass | <i>Sorghum halepense</i> | g10 | 16 | 384 |
| 14-4139-01 | Velvet grass | <i>Holcus lanatus</i> | g13 | 16 | 385 |
| 14-4140-01 | Hollister-Stier Labs. | | h2 | 16 | 386 |
| 14-4143-01 | Honey bee | <i>Apis mellifera</i> | i1 | 16 | 389 |
| 14-4144-01 | Common wasp (Yellow jacket) | <i>Vespa spp.</i> | i3 | 16 | 390 |
| 14-4145-01 | <i>Mucor racemosus</i> | | m4 | 16 | 391 |
| 14-4146-01 | Grey alder | <i>Alnus incana</i> | t2 | 16 | 392 |
| 14-4147-01 | Hazel | <i>Corylus avellana</i> | t4 | 16 | 393 |
| 14-4148-01 | American beech | <i>Fagus grandifolia</i> | t5 | 16 | 394 |
| 14-4149-01 | Oak | <i>Quercus alba</i> | t7 | 16 | 395 |
| 14-4150-01 | Olive | <i>Olea europaea</i> | t9 | 16 | 396 |
| 14-4151-01 | Willow | <i>Salix caprea</i> | t12 | 16 | 397 |
| 14-4152-01 | Western ragweed | <i>Ambrosia psilostachya</i> | w2 | 16 | 398 |
| 14-4153-01 | Giant ragweed | <i>Ambrosia trifida</i> | w3 | 16 | 399 |
| 14-4154-01 | Marguerite, Ox-eye daisy | <i>Chrysanthemum leucanthemum</i> | w7 | 16 | 400 |
| 14-4155-01 | Dandelion | <i>Taraxacum vulgare</i> | w8 | 16 | 401 |
| 14-4156-01 | Plantain (English), Ribwort | <i>Plantago lanceolata</i> | w9 | 16 | 402 |
| 14-4157-01 | Goosefoot, Lamb's quarters | <i>Chenopodium album</i> | w10 | 16 | 403 |
| 14-4159-01 | Fish (cod) | <i>Gadus morhua</i> | f3 | 16 | 404 |
| 14-4160-01 | <i>Penicillium chrysogenum (P. notatum)</i> | | m1 | 16 | 405 |
| 14-4161-01 | Box-elder | <i>Acer negundo</i> | t1 | 16 | 406 |
| 14-4162-01 | Common ragweed | <i>Ambrosia elatior (A. artemisiifolia)</i> | w1 | 16 | 407 |
| 14-4163-01 | g3, g4, g5, g6, g8 <i>Dactylis glomerata, Festuca elatior, Lolium perenne, Phleum pratense, Poa pratensis</i> | | gx1 | 16 | 405 |
| 14-4164-01 | Penicilloyl G | | c1 | 16 | 409 |
| 14-4165-01 | Penicilloyl V | | c2 | 16 | 410 |
| 14-4166-01 | Cow dander | | e4 | 16 | 411 |
| 14-4167-01 | Guinea pig epithelium | | e6 | 16 | 412 |
| 14-4168-01 | Pigeon droppings | | e7 | 16 | 413 |
| 14-4169-01 | Goose feathers | | e70 | 16 | 414 |
| 14-4170-01 | Chicken feathers | | e85 | 10 | 517 |
| 14-4171-01 | Duck feathers | | e86 | 10 | 518 |
| 14-4172-01 | Barley | <i>Hordeum vulgare</i> | f6 | 16 | 415 |
| 14-4173-01 | Oat | <i>Avena sativa</i> | f7 | 16 | 416 |
| 14-4174-01 | Rice | <i>Oryza sativa</i> | f9 | 16 | 417 |
| 14-4175-01 | Sesame seed | <i>Sesamum indicum</i> | f10 | 16 | 418 |
| 14-4176-01 | Pea | <i>Pisum sativum</i> | f12 | 16 | 419 |
| 14-4177-01 | White bean | <i>Phaseolus vulgaris</i> | f15 | 16 | 420 |

| Art. No. | Product | | Code | Size | Barcode |
|------------|--|---|------|------|---------|
| 14-4178-01 | Brazil nut | <i>Bertholletia excelsa</i> | f18 | 16 | 421 |
| 14-4179-01 | Almond | <i>Amygdalus communis</i> | f20 | 16 | 422 |
| 14-4180-01 | Crab | <i>Cancer pagurus</i> | f23 | 16 | 423 |
| 14-4181-01 | Shrimp | <i>Pandalus borealis, Penaeus monodon, Metapenaeopsis barbata, Metapenaeus joyneriv</i> | f24 | 16 | 424 |
| 14-4182-01 | Tomato | <i>Lycopersicon lycopersicum</i> | f25 | 16 | 425 |
| 14-4183-01 | Pork | <i>Sus spp.</i> | f26 | 16 | 426 |
| 14-4184-01 | Egg yolk | | f75 | 16 | 427 |
| 14-4185-01 | Chicken | <i>Gallus spp.</i> | f83 | 16 | 428 |
| 14-4186-01 | Wall pellitory | <i>Parietaria officinalis</i> | w19 | 16 | 429 |
| 14-4187-01 | Common reed | <i>Phragmites communis</i> | g7 | 16 | 430 |
| 14-4188-01 | Cultivated wheat | <i>Triticum aestivum</i> | g15 | 16 | 431 |
| 14-4189-01 | Bahia grass | <i>Paspalum notatum</i> | g17 | 16 | 432 |
| 14-4192-01 | g2, g5, g6, g8, g10, g17 <i>Cynodon dactylon, Lolium perenne, Phleum pratense, Poa pratensis, Sorghum halepense, Paspalum notatum</i> | | gx2 | 16 | 433 |
| 14-4193-01 | g1, g5, g6, g12, g13 <i>Anthoxanthum odoratum, Lolium perenne, Phleum pratense, Secale cereale, Holcus lanatus</i> | | gx3 | 16 | 434 |
| 14-4194-01 | g1, g5, g7, g12, g13 <i>Anthoxanthum odoratum, Lolium perenne, Phragmites communis, Secale cereale, Holcus lanatus</i> | | gx4 | 16 | 435 |
| 14-4195-01 | w1, w6, w9, w10, w11 <i>Ambrosia elatior, Artemisia vulgaris, Plantago lanceolata, Chenopodium album, Salsola kali</i> | | wx1 | 16 | 436 |
| 14-4196-01 | w6, w9, w10, w12, w20 <i>Artemisia vulgaris, Plantago lanceolata, Chenopodium album, Solidago virgaurea, Urtica dioica</i> | | wx3 | 16 | 437 |
| 14-4197-01 | w1, w6, w7, w8, w12 <i>Ambrosia elatior, Artemisia vulgaris, Chrysanthemum leucanthemum, Taraxacum vulgare, Solidago virgaurea</i> | | wx5 | 16 | 438 |
| 14-4198-01 | w9, w10, w11, w18 <i>Plantago lanceolata, Chenopodium album, Salsola kali, Rumex acetosella</i> | | wx6 | 16 | 439 |
| 14-4199-01 | t1, t3, t7, t8, t10 <i>Acer negundo, Betula verrucosa, Quercus alba, Ulmus americana, Juglans californica</i> | | tx1 | 16 | 440 |
| 14-4200-01 | t7, t8, t11, t12, t14 <i>Quercus alba, Ulmus americana, Platanus acerifolia, Salix caprea, Populus deltoides</i> | | tx4 | 16 | 441 |
| 14-4201-01 | t2, t4, t8, t12, t14 <i>Alnus incana, Corylus avellana, Ulmus americana, Salix caprea, Populus deltoides</i> | | tx5 | 16 | 442 |
| 14-4202-01 | t1, t3, t5, t7, t10 <i>Acer negundo, Betula verrucosa, Fagus grandifolia, Quercus alba, Juglans californica</i> | | tx6 | 16 | 443 |
| 14-4203-01 | e1, e3, e4, e5 Cat dander, Horse dander, Cow dander, Dog dander | | ex1 | 16 | 444 |
| 14-4204-01 | m1, m2, m3, m6 <i>Penicillium chrysogenum, Cladosporium herbarum, Aspergillus fumigatus, Alternaria alternata</i> | | mx1 | 16 | 445 |
| 14-4205-01 | h2, d1, d2, i6 Hollister-Stier Labs., <i>Dermatophagoides pteronyssinus, Dermatophagoides farinae, Blatella germanica</i> | | hx2 | 16 | 446 |
| 14-4206-01 | f13, f17, f18, f20, f36 Peanut, Hazel nut, Brazil nut, Almond, Coconut | | fx1 | 16 | 447 |
| 14-4207-01 | f3, f24, f37, f40, f41 Fish, Shrimp, Blue mussel, Tuna, Salmon | | fx2 | 16 | 448 |
| 14-4208-01 | f4, f7, f8, f10, f11 Wheat, Oat, Maize, Sesame seed, Buckwheat | | fx3 | 16 | 449 |
| 14-4209-01 | Beef | <i>Bos spp.</i> | f27 | 16 | 450 |
| 14-4210-01 | Carrot | <i>Daucus carota</i> | f31 | 16 | 451 |
| 14-4211-01 | Potato | <i>Solanum tuberosum</i> | f35 | 16 | 452 |
| 14-4212-01 | Coconut | <i>Cocos nucifera</i> | f36 | 16 | 453 |
| 14-4213-01 | Blue mussel | <i>Mytilus edulis</i> | f37 | 16 | 454 |
| 14-4214-01 | Tuna | <i>Thunnus albacares</i> | f40 | 16 | 455 |
| 14-4215-01 | Salmon | <i>Salmo salar</i> | f41 | 16 | 456 |
| 14-4216-01 | Strawberry | <i>Fragaria vesca</i> | f44 | 16 | 457 |
| 14-4217-01 | Yeast | <i>Saccharomyces cerevisiae</i> | f45 | 16 | 458 |
| 14-4218-01 | Garlic | <i>Allium sativum</i> | f47 | 16 | 459 |
| 14-4219-01 | Onion | <i>Allium cepa</i> | f48 | 16 | 460 |
| 14-4220-01 | Apple | <i>Malus x domestica</i> | f49 | 16 | 461 |
| 14-4221-01 | White-faced hornet | <i>Dolichovespula maculata</i> | i2 | 16 | 462 |
| 14-4222-01 | Paper wasp | <i>Polistes spp.</i> | i4 | 16 | 463 |
| 14-4223-01 | Yellow hornet | <i>Dolichovespula arenaria</i> | i5 | 16 | 464 |
| 14-4224-01 | Cockroach, German | <i>Blatella germanica</i> | i6 | 16 | 465 |
| 14-4225-01 | Mountain juniper | <i>Juniperus sabinoides</i> | t6 | 16 | 466 |
| 14-4226-01 | Elm | <i>Ulmus americana</i> | t8 | 16 | 467 |
| 14-4227-01 | Walnut | <i>Juglans californica</i> | t10 | 16 | 468 |
| 14-4228-01 | Maple leaf sycamore, London plane | <i>Platanus acerifolia</i> | t11 | 16 | 469 |
| 14-4229-01 | Cottonwood | <i>Populus deltoides</i> | t14 | 16 | 470 |
| 14-4230-01 | White ash | <i>Fraxinus americana</i> | t15 | 16 | 471 |
| 14-4231-01 | White pine | <i>Pinus strobus</i> | t16 | 16 | 472 |
| 14-4232-01 | Eucalyptus, Gum-tree | <i>Eucalyptus spp.</i> | t18 | 16 | 473 |
| 14-4233-01 | Acacia | <i>Acacia longifolia</i> | t19 | 16 | 474 |
| 14-4234-01 | Mesquite | <i>Prosopis juliflora</i> | t20 | 16 | 475 |
| 14-4235-01 | Melaleuca, Cajeput-tree | <i>Melaleuca leucadendron</i> | t21 | 16 | 476 |

| Art. No. | Product | Code | Size | Barcode | |
|------------|--|--------------------------------|------|---------|-----|
| 14-4236-01 | Pecan, Hickory | <i>Carya pecan</i> | t22 | 16 | 477 |
| 14-4237-01 | Italian/Mediterranean/Funeral cypress | <i>Cupressus sempervirens</i> | t23 | 16 | 478 |
| 14-4238-01 | Brome grass | <i>Bromus inermis</i> | g11 | 16 | 479 |
| 14-4239-01 | Cultivated oat | <i>Avena sativa</i> | g14 | 16 | 480 |
| 14-4240-01 | Meadow foxtail | <i>Alopecurus pratensis</i> | g16 | 16 | 481 |
| 14-4241-01 | <i>Dermatophagoides microceras</i> | House dust mite | d3 | 16 | 482 |
| 14-4244-01 | Ascaris | | p1 | 16 | 483 |
| 14-4245-01 | Echinococcus | | p2 | 16 | 484 |
| 14-4247-01 | False ragweed | <i>Franseria acanthicarpa</i> | w4 | 16 | 485 |
| 14-4248-01 | Wormwood | <i>Artemisia absinthium</i> | w5 | 16 | 486 |
| 14-4249-01 | Saltwort (prickly), Russian thistle | <i>Salsola kali (pestifer)</i> | w11 | 16 | 487 |
| 14-4250-01 | Goldenrod | <i>Solidago virgaurea</i> | w12 | 16 | 488 |
| 14-4251-01 | Cocklebur | <i>Xanthium commune</i> | w13 | 16 | 489 |
| 14-4252-01 | Common pigweed | <i>Amaranthus retroflexus</i> | w14 | 16 | 490 |
| 14-4253-01 | Scale, Lenscale | <i>Atriplex lentiformis</i> | w15 | 16 | 491 |
| 14-4254-01 | Rough marshelder | <i>Iva ciliata</i> | w16 | 16 | 492 |
| 14-4255-01 | Firebush (Kochia) | <i>Kochia scoparia</i> | w17 | 16 | 493 |
| 14-4256-01 | Sheep sorrel | <i>Rumex acetosella</i> | w18 | 16 | 494 |
| 14-4257-01 | Nettle | <i>Urtica dioica</i> | w20 | 16 | 495 |
| 14-4258-01 | <i>Botrytis cinerea</i> | | m7 | 16 | 496 |
| 14-4259-01 | <i>Setomelanomma rostrata (Helminthosporium halodes)</i> | | m8 | 16 | 497 |
| 14-4260-01 | <i>Fusarium proliferatum (F. moniliforme)</i> | | m9 | 16 | 498 |
| 14-4261-01 | <i>Stemphylium herbarum (S. botryosum)</i> | | m10 | 16 | 499 |
| 14-4262-01 | <i>Rhizopus nigricans</i> | | m11 | 16 | 500 |
| 14-4263-01 | <i>Aureobasidium pullulans</i> | | m12 | 16 | 501 |
| 14-4264-01 | <i>Phoma betae</i> | | m13 | 16 | 502 |
| 14-4265-01 | <i>Epicoccum purpurascens</i> | | m14 | 16 | 503 |
| 14-4266-01 | <i>Trichoderma viride</i> | | m15 | 16 | 504 |
| 14-4267-01 | <i>Curvularia lunata</i> | | m16 | 16 | 505 |
| 14-4268-01 | w2, w6, w9, w10, w15 <i>Ambrosia psilostachya, Artemisia vulgaris, Plantago lanceolata, Chenopodium album, Atriplex lentiformis</i> | | wx2 | 16 | 506 |
| 14-4269-01 | w7, w8, w9, w10, w12 <i>Chrysanthemum leucanthemum, Taraxacum vulgare, Plantago lanceolata, Chenopodium album, Solidago virgaurea</i> | | wx7 | 16 | 507 |
| 14-4270-01 | t1, t7, t8, t14, t22 <i>Acer negundo, Quercus alba, Ulmus americana, Populus deltoides, Carya pecan</i> | | tx2 | 16 | 508 |
| 14-4271-01 | t6, t7, t8, t14, t20 <i>Juniperus sabinoides, Quercus alba, Ulmus americana, Populus deltoides, Prosopis juliflora</i> | | tx3 | 16 | 509 |
| 14-4272-01 | t9, t12, t16, t18, t19, t21 <i>Olea europaea, Salix caprea, Pinus strobus, Eucalyptus spp., Acacia longifolia, Melaleuca leucadendron</i> | | tx7 | 16 | 510 |
| 14-4273-01 | t1, t3, t4, t7, t11 <i>Acer negundo, Betula verrucosa, Corylus avellana, Quercus alba, Platanus acerifolia</i> | | tx8 | 16 | 511 |
| 14-4274-01 | t2, t3, t4, t7, t12 <i>Alnus incana, Betula verrucosa, Corylus avellana, Quercus alba, Salix caprea</i> | | tx9 | 16 | 512 |
| 14-4275-01 | f1, f2, f3, f4, f13, f14 Egg white, Milk, Fish, Wheat, Peanut, Soybean | | fx5 | 16 | 513 |
| 14-4276-01 | e6, e82, e84, e87, e88 Guinea pig epithelium, Rabbit epithelium, Hamster epithelium, Rat, Mouse | | ex70 | 10 | 519 |
| 14-4277-01 | e70, e85, e86, e89 Goose feathers, Chicken feathers, Duck feathers, Turkey feathers | | ex71 | 10 | 520 |
| 14-4278-01 | e78, e201, e196, e213, e214 Budgerigar feathers, Canary bird feathers, Parakeet feathers, Parrot feathers, Finch feathers | | ex72 | 10 | 521 |
| 14-4291-01 | Gluten | | f79 | 10 | 525 |
| 14-4292-01 | Lobster | <i>Homarus gammarus</i> | f80 | 10 | 526 |
| 14-4293-01 | Cheese, cheddar type | | f81 | 10 | 527 |
| 14-4294-01 | Cheese, mold type | | f82 | 10 | 528 |
| 14-4295-01 | Kiwi | <i>Actinidia deliciosa</i> | f84 | 10 | 529 |
| 14-4296-01 | Celery | <i>Apium graveolens</i> | f85 | 10 | 530 |
| 14-4297-01 | Parsley | <i>Petroselinum crispum</i> | f86 | 10 | 531 |
| 14-4298-01 | Melon | <i>Cucumis melo spp.</i> | f87 | 10 | 532 |
| 14-4299-01 | Mutton | <i>Ovis spp.</i> | f88 | 10 | 533 |
| 14-4300-01 | <i>Acarus siro</i> | Storage mite | d70 | 10 | 534 |
| 14-4301-01 | <i>Lepidoglyphus destructor</i> | Storage mite | d71 | 10 | 535 |
| 14-4302-01 | <i>Tyrophagus putrescentiae</i> | Storage mite | d72 | 10 | 536 |
| 14-4303-01 | Budgerigar droppings | | e77 | 10 | 537 |
| 14-4304-01 | Budgerigar feathers | | e78 | 10 | 538 |
| 14-4306-01 | Goat epithelium | | e80 | 10 | 540 |
| 14-4307-01 | Sheep epithelium | | e81 | 10 | 541 |
| 14-4308-01 | Rabbit epithelium | | e82 | 10 | 542 |
| 14-4309-01 | Swine epithelium | | e83 | 10 | 543 |
| 14-4310-01 | Hamster epithelium | | e84 | 10 | 544 |
| 14-4311-01 | Isocyanate TDI (Toluene diisocyanate) | | k75 | 10 | 545 |
| 14-4312-01 | Isocyanate MDI (Diphenylmethane diisocyanate) | | k76 | 10 | 546 |
| 14-4313-01 | Isocyanate HDI (Hexamethylene diisocyanate) | | k77 | 10 | 547 |
| 14-4314-01 | Ethylene oxide | | k78 | 10 | 548 |

| Art. No. | Product | Code | Size | Barcode |
|------------|--|------|------|---------|
| 14-4315-01 | Phthalic anhydride | k79 | 10 | 549 |
| 14-4316-01 | Mosquito <i>Aedes communis</i> | i71 | 10 | 550 |
| 14-4320-01 | m1, m2, m3, m5, m6, m8 <i>Penicillium chrysogenum, Cladosporium herbarum, Aspergillus fumigatus, Candida albicans, Alternaria alternata, Setomelanomma rostrata</i> | mx2 | 16 | 851 |
| 14-4325-01 | Mulberry <i>Morus alba</i> | t70 | 10 | 553 |
| 14-4326-01 | Rat epithelium, serum proteins and urine proteins | e87 | 10 | 554 |
| 14-4327-01 | Mouse epithelium, serum proteins and urine proteins | e88 | 10 | 555 |
| 14-4328-01 | Blood worm <i>Chironomus thummi (C. riparius)</i> | i73 | 10 | 556 |
| 14-4329-01 | Mustard <i>Brassica/Sinapis spp.</i> | f89 | 10 | 557 |
| 14-4330-01 | Malt | f90 | 10 | 558 |
| 14-4331-01 | Mango <i>Mangifera indica</i> | f91 | 10 | 559 |
| 14-4333-01 | Silk <i>Bombyx mori</i> | k74 | 10 | 560 |
| 14-4334-01 | Banana <i>Musa spp.</i> | f92 | 10 | 561 |
| 14-4335-01 | Cacao <i>Theobroma cacao</i> | f93 | 10 | 562 |
| 14-4336-01 | Pear <i>Pyrus communis</i> | f94 | 10 | 563 |
| 14-4337-01 | Peach <i>Prunus persica</i> | f95 | 10 | 564 |
| 14-4340-01 | European hornet <i>Vespa crabro</i> | i75 | 10 | 565 |
| 14-4341-01 | Formaldehyde/Formalin | k80 | 10 | 566 |
| 14-4342-01 | <i>Euroglyphus maynei</i> <i>House dust mite</i> | d74 | 10 | 567 |
| 14-4343-01 | Fire ant <i>Solenopsis invicta</i> | i70 | 10 | 568 |
| 14-4344-01 | Wild rye grass <i>Elymus triticoides</i> | g70 | 10 | 569 |
| 14-4346-01 | Avocado <i>Persea americana</i> | f96 | 10 | 571 |
| 14-4347-01 | Insulin human | c73 | 10 | 572 |
| 14-4348-01 | Ispaghula | k72 | 10 | 573 |
| 14-4349-01 | <i>Pityrosporum orbiculare (syn. Malassezia) m70</i> | 10 | 574 | |
| 14-4350-01 | e3, e4, e70, e85 Horse dander, Cow dander, Goose feathers, Chicken feathers | pax1 | 10 | 575 |
| 14-4352-01 | m3, m6, g12, g15 <i>Aspergillus fumigatus, Alternaria alternata, Rye pollen, Wheat pollen</i> | pax3 | 10 | 577 |
| 14-4353-01 | f4, f14, k87, i202 Wheat, Soya bean, alpha-amylase, <i>Sitophilus granarius</i> | pax4 | 10 | 578 |
| 14-4354-01 | k75, k76, k77, k79 Isocyanates (TDI, MDI, HDI), Phthalic anhydride | pax5 | 10 | 579 |
| 14-4355-01 | k78, k79, k80, k85 Ethylene oxide, Phthalic anhydride, Formaldehyde, Chloramin T | pax6 | 10 | 580 |
| 14-4356-01 | Turkey feathers | e89 | 10 | 581 |
| 14-4357-01 | f272, f274, f273, f275 Tarragon, Marjoram, Thyme, Lovage | fx70 | 10 | 582 |
| 14-4358-01 | f265, f266, f267, f268 Caraway, Mace, Cardamom, Clove | fx71 | 10 | 583 |
| 14-4359-01 | f269, f219, f270, f271 Basil, Fennel seed, Ginger, Anise | fx72 | 10 | 584 |
| 14-4360-01 | Canary grass <i>Phalaris arundinacea</i> | g71 | 10 | 585 |
| 14-4361-01 | Green nimitti <i>Cladotanytarsus Lewisi</i> | i72 | 10 | 586 |
| 14-4362-01 | Berlin beetle <i>Trogoderma angustum (Solier)</i> | i76 | 10 | 587 |
| 14-4363-01 | Green coffee bean <i>Coffea spp.</i> | k70 | 10 | 588 |
| 14-4364-01 | Castor bean | k71 | 10 | 589 |
| 14-4365-01 | Ficus <i>Ficus spp.</i> | k81 | 10 | 590 |
| 14-4366-01 | Cotton seed | k83 | 10 | 591 |
| 14-4367-01 | Sunflower seed | k84 | 10 | 592 |
| 14-4368-01 | Chloramin T | k85 | 10 | 593 |
| 14-4369-01 | Trimellitic anhydride, TMA | k86 | 10 | 594 |
| 14-4370-01 | nAsp o 21 alpha-amylase <i>Aspergillus oryzae</i> | k87 | 10 | 595 |
| 14-4371-01 | Seminal fluid | o70 | 10 | 596 |
| 14-4373-01 | Queen palm <i>Arecastrum romanzoffianum</i> | i72 | 10 | 598 |
| 14-4374-01 | Australian pine <i>Casuarina equisetifolia</i> | t73 | 10 | 599 |
| 14-4391-01 | Insulin porcine | c70 | 10 | 600 |
| 14-4392-01 | Insulin bovine | c71 | 10 | 601 |
| 14-4393-01 | <i>Glycyphagus domesticus</i> <i>Storage mite</i> | d73 | 10 | 602 |
| 14-4394-01 | Mouse epithelium | e71 | 10 | 603 |
| 14-4395-01 | Mouse urine proteins | e72 | 10 | 604 |
| 14-4396-01 | Rat epithelium | e73 | 10 | 605 |
| 14-4397-01 | Rat urine proteins | e74 | 10 | 606 |
| 14-4398-01 | Rat serum proteins | e75 | 10 | 607 |
| 14-4399-01 | Mouse serum proteins | e76 | 10 | 608 |
| 14-4400-01 | Silk waste | k73 | 10 | 609 |
| 14-4431-01 | Grapefruit <i>Citrus paradisi</i> | f209 | 16 | 680 |
| 14-4432-01 | Spinach <i>Spinachia oleracea</i> | f214 | 16 | 707 |
| 14-4433-01 | Pumpkin <i>Cucurbita pepo</i> | f225 | 16 | 705 |
| 14-4434-01 | Plaice <i>Pleuronectes platessa</i> | f254 | 16 | 647 |
| 14-4450-01 | Ampicilloyl | c5 | 16 | 990 |
| 14-4451-01 | Amoxicilloyl | c6 | 16 | 991 |
| 14-4452-01 | Japanese Hop <i>Humulus scandens</i> | w22 | 16 | BJT |

| Art. No. | Product | | Code | Size | Barcode |
|------------|---|--|------|------|---------|
| 14-4454-01 | Chub mackerel | <i>Scomber japonicus</i> | f50 | 16 | 812 |
| 14-4455-01 | Bamboo shoot | <i>Phyllostachys pubescens</i> | f51 | 16 | 815 |
| 14-4458-01 | Sweet potato | <i>Ipomea batatas</i> | f54 | 16 | 823 |
| 14-4459-01 | Common millet | <i>Panicum milliaceum</i> | f55 | 16 | 813 |
| 14-4460-01 | Foxtail millet | <i>Setaria italica</i> | f56 | 16 | 824 |
| 14-4461-01 | Japanese millet | <i>Echinochloa crus-galli</i> | f57 | 16 | 825 |
| 14-4462-01 | Pacific squid | <i>Todarodes pacificus</i> | f58 | 16 | 814 |
| 14-4463-01 | Octopus | <i>Octopus vulgaris</i> | f59 | 16 | 826 |
| 14-4464-01 | Jack mackerel, Scad | <i>Trachurus japonicus</i> | f60 | 16 | 827 |
| 14-4465-01 | Sardine, Japanese Pilchard | <i>Sardinops melanosticta</i> | f61 | 16 | 828 |
| 14-4474-01 | Moth | <i>Bombyx mori</i> | i8 | 16 | 829 |
| 14-4475-01 | Anisakis | | p4 | 16 | 830 |
| 14-4476-01 | Cotton, crude fibers | | o1 | 16 | 831 |
| 14-4483-01 | <i>Trichophyton rubrum</i> | | m205 | 16 | A2J |
| 14-4511-01 | Latex | <i>Hevea brasiliensis</i> | k82 | 10 | BJ1 |
| 14-4512-01 | e1, e5, e6, e87, e88 Cat dander, Dog dander, Guinea pig epithelium, Rat, Mouse | | ex2 | 16 | BN7 |
| 14-4521-01 | Walnut | <i>Juglans spp.</i> | f256 | 16 | CME |
| 14-4522-01 | nBos d 4 alpha-lactalbumin, Milk | <i>Bos spp.</i> | f76 | 10 | CTP |
| 14-4523-01 | nBos d 5 beta-lactoglobulin, Milk | <i>Bos spp.</i> | f77 | 10 | CTR |
| 14-4524-01 | nBos d 8 Casein, Milk | <i>Bos spp.</i> | f78 | 10 | CTS |
| 14-4804-01 | nGal d 2 Ovalbumin, Egg | | f232 | 10 | 903 |
| 14-4805-01 | nGal d 1 Ovomucooid, Egg | | f233 | 10 | 904 |
| 14-4806-01 | Milk, boiled | | f231 | 10 | 905 |
| 14-4807-01 | Pecan nut | <i>Carya illinoensis</i> | f201 | 10 | 906 |
| 14-4809-01 | Grape | <i>Vitis vinifera</i> | f259 | 10 | 908 |
| 14-4810-01 | Pineapple | <i>Ananas comosus</i> | f210 | 10 | 909 |
| 14-4811-01 | Cherry | <i>Prunus avium</i> | f242 | 10 | 910 |
| 14-4812-01 | Apricot | <i>Prunus armeniaca</i> | f237 | 10 | 911 |
| 14-4813-01 | Lettuce | <i>Lactuca sativa</i> | f215 | 10 | 912 |
| 14-4814-01 | Cabbage | <i>Brassica oleracea var. capitata</i> | f216 | 10 | 913 |
| 14-4815-01 | Lentil | <i>Lens esculenta</i> | f235 | 10 | 914 |
| 14-4816-01 | Paprika, Sweet pepper | <i>Capsicum annum</i> | f218 | 10 | 915 |
| 14-4817-01 | Black pepper | <i>Piper nigrum</i> | f280 | 10 | 916 |
| 14-4818-01 | Turkey meat | <i>Meleagris gallopavo</i> | f284 | 10 | 917 |
| 14-4819-01 | Trout | <i>Oncorhynchus mykiss (Salmo gairdneri)</i> | f204 | 10 | 918 |
| 14-4820-01 | Clam | <i>Ruditapes spp.</i> | f207 | 10 | 919 |
| 14-4821-01 | Barley | <i>Hordeum vulgare</i> | g201 | 10 | 920 |
| 14-4822-01 | Maize, Corn | <i>Zea mays</i> | g202 | 10 | 921 |
| 14-4823-01 | Linden | <i>Tilia cordata</i> | t208 | 10 | 922 |
| 14-4824-01 | Canary bird feathers | | e201 | 10 | 923 |
| 14-4825-01 | f26, f27, f83 Pork, Beef, Chicken | | fx73 | 10 | 924 |
| 14-4826-01 | Egg | | f245 | 10 | 925 |
| 14-4827-01 | f3, f205, f206, f254 Cod, Herring, Mackerel, Plaice | | fx74 | 10 | 926 |
| 14-4828-01 | e70, e85, e86, e213 Goose feathers, Chicken feathers, Duck feathers, Parrot feathers | | ex73 | 10 | 927 |
| 14-4829-01 | Lemon | <i>Citrus limon</i> | f208 | 10 | 685 |
| 14-4830-01 | <i>Acremonium kiliense</i> | | m202 | 10 | 992 |
| 14-4831-01 | <i>Aspergillus niger</i> | | m207 | 10 | 993 |
| 14-4832-01 | Parrot feathers | | e213 | 10 | 994 |
| 14-4834-01 | Privet | <i>Ligustrum vulgare</i> | t210 | 10 | 996 |
| 14-4835-01 | Cashew nut | <i>Anacardium occidentale</i> | f202 | 10 | 997 |
| 14-4836-01 | Pistachio | <i>Pistacia vera</i> | f203 | 10 | 998 |
| 14-4837-01 | Herring | <i>Clupea harengus</i> | f205 | 10 | 999 |
| 14-4838-01 | Rabbit | <i>Oryctolagus spp.</i> | f213 | 10 | AAA |
| 14-4839-01 | Cucumber | <i>Cucumis sativus</i> | f244 | 10 | AAB |
| 14-4840-01 | Plum | <i>Prunus domestica</i> | f255 | 10 | AAC |
| 14-4841-01 | Broccoli | <i>Brassica oleracea var. italica</i> | f260 | 10 | AAD |
| 14-4842-01 | Oyster | <i>Ostrea edulis</i> | f290 | 10 | AAE |
| 14-4843-01 | Sweet chestnut | <i>Castanea sativa</i> | f299 | 10 | AAF |
| 14-4844-01 | f25, f45, f47, f48, f85 Tomato, Yeast, Garlic, Onion, Celery | | fx7 | 10 | AAG |
| 14-4845-01 | f17, f18, f33, f49, f93 Hazel nut, Brazil nut, Orange, Apple, Cacao | | fx8 | 10 | AAH |
| 14-4846-01 | f20, f84, f87, f92, f259 Almond, Kiwi, Melons, Banana, Grape | | fx9 | 10 | AAJ |
| 14-4847-01 | f26, f27, f75, f83, f284 Pork, Beef, Egg yolk, Chicken, Turkey | | fx10 | 10 | AAK |
| 14-4848-01 | f12, f15, f31, f35 Pea, White bean, Carrot, Potato | | fx13 | 10 | AAL |
| 14-4849-01 | f25, f214, f216, f218 Tomato, Spinach, Cabbage, Paprika | | fx14 | 10 | AAM |

| Art. No. | Product | | Code | Size | Barcode |
|------------|---|--|------|------|---------|
| 14-4850-01 | f33, f49, f92, f95 Orange, Apple, Banana, Peach | | fx15 | 10 | AAN |
| 14-4851-01 | f44, f94, f208, f210 Strawberry, Pear, Lemon, Pineapple | | fx16 | 10 | AAP |
| 14-4852-01 | f12, f13, f14 Pea, Peanut, Soybean | | fx18 | 10 | AAR |
| 14-4853-01 | f4, f5, f6, f9 Wheat, Rye, Barley, Rice | | fx20 | 10 | AAS |
| 14-4854-01 | Gelatin bovine | | c74 | 10 | A2X |
| 14-4855-01 | f26, f27, f83, f284 Pork, Beef, Chicken meat, Turkey meat | | fx23 | 10 | A7E |
| 14-4856-01 | f17, f24, f84, f92 Hazel nut, Shrimp, Kiwi fruit, Banana | | fx24 | 10 | A7F |
| 14-4857-01 | f10, f45, f47, f85 Sesame seed, Yeast, Garlic, Celery | | fx25 | 10 | A7G |
| 14-4889-01 | Staphylococcal enterotoxin A | | m80 | 10 | BDG |
| 14-4890-01 | Staphylococcal enterotoxin B | | m81 | 10 | BDD |
| 14-4892-01 | f10, f24, f27, f84 Sesame seed, Shrimp, Beef, Kiwi | | fx28 | 10 | BEV |
| 14-4893-01 | f3, f4, f14, f17 Fish (cod), Wheat, Soybean, Hazel nut | | fx27 | 10 | BEW |
| 14-4894-01 | f1, f2, f13, f89 Egg white, Cow's milk, Peanut, Mustard | | fx26 | 10 | BEX |
| 14-4895-01 | Scallop | <i>Pecten spp.</i> | f338 | 10 | BHN |
| 14-4896-01 | <i>Blomia tropicalis</i> | <i>House dust mite</i> | d201 | 10 | BHP |
| 14-4905-01 | rFel d 1 Cat | | e94 | 10 | BY0 |
| 14-4909-01 | Parakeet feathers | | e196 | 10 | BY1 |
| 14-4910-01 | Parakeet droppings | | e197 | 10 | BY2 |
| 14-4911-01 | Parakeet serum | | e198 | 10 | BY3 |
| 14-4913-01 | Canary bird droppings | | e200 | 10 | BY5 |
| 14-4914-01 | Spelt wheat | <i>Triticum spelta</i> | f124 | 10 | BY6 |
| 14-4915-01 | f33, f208, f209, f302 Orange, Lemon, Grapefruit, Mandarin | | fx29 | 10 | BY7 |
| 14-4916-01 | f84, f91, f92, f96, f293 Kiwi, Mango, Banana, Avocado, Papaya | | fx30 | 10 | BY8 |
| 14-4917-01 | f49, f94, f95, f242, f255 Apple, Pear, Peach, Cherry, Plum | | fx31 | 10 | BY9 |
| 14-4918-01 | f235, f12, f15, f296 Lentil, Pea, White bean, Carob | | fx32 | 10 | BYA |
| 14-4919-01 | European Paper Wasp | <i>Polistes dominulus</i> | i77 | 10 | BYB |
| 14-4920-01 | <i>Aspergillus terreus</i> | | m36 | 10 | BYC |
| 14-4921-01 | m3, m207, m36, m228 <i>A. fumigatus, A. niger, A. terreus, A. flavus</i> | | mx4 | 10 | BYD |
| 14-4924-01 | European ash | <i>Fraxinus excelsior</i> | t25 | 10 | C79 |
| 14-4926-01 | Chlorhexidine | | c8 | 10 | C8S |
| 14-4928-01 | Gulf flounder | <i>Paralichthys albigutta</i> | f147 | 10 | CC2 |
| 14-4929-01 | Lima bean | <i>Phaseolus lunatus</i> | f182 | 10 | CC3 |
| 14-4930-01 | Cat fish | <i>Ictalurus punctatus</i> | f369 | 10 | CC4 |
| 14-4931-01 | Red snapper | <i>Lutjanus campechanus</i> | f381 | 10 | CC5 |
| 14-4932-01 | Whitefish (Inconnu) | <i>Stenodus spp.</i> | f384 | 10 | CC6 |
| 14-4933-01 | Grouper | <i>Epinephelus spp.</i> | f410 | 10 | CC7 |
| 14-4935-01 | Orange roughy | <i>Hoplostethus atlanticus</i> | f412 | 10 | CC8 |
| 14-4936-01 | Pollock | <i>Pollachius virens</i> | f413 | 10 | CC9 |
| 14-4937-01 | Tilapia | <i>Oreochromis spp.</i> | f414 | 10 | CCA |
| 14-4938-01 | Walleye pike | <i>Sander vitreus (Stizostedion vitreum)</i> | f415 | 10 | CCB |
| 14-4939-01 | Haddock | <i>Melanogrammus aeglefinus</i> | f42 | 10 | CCC |
| 14-4941-01 | Bald cypress | <i>Taxodium distichum</i> | t37 | 10 | CCE |
| 14-4942-01 | White hickory | <i>Carya tomentosa (syn. C alba)</i> | t41 | 10 | CCF |
| 14-4943-01 | Hackberry | <i>Celtis occidentalis</i> | t44 | 10 | CCG |
| 14-4944-01 | Cedar elm | <i>Ulmus crassifolia</i> | t45 | 10 | CCH |
| 14-4945-01 | Russian olive | <i>Elaeagnus angustifolia</i> | t54 | 10 | CCJ |
| 14-4946-01 | Scotch broom | <i>Cytisus scoparius</i> | t55 | 10 | CCK |
| 14-4947-01 | Bayberry | <i>Myrica cerifera</i> | t56 | 10 | CCL |
| 14-4948-01 | Red cedar | <i>Juniperus virginiana</i> | t57 | 10 | CCM |
| 14-4949-01 | Red mulberry | <i>Morus rubra</i> | t71 | 10 | CCN |
| 14-4950-01 | Yellow dock | <i>Rumex crispus</i> | w23 | 10 | CCP |
| 14-4951-01 | Alfalfa | <i>Medicago sativa</i> | w45 | 10 | CCR |
| 14-4952-01 | Dog fennel | <i>Eupatorium capillifolium</i> | w46 | 10 | CCS |
| 14-4953-01 | Careless weed | <i>Amaranthus palmeri</i> | w82 | 10 | CCT |
| 14-4954-01 | rTri a 19 Omega-5 Gliadin, Wheat | <i>Triticum spp.</i> | f416 | 10 | C8H |
| 14-4955-01 | rCan f 1 Dog | | e101 | 10 | CBN |
| 14-4956-01 | rCan f 2 Dog | | e102 | 10 | CBP |
| 14-4957-01 | rApi g 1.01 PR-10, Celery | <i>Apium graveolens</i> | f417 | 10 | CBR |
| 14-4960-01 | rPru p 1 PR-10, Peach | <i>Prunus persica</i> | f419 | 10 | CBV |

| Art. No. | Product | | Code | Size | Barcode |
|------------|--|---|-------|------|---------|
| 14-4961-01 | rPru p 3 LTP, Peach | <i>Prunus persica</i> | f420 | 10 | CBW |
| 14-4962-01 | rPru p 4 Profilin, Peach | <i>Prunus persica</i> | f421 | 10 | CBX |
| 14-4963-01 | rAra h 1 Peanut | <i>Arachis hypogaea</i> | f422 | 10 | CDF |
| 14-4964-01 | rAra h 2 Peanut | <i>Arachis hypogaea</i> | f423 | 10 | CDG |
| 14-4965-01 | rAra h 3 Peanut | <i>Arachis hypogaea</i> | f424 | 10 | CDH |
| 14-4966-01 | nDer p 1 House dust mite | <i>Dermatophagoides Pteronyssinus</i> | d202 | 10 | CFG |
| 14-4967-01 | rDer p 2 House dust mite | <i>Dermatophagoides Pteronyssinus</i> | d203 | 10 | CG2 |
| 14-4968-01 | rCor a 8 LTP, Hazel nut | <i>Corylus avellana</i> | f425 | 10 | CDP |
| 14-4969-01 | nAmb a 1 Ragweed | <i>Ambrosia elatior</i> | w230 | 10 | CF8 |
| 14-4969-01 | rGad c 1 Cod | <i>Gadus morhua</i> | f426 | 10 | CEY |
| 14-4970-01 | nArt v 1 Mugwort | <i>Artemisia vulgaris</i> | w231 | 10 | CF9 |
| 14-4972-01 | nCyn d 1 Bermuda grass | <i>Cynodon dactylon</i> | g216 | 10 | CFA |
| 14-4974-01 | Morphine | | c260 | 10 | CF7 |
| 14-4975-01 | Pholcodine | | c261 | 10 | CF6 |
| 14-4977-01 | nCup a 1 Cypress | <i>Cupressus arizonica</i> | t226 | 10 | CFD |
| 14-4978-01 | nSal k 1 Saltwort | <i>Salsola kali</i> | w232 | 10 | CFE |
| 14-4980-01 | rAra h 9 LTP, Peanut | <i>Arachis hypogaea</i> | f427 | 10 | CFC |
| 14-4980-01 | rAra h 9 LTP, Peanut | <i>Arachis hypogaea</i> | f427 | 10 | CFC |
| 14-4981-01 | rCor a 1 PR-10, Hazel nut | <i>Corylus avellana</i> | f428 | 10 | CFB |
| 14-4983-01 | nArt v 3 LTP, Mugwort | <i>Artemisia vulgaris</i> | w233 | 10 | CJ2 |
| 14-4984-01 | rAct d 8 PR-10, Kiwi | <i>Actinidia deliciosa</i> | f430 | 10 | CG7 |
| 14-4985-01 | rDer p 10 Tropomyosin, House dust mite | <i>Dermatophagoides Pteronyssinus</i> | d205 | 10 | CG5 |
| 14-4988-01 | f10, f17, f25, f84, f202 Sesame seed, Hazel nut, Tomato, Kiwi, Cashew nut | | fx77 | 16 | CJ5 |
| 14-4987-01 | rApi m 1 Phospholipase A2, Honey bee | <i>Apis mellifera</i> | i208 | 10 | CJ7 |
| 14-4990-01 | nGly m 5 beta-conglycinin, Soy | <i>Glycine max</i> | f431 | 10 | CLV |
| 14-4991-01 | nGly m 6 Glycinin | <i>Glycine max</i> | f432 | 10 | CLU |
| 14-4992-01 | rVes v 5 Common wasp | <i>Vespula vulgaris</i> | i209 | 10 | CJ8 |
| 14-4994-01 | rPol d 5 European Paper Wasp | <i>Polistes dominulus</i> | i210 | 10 | CJ9 |
| 14-4995-01 | rVes v 1 Phospholipase A1, Common wasp | <i>Vespula vulgaris</i> | i211 | 10 | CMR |
| 14-4997-10 | Gal-alpha-1,3-Gal Thyroglobulin, bovine | | | 10 | CKV |
| 14-4998-01 | rCan f 5 Dog | <i>Canis familiaris</i> | e226 | 10 | CMZ |
| 14-5002-01 | Elder | <i>Sambucus nigra</i> | t205 | 10 | C0P |
| 14-5003-01 | Horse chestnut | <i>Aesculus hippocastanum</i> | t203 | 10 | C0M |
| 14-5005-01 | Spruce | <i>Picea excelsa</i> | t201 | 10 | C0J |
| 14-5009-01 | nBos d 6 BSA, Cow | | e204 | 10 | BRV |
| 14-5011-01 | Chinchilla epithelium | | e208 | 10 | C1X |
| 14-5013-01 | Finch feathers | | e214 | 10 | C2D |
| 14-5014-01 | Fox epithelium | | e210 | 10 | C38 |
| 14-5015-01 | Gerbil epithelium | | e209 | 10 | C1W |
| 14-5016-01 | Horse, serum proteins | | e205 | 10 | C2T |
| 14-5019-01 | Mackerel | <i>Scomber scombrus</i> | f206 | 10 | BRY |
| 14-5020-01 | Camomile | <i>Matricaria chamomilla</i> | w206 | 10 | BPZ |
| 14-5022-01 | Lupin | <i>Lupinus spp.</i> | w207 | 10 | C1B |
| 14-5024-01 | Rape | <i>Brassica napus</i> | w203 | 10 | BPY |
| 14-5025-01 | Sunflower | <i>Helianthus annuus</i> | w204 | 10 | BT8 |
| 14-5026-01 | w1, w2, w3 <i>Ambrosia elatior, Ambrosia psilostachya, Ambrosia trifida</i> | | wx209 | 10 | BR0 |
| 14-5027-01 | <i>Trichosporon pullulans</i> | | m203 | 10 | C19 |
| 14-5028-01 | <i>Ulocladium chartarum</i> | | m204 | 10 | C1Y |
| 14-5029-01 | <i>Tilletia tritici</i> | | m201 | 10 | C1C |
| 14-5030-01 | Mink epithelium | | e203 | 10 | C39 |
| 14-5032-01 | Pigeon feathers | | e215 | 10 | BP5 |
| 14-5033-01 | Rabbit, serum proteins | | e206 | 10 | C2H |
| 14-5034-01 | Rabbit, urine proteins | | e211 | 10 | C44 |
| 14-5035-01 | Reindeer epithelium | | e202 | 10 | C3J |
| 14-5039-10 | Swine, urine proteins | | Re212 | 10 | 645 |
| 14-5042-01 | Eel | <i>Anguilla anguilla</i> | f264 | 10 | C26 |
| 14-5044-01 | Anise | <i>Pimpinella anisum</i> | f271 | 10 | BP9 |
| 14-5046-01 | Asparagus | <i>Asparagus officinalis</i> | f261 | 10 | C0B |
| 14-5047-01 | Aubergine, eggplant | <i>Solanum melongena</i> | f262 | 10 | BZZ |
| 14-5048-01 | Basil | <i>Ocimum basilicum</i> | f269 | 10 | BS7 |
| 14-5049-01 | Bay leaf | <i>Laurus nobilis</i> | f278 | 10 | BSC |
| 14-5051-01 | Blackberry | <i>Rubus fruticosus</i> | f211 | 10 | C0E |
| 14-5052-01 | Blueberry | <i>Vaccinium myrtillus</i> | f288 | 10 | BTF |
| 14-5054-01 | Brussel sprouts | <i>Brassica oleracea var. gemmifera</i> | f217 | 10 | C1S |
| 14-5056-01 | Carambola | <i>Averrhoa carambola</i> | f295 | 10 | C3H |
| 14-5057-01 | Caraway | <i>Carum carvi</i> | f265 | 10 | BP8 |
| 14-5058-01 | Cardamon | <i>Elettaria cardamomum</i> | f267 | 10 | C2G |
| 14-5060-01 | Cauliflower | <i>Brassica oleracea var. botrytis</i> | f291 | 10 | C05 |
| 14-5062-01 | Chilipepper | <i>Capsicum frutescens</i> | f279 | 10 | BSD |
| 14-5063-10 | Cinnamon | <i>Cinnamomum spp.</i> | Rf220 | 10 | 669 |

| Art. No. | Product | | Code | Size | Barcode |
|------------|---|--|-------|------|---------|
| 14-5064-01 | Clove | <i>Syzygium aromaticum</i> | f268 | 10 | BS6 |
| 14-5065-01 | Coffee | <i>Coffea spp.</i> | f221 | 10 | BRZ |
| 14-5067-01 | Curry (Santa Maria) | | f281 | 10 | BPA |
| 14-5068-01 | Date | <i>Phoenix dactylifera</i> | f289 | 10 | BSF |
| 14-5069-01 | Dill | <i>Anethum graveolens</i> | f277 | 10 | C0S |
| 14-5070-01 | Fennel seed | <i>Foeniculum vulgare</i> | f219 | 10 | C1L |
| 14-5071-01 | Fennel, fresh | <i>Foeniculum vulgare</i> | f276 | 10 | BTG |
| 14-5072-01 | Ginger | <i>Zingiber officinale</i> | f270 | 10 | BS8 |
| 14-5075-01 | Green pepper (unripe seed) | <i>Piper nigrum</i> | f263 | 10 | BS5 |
| 14-5076-01 | Guar, guar gum (E412) | <i>Cyamopsis tetragonolobus</i> | f246 | 10 | C0H |
| 14-5077-01 | Guava | <i>Psidium guajava</i> | f292 | 10 | C1E |
| 14-5078-01 | Honey | | f247 | 10 | BP7 |
| 14-5082-01 | Lovage | <i>Levisticum officinale</i> | f275 | 10 | C2Z |
| 14-5083-01 | Mace | <i>Myristica fragrans</i> | f266 | 10 | C2X |
| 14-5084-01 | Marjoram | <i>Origanum majorana</i> | f274 | 10 | BSB |
| 14-5086-01 | Mushroom (champignon) | <i>Agaricus hortensis</i> | f212 | 10 | BTH |
| 14-5087-10 | Nutmeg | <i>Myristica fragrans</i> | Rf282 | 10 | 693 |
| 14-5088-01 | Oregano | <i>Origanum vulgare</i> | f283 | 10 | BTJ |
| 14-5089-01 | Papaya | <i>Carica papaya</i> | f293 | 10 | BSG |
| 14-5091-01 | Passion fruit | <i>Passiflora edulis</i> | f294 | 10 | C0W |
| 14-5093-01 | Pine nut, pignoles | <i>Pinus edulis</i> | f253 | 10 | BS3 |
| 14-5097-01 | Poppy seed | <i>Papaver somniferum</i> | f224 | 10 | BS1 |
| 14-5098-01 | Pumpkin seed | <i>Cucurbita pepo</i> | f226 | 10 | C1U |
| 14-5100-01 | Red kidney bean | <i>Phaseolus vulgaris</i> | f287 | 10 | BSE |
| 14-5102-01 | Sugar-beet seed | <i>Beta vulgaris</i> | f227 | 10 | BTK |
| 14-5103-01 | Tarragon | <i>Artemisia dracunculus</i> | f272 | 10 | BS9 |
| 14-5104-01 | Tea | <i>Camellia sinensis</i> | f222 | 10 | BS0 |
| 14-5105-01 | Thyme | <i>Thymus vulgaris</i> | f273 | 10 | BSA |
| 14-5106-01 | Vanilla | <i>Vanilla planifolia</i> | f234 | 10 | BS2 |
| 14-5109-01 | Mare's milk | | f286 | 10 | C2K |
| 14-5114-01 | Cow's whey | | f236 | 10 | BP6 |
| 14-5115-01 | Elk/moose meat | | f285 | 10 | C3E |
| 14-5122-01 | Artemia salina, fish feed | | o202 | 10 | C31 |
| 14-5124-01 | Daphnia, fish feed | | o207 | 10 | C2W |
| 14-5126-01 | Alkalase | <i>Bacillus spp.</i> | k205 | 10 | C1F |
| 14-5127-01 | nAna c 2 Bromelain, Pineapple | | k202 | 10 | BT1 |
| 14-5128-01 | nGal d 4 Lysozyme, Egg | | k208 | 10 | C0T |
| 14-5129-01 | Maxatase | <i>Bacillus licheniformis</i> | k204 | 10 | C2F |
| 14-5130-01 | nCar p 1 Papain, Papaya | | k201 | 10 | BT0 |
| 14-5131-01 | nApi m 1 Phospholipase A2, Bee | | k203 | 10 | BPK |
| 14-5132-01 | Savinase | <i>Bacillus spp.</i> | k206 | 10 | C2R |
| 14-5135-01 | Tetramin, fish feed | | o203 | 10 | C2V |
| 14-5136-01 | Tobacco leaf | | o201 | 10 | BTL |
| 14-5137-01 | Carob (E410) | <i>Ceratonia siliqua</i> | f296 | 10 | C0U |
| 14-5138-01 | Gum arabic (E414) | <i>Acacia spp.</i> | f297 | 10 | BSH |
| 14-5139-01 | Tragacanth (E413) | <i>Astragalus spp.</i> | f298 | 10 | C12 |
| 14-5140-01 | Chestnut | <i>Castanea sativa</i> | t206 | 10 | C04 |
| 14-5142-01 | Squid | <i>Loligo spp.</i> | f258 | 10 | BS4 |
| 14-5144-01 | Goat milk | | f300 | 10 | BSJ |
| 14-5145-01 | Salt grass | <i>Distichlis spicata</i> | g203 | 10 | C1M |
| 14-5146-01 | Douglas fir | <i>Pseudotsuga taxifolia</i> | t207 | 10 | C15 |
| 14-5148-01 | Horn beam | <i>Carpinus betulus</i> | t209 | 10 | C0D |
| 14-5150-01 | Grain weevil | <i>Sitophilus granarius</i> | i202 | 10 | C1P |
| 14-5151-01 | Mediterranean flour moth | <i>Ephestia (syn. Anagasta) kuehniella</i> | i203 | 10 | C2J |
| 14-5154-01 | False oat-grass | <i>Arrhenatherum elatius</i> | g204 | 10 | C2S |
| 14-5155-01 | Sweet gum | <i>Liquidambar styraciflua</i> | t211 | 10 | C03 |
| 14-5156-01 | Deer epithelium | | e216 | 10 | C37 |
| 14-5157-01 | Ferret epithelium | | e217 | 10 | C1H |
| 14-5158-01 | Halibut | <i>Hippoglossus hippoglossus</i> | f303 | 10 | BZX |
| 14-5159-01 | Langust (spiny lobster) | <i>Palinurus spp.</i> | f304 | 10 | BTM |
| 14-5160-01 | Mandarin (tangerine, clementine, satsumas) | <i>Citrus reticulata</i> | f302 | 10 | BPB |
| 14-5161-01 | Persimon (kaki fruit, sharon) | <i>Diospyros kaki</i> | f301 | 10 | C2B |
| 14-5162-10 | ACTH (Adrenocorticotrophic hormone) | | Rc206 | 10 | 758 |
| 14-5163-10 | Protamine | | Rc207 | 10 | 880 |
| 14-5167-01 | Peppertree | <i>Schinus molle</i> | t217 | 10 | C1N |
| 14-5177-01 | f8, f12, f15, f31, f260 Maize, Pea, White bean, Carrot, Broccoli | | fx11 | 10 | BPC |
| 14-5178-01 | f5, f9, f35, f212, f225 Rye, Rice, Potato, Mushroom, Pumpkin | | fx12 | 10 | BPD |
| 14-5179-01 | f49, f92, f94, f95 Apple, Banana, Pear, Peach | | fx17 | 10 | BPE |
| 14-5181-01 | f31, f35, f214, f244 | | fx19 | 10 | BPF |

| Art. No. | Product | Code | Size | Barcode |
|------------|---|-------|------|---------|
| 14-5183-01 | Carrot, Potato, Spinach, Cucumber t2, t3, t4, t15 <i>Alnus incana, Betula verrucosa, Corylus avellana, Fraxinus americana</i> | tx10 | 10 | BPX |
| 14-5184-01 | d2, e1, e3, e5, m6 <i>Dermatophagoides farinae</i> , Cat dander, Horse dander, Dog dander, <i>Alternaria alternata</i> | rx2 | 10 | BPS |
| 14-5185-01 | Cedar <i>Libocedrus decurrens</i> | t212 | 10 | C01 |
| 14-5187-01 | Fenugreek <i>Trigonella foenum-graecum</i> | f305 | 10 | C3D |
| 14-5188-01 | Lime <i>Citrus aurantifolia</i> | f306 | 10 | BTN |
| 14-5189-01 | Hexahydrophthalic anhydrid | k209 | 10 | C1J |
| 14-5190-10 | Maleic anhydrid | Rk210 | 10 | 796 |
| 14-5191-01 | Methyltetrahydrophthalic anhydrid | k211 | 10 | C2Y |
| 14-5192-01 | Sugar-beet <i>Beta vulgaris</i> | w210 | 10 | C30 |
| 14-5193-01 | g6, w6, w9, w21, t3 <i>Phleum pratense, Artemisia vulgaris, Plantago lanceolata, Parietaria judaica, Betula verrucosa</i> | rx1 | 10 | BRN |
| 14-5194-01 | Hake <i>Merluccius merluccius</i> | f307 | 10 | BTP |
| 14-5195-01 | Sardine (Pilchard) <i>Sardina pilchardus</i> | f308 | 10 | BTR |
| 14-5196-01 | Chick pea <i>Cicer arietinus</i> | f309 | 10 | BTS |
| 14-5197-01 | Blue vetch <i>Lathyrus sativus</i> | f310 | 10 | C3A |
| 14-5198-01 | g2, g5, g17, w1, w9, w10 <i>Cynodon dactylon, Lolium perenne, Paspalum notatum, Ambrosia elatior, Plantago lanceolata, Chenopodium album</i> | rx3 | 10 | BTT |
| 14-5199-01 | g2, g5, g11, w1, w6, w9 <i>Cynodon dactylon, Lolium perenne, Bromus inermis, Ambrosia elatior, Artemisia vulgaris, Plantago lanceolata</i> | rx4 | 10 | BTU |
| 14-5200-01 | g2, g5, g10, g11, g13, g17 <i>Cynodon dactylon, Lolium perenne, Sorghum halepense, Bromus inermis, Holcus lanatus, Paspalum notatum</i> | gx6 | 10 | BSZ |
| 14-5202-01 | <i>Chaetomium globosum</i> | m208 | 10 | C00 |
| 14-5203-01 | <i>Penicillium glabrum</i> | m209 | 10 | BT3 |
| 14-5204-01 | Megrin <i>Lepidorhombus whiffiagonis</i> | f311 | 10 | BSK |
| 14-5205-01 | Swordfish <i>Xiphias gladius</i> | f312 | 10 | C08 |
| 14-5206-01 | f84, f87, f92, f95, f210 Kiwi fruit, Melon, Banana, Peach, Pineapple | fx21 | 10 | BPG |
| 14-5207-01 | Horse fly <i>Tabanus spp.</i> | i204 | 10 | BPJ |
| 14-5208-01 | Pine <i>Pinus radiata</i> | t213 | 10 | C02 |
| 14-5209-01 | Anchovy <i>Engraulis encrasicolus</i> | f313 | 10 | BSL |
| 14-5210-01 | Snail <i>Helix aspersa</i> | f314 | 10 | BU0 |
| 14-5211-01 | Green bean <i>Phaseolus vulgaris</i> | f315 | 10 | BSM |
| 14-5212-01 | f201, f202, f203, f256 Pecan nut, Cashew nut, Pistachio, Walnut | fx22 | 10 | BPH |
| 14-5213-01 | Rape seed <i>Brassica napus</i> | f316 | 10 | C10 |
| 14-5214-01 | Coriander <i>Coriandrum sativum</i> | f317 | 10 | BSN |
| 14-5215-01 | Jack fruit <i>Artocarpus heterophyllus</i> | f318 | 10 | C3F |
| 14-5216-01 | Beetroot <i>Beta vulgaris</i> | f319 | 10 | C1A |
| 14-5217-01 | Abachi wood dust <i>Triplochiton scleroxylon</i> | k212 | 10 | BT2 |
| 14-5218-01 | Date <i>Phoenix canariensis</i> | t214 | 10 | C2P |
| 14-5219-01 | Crayfish <i>Astacus astacus</i> | f320 | 10 | BSP |
| 14-5220-01 | Horse meat | f321 | 10 | C1D |
| 14-5221-01 | Red currant <i>Ribes sylvestre</i> | f322 | 10 | C21 |
| 14-5222-01 | nGal d 3 Conalbumin, Egg | f323 | 10 | C18 |
| 14-5223-01 | <i>Trichophyton mentagrophytes var. goetzii</i> | m210 | 10 | C0Y |
| 14-5224-01 | <i>Trichophyton mentagrophytes var. interdigitale</i> | m211 | 10 | C0R |
| 14-5225-01 | rBet v 1 PR-10, Birch <i>Betula verrucosa</i> | t215 | 10 | BPV |
| 14-5226-01 | rBet v 2 Profilin, Birch <i>Betula verrucosa</i> | t216 | 10 | BR1 |
| 14-5227-10 | Tetanus toxoid | Rc208 | 10 | 902 |
| 14-5228-01 | Hop (fruit cone) <i>Humulus lupulus</i> | f324 | 10 | C0N |
| 14-5229-01 | Chicken droppings | e218 | 10 | BRW |
| 14-5230-01 | Chicken, serum proteins | e219 | 10 | C24 |
| 14-5234-01 | rPhl p 1 Timothy <i>Phleum pratense</i> | g205 | 10 | BSU |
| 14-5235-01 | rPhl p 2 Timothy <i>Phleum pratense</i> | g206 | 10 | C0K |
| 14-5237-01 | Sheep milk | f325 | 10 | C0C |
| 14-5238-01 | Sheep whey | f326 | 10 | C2U |
| 14-5240-01 | nFel d 2 Cat serum albumin | e220 | 10 | BRX |
| 14-5241-01 | nCan f 3 Dog serum albumin | e221 | 10 | C14 |
| 14-5242-01 | nSus s Pig serum albumin, Swine | e222 | 10 | C36 |
| 14-5244-01 | Fig <i>Ficus carica</i> | f328 | 10 | BSR |
| 14-5245-01 | Watermelon <i>Citrullus lanatus</i> | f329 | 10 | BSS |
| 14-5246-01 | d1, e1, m3, i6 <i>Dermatophagoides pteronyssinus</i> , Cat dander, <i>Aspergillus fumigatus, Blatella germanica</i> | rx5 | 10 | BPT |
| 14-5247-01 | Rose hip <i>Rosa spp.</i> | f330 | 10 | C1R |
| 14-5248-01 | Saffron <i>Crocus sativus</i> | f331 | 10 | C2E |
| 14-5249-01 | Mint <i>Mentha piperita</i> | f332 | 10 | C1G |
| 14-5250-01 | Linseed <i>Linum usitatissimum</i> | f333 | 10 | C13 |
| 14-5251-01 | Mealworm <i>Tenebrio molitor</i> | o211 | 10 | C3C |
| 14-5252-01 | Virginia live oak <i>Quercus virginiana</i> | t218 | 10 | BZY |
| 14-5253-01 | nBos d Lactoferrin, Milk | f334 | 10 | C16 |
| 14-5254-01 | Lupin seed <i>Lupinus albus</i> | f335 | 10 | BST |

| Art. No. | Product | | Code | Size | Barcode |
|------------|---|------------------------------|-------|------|---------|
| 14-5255-01 | Jujube | <i>Ziziphus jujuba</i> | f336 | 10 | C32 |
| 14-5256-01 | Sole | <i>Solea solea</i> | f337 | 10 | BTV |
| 14-5258-01 | nSus s Pepsin, Swine | | k213 | 10 | C3B |
| 14-5259-01 | Chymopapain | | c209 | 10 | C35 |
| 14-5260-01 | Paloverde | <i>Cercidium floridum</i> | t219 | 10 | C3K |
| 14-5266-01 | Suxamethonium (succinylcholine) | | c202 | 10 | BRU |
| 14-5267-01 | Allspice | <i>Pimenta dioica</i> | f339 | 10 | C17 |
| 14-5268-01 | Cochineal extract (Carmine red) (E120) | <i>Dactylopius coccus</i> | f340 | 10 | C0V |
| 14-5269-10 | Cranberry | <i>Vaccinium oxycoccus</i> | Rf341 | 10 | AKT |
| 14-5270-01 | Bumblebee | <i>Bombus terrestris</i> | i205 | 10 | C06 |
| 14-5274-01 | Cockroach, American | <i>Periplaneta americana</i> | i206 | 10 | C07 |
| 14-5275-01 | Cockroach, Oriental | <i>Blatta orientalis</i> | i207 | 10 | BTW |
| 14-5279-01 | Olive (black, fresh) | <i>Olea europaea</i> | f342 | 10 | C0F |
| 14-5280-01 | Raspberry | <i>Rubus idaeus</i> | f343 | 10 | C09 |
| 14-5281-01 | Sage | <i>Salvia officinalis</i> | f344 | 10 | C25 |
| 14-5282-01 | Macadamia nut | <i>Macadamia spp.</i> | f345 | 10 | BTX |
| 14-5283-01 | Abalone | <i>Haliotis spp.</i> | f346 | 10 | BTY |
| 14-5284-01 | Quinoa | <i>Chenopodium quinoa</i> | f347 | 10 | C1T |
| 14-5285-01 | Litchi | <i>Litchi chinensis</i> | f348 | 10 | C2N |
| 14-5286-01 | Bougainvillea | <i>Bougainvillea spp.</i> | k214 | 10 | C3L |
| 14-5287-01 | rBet v 4 Birch | <i>Betula verrucosa</i> | t220 | 10 | BT7 |
| 14-5288-01 | nPhl p 4 Timothy | <i>Phleum pratense</i> | g208 | 10 | C0L |
| 14-5289-01 | rPhl p 6 Timothy | <i>Phleum pratense</i> | g209 | 10 | BSV |
| 14-5290-01 | rPhl p 7 Timothy | <i>Phleum pratense</i> | g210 | 10 | BSW |
| 14-5291-01 | rPhl p 11 Timothy | <i>Phleum pratense</i> | g211 | 10 | BSX |
| 14-5292-01 | rPhl p 12 Profilin, Timothy | <i>Phleum pratense</i> | g212 | 10 | BSY |
| 14-5293-01 | rAsp f 1 | <i>Aspergillus fumigatus</i> | m218 | 10 | BPL |
| 14-5294-01 | rAsp f 2 | <i>Aspergillus fumigatus</i> | m219 | 10 | BPM |
| 14-5295-01 | rAsp f 3 | <i>Aspergillus fumigatus</i> | m220 | 10 | BT4 |
| 14-5296-01 | rAsp f 4 | <i>Aspergillus fumigatus</i> | m221 | 10 | BPN |
| 14-5297-01 | rAsp f 6 | <i>Aspergillus fumigatus</i> | m222 | 10 | BPP |
| 14-5298-01 | Staphylococcal enterotoxin C | | m223 | 10 | BT5 |
| 14-5301-01 | Staphylococcal enterotoxin TSST | | m226 | 10 | C0X |
| 14-5308-01 | Oil Palm | <i>Elaeis guineensis</i> | t223 | 10 | C3G |
| 14-5309-01 | Cypress | <i>Cupressus arizonica</i> | t222 | 10 | BTZ |
| 14-5310-01 | rBet v 2, rBet v 4 Birch | <i>Betula verrucosa</i> | t221 | 10 | BU0 |
| 14-5311-01 | rPar j 2 LTP, Wall pellitory | <i>Parietaria judaica</i> | w211 | 10 | C2M |
| 14-5312-01 | rPhl p 1, rPhl p 5b Timothy | <i>Phleum pratense</i> | g213 | 10 | BU1 |
| 14-5313-01 | rPhl p 7, rPhl p 12 Timothy | <i>Phleum pratense</i> | g214 | 10 | BU2 |
| 14-5320-01 | Streptavidin | | o212 | 10 | BZV |
| 14-5321-01 | <i>Malassezia spp.</i> | | m227 | 10 | BT6 |
| 14-5322-01 | t3, g6, w6, m2, m6 <i>Betula verrucosa, Phleum pratense, Artemisia vulgaris, Cladosporium herbarum, Alternaria alternata</i> | | rx6 | 10 | BPU |
| 14-5323-01 | d1, e1, e3, e5, e82 <i>Dermatophagoides pteronyssinus, Cat dander, Horse dander, Dog dander, Rabbit epithelium</i> | | rx7 | 10 | BPW |
| 14-5324-01 | rHev b 1 Latex | <i>Hevea brasiliensis</i> | k215 | 10 | C20 |
| 14-5326-01 | rHev b 3 Latex | <i>Hevea brasiliensis</i> | k217 | 10 | C2A |
| 14-5327-01 | rHev b 5 Latex | <i>Hevea brasiliensis</i> | k218 | 10 | C1Z |
| 14-5328-01 | rHev b 6.01 Latex | <i>Hevea brasiliensis</i> | k219 | 10 | C28 |
| 14-5329-01 | rHev b 6.02 Latex | <i>Hevea brasiliensis</i> | k220 | 10 | C22 |
| 14-5330-01 | rHev b 8 Profilin, Latex | <i>Hevea brasiliensis</i> | k221 | 10 | C1V |
| 14-5331-01 | rHev b 9 Latex | <i>Hevea brasiliensis</i> | k222 | 10 | C2C |
| 14-5333-01 | rHev b 11 Latex | <i>Hevea brasiliensis</i> | k224 | 10 | C29 |
| 14-5334-10 | MBP (maltose binding protein) | | Ro213 | 10 | BN3 |
| 14-5335-01 | rPen a 1 Tropomyosin, Shrimp | | f351 | 10 | C11 |
| 14-5336-01 | Cefaclor | | c7 | 10 | BP4 |
| 14-5338-01 | rPhl p 5b Timothy | <i>Phleum pratense</i> | g215 | 10 | BV3 |
| 14-5339-01 | MUXF3 CCD, Bromelain | | o214 | 10 | CJU |
| 14-5340-01 | rGly m 4 PR-10, Soy | <i>Glycine max</i> | f353 | 10 | CDR |
| 14-5341-01 | rAra h 8 PR-10, Peanut | <i>Arachis hypogaea</i> | f352 | 10 | CEZ |
| 14-5342-01 | <i>Aspergillus flavus</i> | | m228 | 10 | BZU |
| 14-5343-01 | rBer e 1 Brazil nut | <i>Bertholletia excelsa</i> | f354 | 10 | CDS |
| 14-5344-10 | rCyp c 1 Carp | <i>Cyprinus carpio</i> | f355 | 10 | CF0 |
| 14-5345-01 | rBet v 6 Birch | <i>Betula verrucosa</i> | t225 | 10 | CF1 |
| 14-5346-01 | rAlt a 1 | <i>Alternaria alternata</i> | m229 | 10 | CE0 |
| 14-5700-01 | rEqu c 1 Horse | <i>Equus caballus</i> | e227 | 10 | CN7 |
| 14-5702-01 | rFel d 4 Cat | <i>Felis domesticus</i> | e228 | 10 | CT9 |
| 14-5705-01 | rOle e 1 Olive | <i>Olea europaea</i> | t224 | 10 | CTC |

Allergen Mixes by Allergen Code

| Code | Product | Size | Art. No. | Barcode |
|------|--|------|------------|---------|
| ex1 | e1, e3, e4, e5 Cat dander, Horse dander, Cow dander, Dog dander | 16 | 14-4203-01 | 444 |
| ex2 | e1, e5, e6, e87, e88 Cat dander, Dog dander, Guinea pig epithelium, Rat, Mouse | 16 | 14-4512-01 | BN7 |
| ex70 | e6, e82, e84, e87, e88 Guinea pig epithelium, Rabbit epithelium, Hamster epithelium, Rat, Mouse | 10 | 14-4276-01 | 519 |
| ex71 | e70, e85, e86, e89 Goose feathers, Chicken feathers, Duck feathers, Turkey feathers | 10 | 14-4277-01 | 520 |
| ex72 | e78, e201, e196, e213, e214 Budgerigar feathers, Canary bird feathers, Parakeet feathers, Parrot feathers, Finch feathers | 10 | 14-4278-01 | 521 |
| ex73 | e70, e85, e86, e213 Goose feathers, Chicken feathers, Duck feathers, Parrot feathers | 10 | 14-4828-01 | 927 |
| fx1 | f13, f17, f18, f20, f36 Peanut, Hazel nut, Brazil nut, Almond, Coconut | 16 | 14-4206-01 | 447 |
| fx2 | f3, f24, f37, f40, f41 Fish, Shrimp, Blue mussel, Tuna, Salmon | 16 | 14-4207-01 | 448 |
| fx3 | f4, f7, f8, f10, f11 Wheat, Oat, Maize, Sesame seed, Buckwheat | 16 | 14-4208-01 | 449 |
| fx5 | f1, f2, f3, f4, f13, f14 Egg white, Milk, Fish, Wheat, Peanut, Soybean | 16 | 14-4275-01 | 513 |
| fx7 | f25, f45, f47, f48, f85 Tomato, Yeast, Garlic, Onion, Celery | 10 | 14-4844-01 | AAG |
| fx8 | f17, f18, f33, f49, f93 Hazel nut, Brazil nut, Orange, Apple, Cacao | 10 | 14-4845-01 | AAH |
| fx9 | f20, f84, f87, f92, f259 Almond, Kiwi, Melon, Banana, Grape | 10 | 14-4846-01 | AAJ |
| fx10 | f26, f27, f75, f83, f284 Pork, Beef, Egg yolk, Chicken, Turkey | 10 | 14-4847-01 | AAK |
| fx11 | f8, f12, f15, f31, f260 Maize, Pea, White bean, Carrot, Broccoli | 10 | 14-5177-01 | BPC |
| fx12 | f5, f9, f35, f212, f225 Rye, Rice, Potato, Mushroom, Pumpkin | 10 | 14-5178-01 | BPD |
| fx13 | f12, f15, f31, f35 Pea, White bean, Carrot, Potato | 10 | 14-4848-01 | AAL |
| fx14 | f25, f214, f216, f218 Tomato, Spinach, Cabbage, Paprika | 10 | 14-4849-01 | AAM |
| fx15 | f33, f49, f92, f95 Orange, Apple, Banana, Peach | 10 | 14-4850-01 | AAN |
| fx16 | f44, f94, f208, f210 Strawberry, Pear, Lemon, Pineapple | 10 | 14-4851-01 | AAP |
| fx17 | f49, f92, f94, f95 Apple, Banana, Pear, Peach | 10 | 14-5179-01 | BPE |
| fx18 | f12, f13, f14 Pea, Peanut, Soybean | 10 | 14-4852-01 | AAR |
| fx19 | f31, f35, f214, f244 Carrot, Potato, Spinach, Cucumber | 10 | 14-5181-01 | BPF |
| fx20 | f4, f5, f6, f9 Wheat, Rye, Barley, Rice | 10 | 14-4853-01 | AAS |
| fx21 | f84, f87, f92, f95, f210 Kiwi, Melon, Banana, Peach, Pineapple | 10 | 14-5206-01 | BPG |
| fx22 | f201, f202, f203, f256 Pecan nut, Cashew nut, Pistachio, Walnut | 10 | 14-5212-01 | BPH |
| fx23 | f26, f27, f83, f284 Pork, Beef, Chicken meat, Turkey meat | 10 | 14-4855-01 | A7E |
| fx24 | f17, f24, f84, f92 Hazel nut, Shrimp, Kiwi, Banana | 10 | 14-4856-01 | A7F |
| fx25 | f10, f45, f47, f85 Sesame seed, Yeast, Garlic, Celery | 10 | 14-4857-01 | A7G |
| fx26 | f1, f2, f13, f89 Egg white, Cow's milk, Peanut, Mustard | 10 | 14-4894-01 | BEX |
| fx27 | f3, f4, f14, f17 Fish (cod), Wheat, Soybean, Hazel nut | 10 | 14-4893-01 | BEW |
| fx28 | f10, f24, f27, f84 Sesame seed, Shrimp, Beef, Kiwi | 10 | 14-4892-01 | BEV |
| fx29 | f33, f208, f209, f302 Orange, Lemon, Grapefruit, Mandarin | 10 | 14-4915-01 | BY7 |
| fx30 | f84, f91, f92, f96, f293 Kiwi, Mango, Banana, Avocado, Papaya | 10 | 14-4916-01 | BY8 |
| fx31 | f49, f94, f95, f242, f255 Apple, Pear, Peach, Cherry, Plum | 10 | 14-4917-01 | BY9 |
| fx32 | f235, f12, f15, f296 Lentil, Pea, White bean, Carob | 10 | 14-4918-01 | BYA |
| fx70 | f272, f274, f273, f275 Tarragon, Marjoram, Thyme, Lovage | 10 | 14-4357-01 | 582 |

| Code | Product | Size | Art. No. | Barcode |
|------|--|------|------------|---------|
| fx71 | f265, f266, f267, f268 Caraway, Mace, Cardamom, Clove | 10 | 14-4358-01 | 583 |
| fx72 | f269, f219, f270, f271 Basil, Fennel seed, Ginger, Anise | 10 | 14-4359-01 | 584 |
| fx73 | f26, f27, f83 Pork, Beef, Chicken | 10 | 14-4825-01 | 924 |
| fx74 | f3, f205, f206, f254 Cod, Herring, Mackerel, Plaice | 10 | 14-4827-01 | 926 |
| fx77 | f10, f17, f25, f84, f202 Sesame seed, Hazel nut, Tomato, Kiwi, Cashew nut | 16 | 14-4988-01 | CJ5 |
| gx1 | g3, g4, g5, g6, g8 <i>Dactylis glomerata, Festuca elatior, Lolium perenne, Phleum pratense, Poa pratensis</i> | 16 | 14-4163-01 | 405 |
| gx2 | g2, g5, g6, g8, g10, g17 <i>Cynodon dactylon, Lolium perenne, Phleum pratense, Poa pratensis, Sorghum halepense, Paspalum notatum</i> | 16 | 14-4192-01 | 433 |
| gx3 | g1, g5, g6, g12, g13 <i>Anthoxanthum odoratum, Lolium perenne, Phleum pratense, Secale cereale, Holcus lanatus</i> | 16 | 14-4193-01 | 434 |
| gx4 | g1, g5, g7, g12, g13 <i>Anthoxanthum odoratum, Lolium perenne, Phragmites communis, Secale cereale, Holcus lanatus</i> | 16 | 14-4194-01 | 435 |
| gx6 | g2, g5, g10, g11, g13, g17 <i>Cynodon dactylon, Lolium perenne, Sorghum halepense, Bromus inermis, Holcus lanatus, Paspalum notatum</i> | 10 | 14-5200-01 | BSZ |
| hx2 | h2, d1, d2, i6 Hollister-Stier Labs., <i>Dermatophagoides pteronyssinus, Dermatophagoides farinae, Blatella germanica</i> | 16 | 14-4205-01 | 446 |
| mx1 | m1, m2, m3, m6 <i>Penicillium chrysogenum, Cladosporium herbarum, Aspergillus fumigatus, Alternaria alternata</i> | 16 | 14-4204-01 | 445 |
| mx2 | m1, m2, m3, m5, m6, m8 <i>Penicillium chrysogenum, Cladosporium herbarum, Aspergillus fumigatus, Candida albicans, Alternaria alternata, Setomelanomma rostrata</i> | 16 | 14-4320-01 | 851 |
| mx4 | m3, m207, m36, m228 <i>A. fumigatus, A. niger, A. terreus, A. flavus</i> | 10 | 14-4921-01 | BYD |
| pax1 | e3, e4, e70, e85 Horse dander, Cow dander, Goose feathers, Chicken feathers | 10 | 14-4350-01 | 575 |
| pax3 | m3, m6, g12, g15 <i>Aspergillus fumigatus, Alternaria alternata, Rye pollen, Wheat pollen</i> | 10 | 14-4352-01 | 577 |
| pax4 | f4, f14, k87, i202 Wheat, Soya bean, alpha-amylase, <i>Sitophilus granarius</i> | 10 | 14-4353-01 | 578 |
| pax5 | k75, k76, k77, k79 Isocyanates (TDI, MDI, HDI), Phthalic anhydride | 10 | 14-4354-01 | 579 |
| pax6 | k78, k79, k80, k85 Ethylene oxide, Phthalic anhydride, Formaldehyde, Chloramin T | 10 | 14-4355-01 | 580 |
| rx1 | g6, w6, w9, w21, t3 <i>Phleum pratense, Artemisia vulgaris, Plantago lanceolata, Parietaria judaica, Betula verrucosa</i> | 10 | 14-5193-01 | BRN |
| rx2 | d2, e1, e3, e5, m6 <i>Dermatophagoides farinae, Cat dander, Horse dander, Dog dander, Alternaria alternata</i> | 10 | 14-5184-01 | BPS |
| rx3 | g2, g5, g17, w1, w9, w10 <i>Cynodon dactylon, Lolium perenne, Paspalum notatum, Ambrosia elatior, Plantago lanceolata, Chenopodium album</i> | 10 | 14-5198-01 | BTT |
| rx4 | g2, g5, g11, w1, w6, w9 <i>Cynodon dactylon, Lolium perenne, Bromus inermis, Ambrosia elatior, Artemisia vulgaris, Plantago lanceolata</i> | 10 | 14-5199-01 | BTU |
| rx5 | d1, e1, m3, i6 <i>Dermatophagoides pteronyssinus, Cat dander, Aspergillus fumigatus, Blatella germanica</i> | 10 | 14-5246-01 | BPT |
| rx6 | t3, g6, w6, m2, m6 <i>Betula verrucosa, Phleum pratense, Artemisia vulgaris, Cladosporium herbarum, Alternaria alternata</i> | 10 | 14-5322-01 | BPU |
| rx7 | d1, e1, e3, e5, e82 <i>Dermatophagoides pteronyssinus, Cat dander, Horse dander, Dog dander, Rabbit epithelium</i> | 10 | 14-5323-01 | BPW |
| tx1 | t1, t3, t7, t8, t10 <i>Acer negundo, Betula verrucosa, Quercus alba, Ulmus americana, Juglans californica</i> | 16 | 14-4199-01 | 440 |
| tx2 | t1, t7, t8, t14, t22 <i>Acer negundo, Quercus alba, Ulmus americana, Populus deltoides, Carya pecan</i> | 16 | 14-4270-01 | 508 |
| tx3 | t6, t7, t8, t14, t20 <i>Juniperus sabinoides, Quercus alba, Ulmus americana, Populus deltoides, Prosopis juliflora</i> | 16 | 14-4271-01 | 509 |
| tx4 | t7, t8, t11, t12, t14 <i>Quercus alba, Ulmus americana, Platanus acerifolia, Salix caprea, Populus deltoides</i> | 16 | 14-4200-01 | 441 |
| tx5 | t2, t4, t8, t12, t14 <i>Alnus incana, Corylus avellana, Ulmus americana, Salix caprea, Populus deltoides</i> | 16 | 14-4201-01 | 442 |
| tx6 | t1, t3, t5, t7, t10 <i>Acer negundo, Betula verrucosa, Fagus grandifolia, Quercus alba, Juglans californica</i> | 16 | 14-4202-01 | 443 |
| tx7 | t9, t12, t16, t18, t19, t21 <i>Olea europaea, Salix caprea, Pinus strobus, Eucalyptus spp., Acacia longifolia, Melaleuca leucadendron</i> | 16 | 14-4272-01 | 510 |
| tx8 | t1, t3, t4, t7, t11 <i>Acer negundo, Betula verrucosa, Corylus avellana, Quercus alba, Platanus acerifolia</i> | 16 | 14-4273-01 | 511 |
| tx9 | t2, t3, t4, t7, t12 <i>Alnus incana, Betula verrucosa, Corylus avellana, Quercus alba, Salix caprea</i> | 16 | 14-4274-01 | 512 |
| tx10 | t2, t3, t4, t15 <i>Alnus incana, Betula verrucosa, Corylus avellana, Fraxinus americana</i> | 10 | 14-5183-01 | BPX |
| wx1 | w1, w6, w9, w10, w11 <i>Ambrosia elatior, Artemisia vulgaris, Plantago lanceolata, Chenopodium album, Salsola kali</i> | 16 | 14-4195-01 | 436 |

| Code | Product | Size | Art. No. | Barcode |
|-------|--|------|------------|---------|
| wx2 | w2, w6, w9, w10, w15 <i>Ambrosia psilostachya, Artemisia vulgaris, Plantago lanceolata, Chenopodium album, Atriplex lentiformis</i> | 16 | 14-4268-01 | 506 |
| wx3 | w6, w9, w10, w12, w20 <i>Artemisia vulgaris, Plantago lanceolata, Chenopodium album, Solidago virgaurea, Urtica dioica</i> | 16 | 14-4196-01 | 437 |
| wx5 | w1, w6, w7, w8, w12 <i>Ambrosia elatior, Artemisia vulgaris, Chrysanthemum leucanthemum, Taraxacum vulgare, Solidago virgaurea</i> | 16 | 14-4197-01 | 438 |
| wx6 | w9, w10, w11, w18 <i>Plantago lanceolata, Chenopodium album, Salsola kali, Rumex acetosella</i> | 16 | 14-4198-01 | 439 |
| wx7 | w7, w8, w9, w10, w12 <i>Chrysanthemum leucanthemum, Taraxacum vulgare, Plantago lanceolata, Chenopodium album, Solidago virgaurea</i> | 16 | 14-4269-01 | 507 |
| wx209 | w1, w2, w3 <i>Ambrosia elatior, Ambrosia psilostachya, Ambrosia trifida</i> | 10 | 14-5026-01 | BR0 |

